

**PADRONE HEALTHCARE  
APPROVALS**

S.NO	GENERIC NAME	COMPOSITION				MFG	PAGE NO.
1	Dapagliflozin Tablets IHS	Each film coated Tablet Contains:				SBC	PAGE NO 1
		Dapagliflozin propanediol Monohydrate Eq. to Dapagliflozin	IHS	10	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2	Doxofylline & Ambroxol Hydrochloride Tablets IHS	Each Uncoated Tablet Contain				SBC	PAGE NO 1
		Doxofylline	IP	400	mg		
		Ambroxol Hydrochloride	IP	30	mg		
		Excipients		q.s.			
3	Ferrous Ascorbate, Folic acid & Zinc Tablet IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 1
		Ferrous Ascorbates		100	mg		
		Eq. to. Elemental Iron					
		Folic acid	IP	1.5	mg		
		Zinc sulphate Monohydrate	IP				
		Eq. to. Elemental Zinc		22.5	mg		
Excipients			q.s.				
Colour-Approved colour used							
4	Ferrous Ascorbate, Folic acid, Methylcobalamin & Zinc Tablet IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 1
		Ferrous Ascorbate					
		Eq. to. Elemental Iron		100	mg		
		Folic acid	IP	1.5	mg		
		Zinc Sulphate Monohydrate	IP				
		Eq. to. Elemental Zinc		22.5	mg		
		Methylcobalamin		1500	mcg		
Excipients			q.s.				
Approved colour used							
5	Glimepiride 1 MG Tablet IP	Each Uncoated Tablet Contains:				SBC	PAGE NO 1
		Glimepiride	IP	1	mg		
		Excipients		q.s.			
6	Glimepiride 2 MG Tablet IP	Each Uncoated Tablet Contains:				SBC	PAGE NO 1
		Glimepiride	IP	2	mg		
		Excipients		q.s.			

7	Glimepiride 3 MG Tablet	Each Uncoated Tablet Contains:				SBC	PAGE NO 1
		Glimepiride	IP	3	mg		
		Excipients		q.s.			
8	Glimepiride 4 MG Tablet	Each Uncoated Tablet Contains:				SBC	PAGE NO 2
		Glimepiride	IP	4	mg		
		Excipients		q.s.			
9	Glimepiride & Metformin (Prolonged Release) Tablet IP	Each Uncoated Bi-layered tablet contains:				SBC	PAGE NO 2
		Glimepiride	IP	1	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	500	mg		
		Excipients		q.s.			
10	Glimepiride & Metformin (Prolonged Release) Tablet IP	Each Uncoated Bi-layered tablet contains:				SBC	PAGE NO 2
		Glimepiride	IP	2	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	500	mg		
		Excipients		q.s.			
11	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-layered tablet contains:				SBC	PAGE NO 2
		Glimepiride	IP	1	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	1000	mg		
		Excipients		q.s.			
12	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-layered tablet contains:				SBC	PAGE NO 2
		Glimepiride	IP	2	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	1000	mg		
		Excipients		q.s.			
13	Gliclazide & Metformin (Extended Release) Tablet	Each Uncoated Tablet Contains:				SBC	PAGE NO 2
		Gliclazide	IP	80	mg		
		Metformin Hydrochloride (As Extended Release)	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
14	Griseofulvin Tablets IP	Each Uncoated Tablet Contains:				SBC	PAGE NO 2
		Griseofulvin	IP	125	mg		
		Excipients		q.s.			
15	Hydroxychloroquine Sulphate Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 2
		Hydroxychloroquine Sulphate	IP	200	mg		
		Excipients		q.s.			
		Colour- Approved colour used					
16	Levocetirizine & Monteleukast Sodium Tablet IP	Each Film Coated Tablet Contains:				SBC	PAGE NO 3
		Levocetirizine Dihydrochloride	IP	5	mg		
		Monteleukast Sodium eq. to. Monteleukast	IP	10	mg		
		Excipients		q.s.			
		Colour – Approved colour used					

17	Levocetizine & Ambroxol Hydrochloride (Sustain Release) TABLET IHS	Each Uncoated Tablet Contains:				SBC	PAGE NO 3
		Levocetizine Hydrochloride	IP	5	mg		
		Ambroxol Hydrochloride (As Sustain Release)	IP	75	mg		
		Excipients		q.s.			
		Colour – Approved colour used					
18	Levetiracetam Tablets IP	Each Film Coated Tablet Contains:				SBC	PAGE NO 3
		Levetiracetam	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
19	Levetiracetam Tablets IP	Each Film Coated Tablet Contains:				SBC	PAGE NO 3
		Levetiracetam	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
20	Mefenamic & Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO 3
		Mefenamic Acid	IP	250	mg		
		Dicyclomine Hydrochloride	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
21	Mefenamic & Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO 3
		Mefenamic Acid	IP	500	mg		
		Dicyclomine Hydrochloride	IP	20	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
22	Metoprolol Succinate Prolonged release & Amlodipine Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 3
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As prolonged release)	IP	25	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
23	Metoprolol Succinate Prolonged release & Amlodipine Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 4
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As prolonged release)	IP	50	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
24	Metoprolol Succinate Prolonged release & Amlodipine Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 4
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As prolonged release)	IP	25	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	2.5	mg		

		Excipients		q.s.			
		Colour- Approved colour used					
25	Nimesulide Mouth Dissolving Tablets IHS	Each Uncoated Mouth Dissolving Tablet Contains:				SBC	PAGE NO 4
		Nimesulide	BP	100	mg		
		Excipients		q.s.			
		Approved colour used in tablet <b>(NOT TO BE USED IN CHILDREN BELOW 12 YEARS OF AGE)</b>					
26	Piroxicam Betacyclodextrin Tablets IHS	Each uncoated tablet contains:				SBC	PAGE NO 4
		Piroxicam Betacyclodextrin Equivalent to Piroxicam		20	mg		
		Excipients		q.s.			
27	Tranexamic acid & Mafenamic Acid Tablets IHS	Each Uncoated Tablet Contains:				SBC	PAGE NO 4
		Tranexamic Acid	IP	500	mg		
		Mefenamic Acid	IP	250	mg		
28	Tranexamic Acid & Ethamsylate Tablets IHS	Each film coated tablet contains:				SBC	PAGE NO 4
		Tranexamic Acid	IP	250	mg		
		Ethamsylate	BP	500	mg		
		Excipients		q.s.			
29	Teneligliptin Hydrobromide Hydrate Tablets	Each film coated tablet contains:				SBC	PAGE NO 5
		Teneligliptin Hydrobromide Hydrate	IHS				
		Eq. to Teneligliptin		20	mg		
		Excipients		q.s.			
30	Vildagliptin Tablets	Each uncoated tablet contains:				SBC	PAGE NO 5
		Vildagliptin	IHS	50	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
31	Metformin & Vildagliptin Tablets	Each film coated tablet contains:				SBC	PAGE NO 5
		Vildagliptin		50	mg		
		Metformin Hcl	IP	500	mg		
		Excipients		q.s.			
32	Etodolac and Thiocolchicoside Tablets	Each film coated tablet contains:				SBC	PAGE NO 5
		Etodolac	IP	400	mg		
		Thiocolchicoside	IP	4	mg		
		Excipients		q.s.			
33	Etodolac and Paracetamol Tablets	Each film coated tablet contains:				SBC	
		Etodolac	IP	300	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			

		Approved colour used in tablet					
34	Alpha lipoic acid, Folic acid, Methylcobalamin, Pyridoxine Hydrochloride, Vit. D <sub>3</sub> Tablets	Each film coated tablet contains				SBC	PAGE NO 5
		Alpha Lipoic Acid	USP	100	mg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	1.5	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Vitamin D <sub>3</sub>	IP	1000	IU		
		Excipients		q.s.			
Approved colour used in tablet							
35	Metformin and Gliclazide Tablets	Each uncoated tablet contains:				SBC	PAGE NO 5
		Metformin Hydrochloride	IP	500	mg		
		Gliclazide	IP	40	mg		
		Excipients		q.s.			
36	Artemether and Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 6
		Artemether	IP	20	mg		
		Lumefantrine	IHS	120	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
37	Artemether and Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 6
		Artemether	IP	40	mg		
		Lumefantrine	IHS	240	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
38	Ebastine Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 6
		Ebastine	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
39	Ebastine and Montelukast Tablets	Each film coated tablet contains:				SBC	PAGE NO 6
		Ebastine	IP	10	mg		
		Montelukast Sodium Eq. to Montelukast	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
40	Metoprolol Succinate (ER) & Telmisartan Tablets	Each film coated bilayered tablet contains:				SBC	PAGE NO 6
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As Extended-release form)	IP	25	mg		
		Telmisartan	IP	40	mg		
		Excipients		q.s.			
		Colour- Approved colour used					
41	Ivermectin and Albendazole Tablets	Each uncoated chewable tablet contains:				SBC	PAGE NO 6
		Ivermectin	IP	6	mg		
		Albendazole	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
	Ferrous Ascorbate, Folic	Each Film Coated Tablet Contains:				SBC	
		Ferrous Ascorbates		100	mg		
		Eq. to Elemental Iron					

42	FOLIC ACID, FOLIC ACID & Zinc Oxide Tablet	Folic acid	IP	1.5	mg	SBC	PAGE NO 7
		Zinc Oxide	IP	22.5	mg		
		Excipients		q.s.			
		Colour-Approved colour used					

43	Montelukast and Levocetirizine Tablets IP	Each Uncoated Bilayer tablet contains:				SBC	PAGE NO 7
		Montelukast Sodium Eq.to Montelukast	IP	10	mg		
		Levocetirizine Hydrochloride	IP	5	Mg		
		Excipients		q.s.			
		Approved colour used in tablet					

44	Artemether and Lumefantrine Tablets	Each film coated tablet contains				SBC	PAGE NO 7
		Artemether	IP	80	mg		
		Lumefantrine	Ph.Int	480	mg		
		Excipients		q.s.			
Approved colour used in tablet							

45	Gabapentin and Methylcobalamin Tablets	Each film coated tablet contains:				SBC	PAGE NO 7
		Gabapentin	IP	300	mg		
		Methylcobalamin	IP	500	mcg		
		Excipients		q.s.			
Approved colour used in tablet							

46	Rabeprazole Gastro-resistant Tablets IP	Each gastro resistant tablet contains:				SBC	PAGE NO 7
		Rabeprazole Sodium	IP	20	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

47	Fluconazole Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 7
		Fluconazole	IP	150	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

48	Fluconazole Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 7
		Fluconazole	IP	200	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

49	Fluconazole Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 8
		Fluconazole	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

50	Losartan Potassium and Hydrochlorothiazide Tablets IP	Each film coated tablet contains				SBC	PAGE NO 8
		Losartan Potassium	IP	50	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s.			
Approved colour used in tablet							

51	Deflazacort Tablets	Each uncoated tablet contains				SBC	PAGE NO 8
		Deflazacort	IHS	30	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

52	Ramipril and Hydrochlorothiazide Tablets IP	Each film coated tablet contains				SBC	PAGE NO 8
		Ramipril	IP	5	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

53	Tranexamic Acid and Mefenamic Acid Tablets	Each film coated tablet contains				SBC	PAGE NO 8
		Tranexamic Acid	IP	500	mg		
		Mefenamic Acid	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

54	Ofloxacin & Ornidazole Tablets IP	Each film coated tablet contains				SBC	PAGE NO 8
		Ofloxacin	IP	200	mg		
		Ornidazole	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

55	Lornoxicam and Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 8
		Lornoxicam		4	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

56	Ferrous Ascorbate and Folic Acid Tablets	Each film coated tablet contains:				SBC	PAGE NO 9
		Ferrous Ascorbate Eq. to Elemental Iron		100	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

57	Sodium Valproate and Valproic Acid controlled release Tablets	Each film coated controlled release tablet contains				SBC	PAGE NO 9
		Sodium Valproate	IP	333	mg		
		Valproic Acid	IP	145	mg		
		(Both together correspond to Sodium Valproate)		500	mg		
		Excipients		q.s.			
Approved colour used in tablet							

58	Sodium Valproate and Valproic Acid controlled release Tablets	Each film coated controlled release tablet contains				SBC	PAGE NO 9
		Sodium Valproate	IP	133.5	mg		
		Valproic Acid	IP	58	mg		
		(Both together correspond to Sodium Valproate)		200	mg		
		Excipients		q.s.			
Approved colour used in tablet							

59	Lornoxicam and Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 9
		Lornoxicam		8	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

		Each film coated tablet contains:					
--	--	-----------------------------------	--	--	--	--	--

60	Metformin and Gliclazide Tablets	Metformin Hydrochloride (As Extended Release)	IP	500	mg	SBC	PAGE NO 9
		Gliclazide (As Moderated Release)	IP	80	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

61	Aceclofenac and Drotaverine Tablets	Each film coated tablet contains				SBC	PAGE NO 9
		Aceclofenac	IP	100	mg		
		Drotaverine Hydrochloride	IP	80	mg		
		Excipients		q.s.			
Approved colour used in tablet							

62	Drotaverine Hydrochloride Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 10
		Drotaverine Hydrochloride	IP	80	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

63	Ivermectin Tablets USP	Each uncoated tablet contains:				SBC	PAGE NO 10
		Ivermectin	IP	12	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

64	Citicoline and Piracetam Tablets	Each film coated tablet contains				SBC	PAGE NO 10
		Citicoline Sodium (As Anhydrous)	IP	500	mg		
		Piracetam	IP	400	mg		
		Excipients		q.s.			
Approved colour used in tablet							

65	Citicoline and Piracetam Tablets	Each film coated tablet contains				SBC	PAGE NO 10
		Citicoline Sodium (As Anhydrous)	IP	500	mg		
		Piracetam	IP	800	mg		
		Excipients		q.s.			
Approved colour used in tablet							

66	Linezolid Tablets IP	Each film coated tablets contains:				SBC	PAGE NO 10
		Linezolid	IP	600	mg		
		Excipients		q.s.			
		Approved colour used in coating					

67	Clonazepam Tablets IP	Each uncoated tablet contains				SBC	Withdrawn
		Clonazepam	IP	0.25	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

68	Clonazepam Tablets IP	Each uncoated tablet contains				SBC	Withdrawn
		Clonazepam	IP	0.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

69	Clonazepam Tablets IP	Each uncoated tablet contains				SBC	Withdrawn
		Clonazepam	IP	1	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

		Each uncoated tablet contains					
		Escitalopram Oxalate	IP				

70	Escitalopram Tablets IP	Eq. to Escitalopram			5	mg	SBC	Withdrawn
		Excipients			q.s.			
		Approved colour used in tablet						

71	Escitalopram Tablets IP	Each uncoated tablet contains						SBC	Withdrawn
		Escitalopram Oxalate			IP	10	mg		
		Eq. to Escitalopram							
		Excipients			q.s.				
Approved colour used in tablet									

72	Escitalopram Tablets IP	Each uncoated tablet contains						SBC	Withdrawn
		Escitalopram Oxalate			IP	20	mg		
		Eq. to Escitalopram							
		Excipients			q.s.				
Approved colour used in tablet									

73	Mefenamic Acid and Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains						SBC	PAGE NO 11
		Mefenamic Acid			IP	250	mg		
		Dicyclomine Hydrochloride							
		Excipients			q.s.				
Approved colour used in tablet									

74	Mefenamic Acid and Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains						SBC	PAGE NO 11
		Mefenamic Acid			IP	500	mg		
		Dicyclomine Hydrochloride							
		Excipients			q.s.				
Approved colour used in tablet									

75	Montelukast Sodium and Levocetirizine Hydrochloride Tablets IP	Each uncoated tablet contains						SBC	PAGE NO 11
		Montelukast Sodium			IP	5	mg		
		Eq. to Montelukast							
		Levocetirizine Hydrochloride			IP	2.5	mg		
Excipients			q.s.						
Approved colour used in tablet									

<del>76</del>	<del>ITRACONAZOLE 400 MG (SR) TABLET</del>	<del>Each film coated sustained release tablet contains</del>						<del>SBC</del>	
		<del>Itraconazole</del>			<del>USP</del>	<del>400</del>	<del>mg</del>		
		<del>Excipients</del>			<del>q.s.</del>				
<del>Approved colour used in tablet</del>									

77	Pantoprazole Gastro-resistant Tablets IP	Each Enteric coated tablet Contains:						SBC	PAGE NO 12
		Pantoprazole Sodium			IP	40	mg		
		Eq. to Pantoprazole							
		Excipients			q.s.				
Approved colour used									

78	Azithromycin Tablets IP	Each Film coated tablet Contains:						SBC	PAGE NO 12
		Azithromycin Dihydrate			IP	250	mg		
		Eq. to Anhydrous Azithromycin							
		Excipients			q.s.				
Approved colour used									

	Azithromycin	Each Film coated tablet Contains:							
		Azithromycin Dihydrate			IP				

79	Tablets IP	Eq. to Anhydrous Azithromycin	11	500	mg	SBC	PAGE NO 12
		Excipients		q.s			
		Approved colour used					

80	Etoricoxib and Thiocolchicoside Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 12
		Etoricoxib	IP	60	mg		
		Thiocolchicoside	IP	4	mg		
		Excipients		q.s			
		Approved colour used					

81	Voriconazole Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 12
		Voriconazole	IP	200	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

82	Ofloxacin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 12
		Ofloxacin	IP	200	mg		
		Excipients		q.s			
		Approved colour used					

83	Aceclofenac and Paracetamol Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 12
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s			
		Approved colour used					

84	Betahistine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Betahistine Dihydrochloride	IP	8	mg		
		Excipients		q.s			
		Approved colour used					

85	Betahistine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Betahistine Dihydrochloride	IP	16	mg		
		Excipients		q.s			
		Approved colour used					

86	Ursodeoxycholic Acid Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Ursodeoxycholic Acid	IP	300	mg		
		Excipients		q.s			
		Approved colour used					

87	Etoricoxib Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Etoricoxib	IP	120	mg		
		Excipients		q.s			
		Approved colour used					

		Each Film coated tablet Contains:					
--	--	-----------------------------------	--	--	--	--	--

88	Telmisartan and Hydrochlorothiazide Tablets IP	Telmisartan	IP	40	mg	SBC	PAGE NO 13
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used					

89	Telmisartan Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Telmisartan	IP	40	mg		
		Excipients		q.s			
		Approved colour used					

90	Telmisartan and Amlodipine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 13
		Telmisartan	IP	40	mg		
		Amlodipine Besilate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

91	Terbinafine Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 13
		Terbinafine Hydrochloride Eq. to Terbinafine	IP	250	mg		
		Excipients		q.s			

92	Levocetirizine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 14
		Levocetirizine Hydrochloride	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

93	Levocetirizine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 14
		Levocetirizine Hydrochloride	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

94	Atorvastatin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 14
		Atorvastatin Calcium Eq. to Atorvastatin	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

95	Atorvastatin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 14
		Atorvastatin Calcium Eq. to Atorvastatin	IP	20	mg		
		Excipients		q.s			
		Approved colour used					

96	Esomeprazole Gastro-resistance Tablets IP	Each Enteric coated tablet Contains:				SBC	
		Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole	IP	40	mg		

		Excipients		q.s			PAGE NO 14
		Approved colour used					
97	Paracetamol Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 14
		Paracetamol	IP	650	mg		
		Excipients		q.s			
98	Fluoxetine and Olanzapine Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 14
		Fluoxetine Hydrochloride	IP				
		Eq. to Fluoxetine		20	mg		
		Olanzapine	IP	5	mg		
		Excipients		q.s			
99	Atorvastatin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 14
		Atorvastatin Calcium	IP	40	mg		
		Eq. to Atorvastatin					
		Excipients		q.s			
		Approved colour used					
100	Allopurinol Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 15
		Allopurinol	IP	100	mg		
		Excipients		q.s			
101	Diclofenac and Serratiopeptidase Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 15
		Diclofenac Potassium	BP	50	mg		
		Serratiopeptidase	IP	15	mg		
		(Enzyme Activity 30,000 unit As enteric coated granules)					
		Excipients		q.s			
		Approved colour used					
102	Atorvastatin and Fenofibrate Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 15
		Atorvastatin Calcium	IP				
		Eq. to Atorvastatin		10	mg		
		Fenofibrate	IP	160	mg		
		Excipients		q.s			
		Approved colour used					
103	Rosuvastatin and Fenofibrate Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 15
		Rosuvastatin Calcium	IP				
		Eq. to Rosuvastatin		10	mg		
		Fenofibrate	IP	160	mg		
		Excipients		q.s			
		Approved colour used					
104	Rosuvastatin and Fenofibrate Tablets IP	Each Film coated tablet Contains:				SBC	
		Rosuvastatin Calcium	IP				
		Eq. to Rosuvastatin		20	mg		

		Fenofibrate	IP	160	mg		PAGE NO 15
		Excipients		q.s			
		Approved colour used					

105	Losartan Potassium and Amlodipine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 15
		Losartan Potassium	IP	50	mg		
		Amlodipine Besilate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

106	Etodolac and Thiocolchicoside Tablets	Each film coated tablet contains:				SBC	PAGE NO 16
		Etodolac	IP	400	mg		
		Thiocolchicoside	IP	8	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

107	Ramipril Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 16
		Ramipril	IP	2.5	mg		
		Excipients		q.s			

108	Ramipril Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 16
		Ramipril	IP	5	mg		
		Excipients		q.s			

109	Tranexamic Acid and Etamsylate Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 16
		Tranexamic Acid	IP	250	mg		
		Etamsylate	BP	250	mg		
		Excipients		q.s			
		Approved colour used					

110	Fexofenadine Hydrochloride Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 16
		Fexofenadine Hydrochloride	IP	120	mg		
		Excipients		q.s			
		Approved colour used					

111	Loratadine Tablets USP	Each Uncoated tablet Contains:				SBC	PAGE NO 16
		Loratadine	USP	10	mg		
		Excipients		q.s			

112	Losartan Potassium Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 16
		Losartan Potassium	IP	50	mg		
		Excipients		q.s			
		Approved colour used					

	Amitriptyline Hydrochloride Tablets IP	Each Film coated tablet Contains:				SBC	
		Amitriptyline Hydrochloride	IP	25	mg		

113		Excipients		q.s		PAGE NO 16
		Approved colour used				

114	Amitriptyline Hydrochloride Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 16
		Amitriptyline Hydrochloride	IP	50	mg		
		Excipients		q.s			
		Approved colour used					

115	Piroxicam Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 17
		Piroxicam	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

116	Piroxicam Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 17
		Piroxicam	IP	20	mg		
		Excipients		q.s			
		Approved colour used					

117	Albendazole Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 17
		Albendazole	IP	400	mg		
		Excipients		q.s			

118	Rosuvastatin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 17
		Rosuvastatin Calcium Eq. to Rosuvastatin	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

119	Rosuvastatin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 17
		Rosuvastatin Calcium Eq. to Rosuvastatin	IP	20	mg		
		Excipients		q.s			
		Approved colour used					

120	Citicoline Tablets IP	Each film coated tablet contains				SBC	PAGE NO 17
		Citicoline Sodium Eq. to Citicoline	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

121	Ondansetron Orally Disintegrating Tablets IP	Each Orally Disintegrating tablet Contains:				SBC	PAGE NO 17
		Ondansetron Hydrochloride Eq. to Ondansetron	IP	8	mg		
		Excipients		q.s			

		Each Film coated tablet Contains:					
--	--	-----------------------------------	--	--	--	--	--

122	Rosuvastatin Tablets ip	Each Film coated tablet Contains:				SBC	PAGE NO 17
		Rosuvastatin Calcium	IP	5	mg		
		Eq. to Rosuvastatin					
		Excipients		q.s			
		Approved colour used					

123	Diclofenac and Paracetamol Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 18
		Diclofenac Sodium	IP	50	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s			
				Approved colour used			

124	Flunarizine Dihydrochloride Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 18
		Flunarizine Dihydrochloride	BP	5	mg		
		Excipients		q.s			

125	Flunarizine Dihydrochloride Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 18
		Flunarizine Dihydrochloride	BP	10	mg		
		Excipients		q.s			

126	Telmisartan and Amlodipine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 18
		Telmisartan	IP	40	mg		
		Amlodipine Besilate Eq. to Amlodipine	IP	10	mg		
		Excipients		q.s			
				Approved colour used			

127	Telmisartan and Amlodipine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 18
		Telmisartan	IP	80	mg		
		Amlodipine Besilate Eq. to Amlodipine	IP	10	mg		
		Excipients		q.s			
				Approved colour used			

128	Clarithromycin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 18
		Clarithromycin	IP	500	mg		
		Excipients		q.s			
				Approved colour used			

129	Serratiopeptidase Tablets IP	Each enteric coated tablet Contains:				SBC	PAGE NO 18
		Serratiopeptidase (20,000 serratiopeptidase units )	IP	10	mg		

		Excipients		q.s			
		Approved colour used					
130	Colchicine Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 18
		Colchicine	IP	500	mcg		
		Excipients		q.s			
131	Methylprednisolone Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 19
		Methylprednisolone	IP	4	mg		
		Excipients		q.s			
		Approved colour used					
132	Etodolac Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 19
		Etodolac	IP	400	mg		
		Excipients		q.s			
		Approved colour used					
133	Ferrous Ascorbate, Folic Acid, Zinc and Cyanocobalamin Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 19
		Ferrous Ascorbate Eq. to elemental Iron		100	mg		
		Folic Acid	IP	1.5	mg		
		Zinc Sulphate Monohydrate Eq. to elemental Zinc	IP	22.5	mg		
		Cyanocobalamin	IP	15	mcg		
		Excipients		q.s			
		Approved colour used					
134	Ondansetron Orally Disintegrating Tablets IP	Each Orally Disintegrating tablet Contains:				SBC	PAGE NO 19
		Ondansetron Hydrochloride Eq. to Ondansetron	IP	4	mg		
		Excipients		q.s			
135	Paracetamol, Phenylephrine, Diphenhydramine and Caffeine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 19
		Paracetamol	IP	500	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Diphenhydramine Hydrochloride	IP	25	mg		
		Caffeine (Anhydrous)	IP	30	mg		
		Excipients		q.s			
136	Montelukast Chewable Tablets	Each Chewable tablet Contains:				SBC	PAGE NO 19
		Montelukast Sodium Eq. to Montelukast	IP	10	mg		
		Excipients		q.s			
137	Trioxsalen Tablets USP	Each Film coated tablet Contains:				SBC	
		Trioxsalen	USP	25	mg		

	Excipients			q.s			PAGE NO 19
	Approved colour used						

138	Ibuprofen and Paracetamol Tablets	Each Uncoated tablet Contains:				SBC	PAGE NO 20
		Ibuprofen	IP	400	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s			

139	Telmisartan Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 20
		Telmisartan	IP	80	mg		
		Excipients		q.s			
		Approved colour used					

140	Clomifene Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 20
		Clomifene Citrate	IP	50	mg		
		Excipients		q.s			
		Approved colour used					

141	Methylprednisolone Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 20
		Methylprednisolone	IP	16	mg		
		Excipients		q.s			
		Approved colour used					

142	Levofloxacin and Ambroxol Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 20
		Levofloxacin Hemihydrate	IP	500	mg		
		Eq. to Levofloxacin					
		Ambroxol Hydrochloride	IP	60	mg		
		Excipients		q.s			
Approved colour used							

143	Ursodeoxycholic Acid Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 20
		Ursodeoxycholic Acid	IP	150	mg		
		Excipients		q.s			
		Approved colour used					

144	Metformin Hydrochloride Sustained Release Tablets IP	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 20
		Metformin Hydrochloride	IP	1000	mg		
		Excipients		q.s			

145	Metformin Hydrochloride Sustained Release Tablets IP	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 20
		Metformin Hydrochloride	IP	500	mg		
		Excipients		q.s			

146	Telmisartan and Hydrochlorothiazide Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 21
		Telmisartan	IP	80	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used					
147	Telmisartan and Amlodipine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 21
		Telmisartan	IP	80	mg		
		Amlodipine Besilate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s			
		Approved colour used					
148	Azithromycin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 21
		Azithromycin Dihydrate Eq. to Azithromycin	IP	1	gm		
		Excipients		q.s			
				Approved colour used			
149	Pregabalin Sustained Release Tablets	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 21
		Pregabalin	IP	75	mg		
		Excipients		q.s			
150	Sildenafil Tablets IP	Each uncoated effervescent tablet Contains:				SBC	PAGE NO 21
		Sildenafil Citrate Eq. to Sildenafil	IP	100	mg		
		Excipients		q.s			
				Approved colour used			
151	Sildenafil Tablets IP	Each uncoated effervescent tablet Contains:				SBC	PAGE NO 21
		Sildenafil Citrate Eq. to Sildenafil	IP	50	mg		
		Excipients		q.s			
				Approved colour used			
152	Sildenafil Tablets IP	Each uncoated effervescent tablet Contains:				SBC	PAGE NO 21
		Sildenafil Citrate Eq. to Sildenafil	IP	25	mg		
		Excipients		q.s			
				Approved colour used			
153	Tadalafil Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 21
		Tadalafil	IP	20	mg		
		Excipients		q.s			
				Approved colour used			

154	Esomeprazole Gastro-resistance Tablets IP	Each Gastro-resistance tablet Contains:				SBC	PAGE NO 22
		Esomeprazole Magnesium Trihydrate	IP	20	mg		
		Eq. to Esomeprazole		q.s			
		Excipients					
		Approved colour used					
155	Etoricoxib Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Etoricoxib	IP	60	mg		
		Excipients		q.s			
				Approved colour used			
156	Etoricoxib Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Etoricoxib	IP	90	mg		
		Excipients		q.s			
				Approved colour used			
157	Ebastine Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Ebastine	IP	20	mg		
		Excipients		q.s			
				Approved colour used			
158	Thiocolchicoside Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Thiocolchicoside	IP	4	mg		
		Excipients		q.s			
				Approved colour used			
159	Voglibose Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 22
		Voglibose	IP	0.2	mg		
		Excipients		q.s			
160	Voglibose Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 22
		Voglibose	IP	0.3	mg		
		Excipients		q.s			
161	Methylprednisolone Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Methylprednisolone	IP	8	mg		
		Excipients		q.s			
				Approved colour used			
162	Methylprednisolone Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 22
		Methylprednisolone	IP	16	mg		
		Excipients		q.s			
				Approved colour used			
	Pregabalin Sustained release and Methylcobalamin Tablets	Each Film coated tablet Contains:					
		Pregabalin	IP	150	mg		

163		(In Sustained release form)				SBC	PAGE NO 23
		Methylcobalamin	IP	1500	mcg		
		Excipients		q.s			
		Approved colour used					

164	Aciclovir Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 23
		Aciclovir	IP	400	mg		
		Excipients		q.s			

165	Ketorolac Tromethamine Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 23
		Ketorolac Tromethamine	IP	10	mg		
		Excipients		q.s			

166	Rosuvastatin and Fenofibrate Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 23
		Rosuvastatin Calcium	IP	10	mg		
		Eq. to Rosuvastatin					
		Fenofibrate	IP	145	mg		
		Excipients		q.s			
Approved colour used							

167	Paracetamol Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 23
		Paracetamol	IP	500	mg		
		Excipients		q.s			

168	Isoxsuprine Sustained release Tablets	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 23
		Isoxsuprine Hydrochloride	IP	40	mg		
		Excipients		qs			
		Approved colour Used					

169	Thiocolchicoside and Ketoprofen Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 23
		Thiocolchicoside	IP	4	mg		
		Ketoprofen	IP	50	mg		
		Excipients		q.s			
Approved colour used							

170	Ramipril Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 23
		Ramipril	IP	2.5	mg		
		Excipients		q.s			
		Approved colour used					

171	Ramipril Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 23
		Ramipril	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

172	Ramipril and Hydrochlorothiazide Tablets IP	Each film coated tablet contains				SBC	PAGE NO 24
		Ramipril	IP	2.5	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

173	Clopidogrel Tablets IP	Each Film coated tablet Contains:				SBC	
		Clopidogrel Bisulphate	IP	75	mg		
		Eq. to Clopidogrel					
		Excipients		q.s			
		Approved colour used					

174	Aciclovir Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 24
		Aciclovir	IP	800	mg		
		Excipients		q.s			

175	Lornoxicam Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 24
		Lornoxicam	IHS	8	mg		
		Excipients		q.s			
		Approved colour used					

176	Etoricoxib and Thiocolchicoside Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 24
		Etoricoxib	IP	60	mg		
		Thiocolchicoside	IP	8	mg		
		Excipients		q.s			
		Approved colour used					

177	Clopidogrel & Aspirin Tablets	Each film coated tablet contains:				SBC	PAGE NO 24
		Clopidogrel Bisulphate	IP	75	mg		
		Eq. to Clopidogrel					
		Aspirin	IP	150	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

178	Trimethoprim & Sulphamethoxazole Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 24
		Trimethoprim	IP	160	mg		
		Sulphamethoxazole	IP	800	mg		
		Excipients		q.s			
		Approved colour used in tablet					

179	Trimethoprim & Sulphamethoxazole Tablets IP	Each uncoated tablet Contains:				SBC	PAGE NO 24
		Trimethoprim	IP	80	mg		
		Sulphamethoxazole	IP	400	mg		
		Excipients		q.s			
		Approved colour used in tablet					

		Each Film coated tablet Contains:					
--	--	-----------------------------------	--	--	--	--	--

180	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Telmisartan	IP	40	mg	SBC	PAGE NO 25
		Hydrochlorothiazide	IP	12.5	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

181	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Each film coated tablet Contains:				SBC	PAGE NO 25
		Telmisartan	IP	80	mg		
		Hydrochlorothiazide	IP	25	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

182	Methylcobalamin, Pregabalin, Alpha Lipoic Acid, L-Methyl Folate, Pyridoxal-5-Phosphate tablets	Each Film coated tablet Contains:				SBC	PAGE NO 25
		Methylcobalamin	IP	1500	mcg		
		Pregabalin	IP	150	mg		
		Alpha Lipoic Acid	USP	100	Mg		
		L-Methyl Folate Calcium	USP	1	mg		
		Pyridoxal-5-Phosphate	USP	1.5	mg		
		Excipients		q.s			
		Approved colour used					

183	Vildagliptin Tablets	Each uncoated tablet contains:				SBC	PAGE NO 25
		Vildagliptin	IHS	100	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

184	Atorvastatin & Ezetimibe Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 25
		Atorvastatin Calcium Eq. to Atorvastatin	IP	10	mg		
		Ezetimibe	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

185	Betahistine Tablets 24 MG	Each Film coated tablet Contains:				SBC	PAGE NO 25
		Betahistine Dihydrochloride	IP	24	mg		
		Excipients		q.s			
		Approved colour used					

	Clarithromycin	Each Film coated tablet Contains:				SBC	
		Clarithromycin	IP	250	mg		

186	Tablets IP	Excipients		q.s		PAGE NO 26
		Approved colour used				

187	Clarithromycin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 26
		Clarithromycin	IP	500	mg		
		Excipients		q.s			
		Approved colour used					

188	Dapoxetine HCL Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 26
		Dapoxetine hydrochloride Eq. to Dapoxetine	IP	30	mg		
		Excipients		q.s			
		Approved colour used					

189	Dapoxetine HCL Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 26
		Dapoxetine hydrochloride Eq. to Dapoxetine	IP	60	mg		
		Excipients		q.s			
		Approved colour used					

190	Doxofylline (ER) Tablets	Each Uncoated Extended-Release Tablet Contains				SBC	PAGE NO 26
		Doxofylline (As Extended Release)	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

191	Doxofylline (ER) Tablets	Each Uncoated Extended-Release Tablet Contains				SBC	PAGE NO 26
		Doxofylline (As Extended Release)	IP	800	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

<del>192</del>	<del>Letrozole Tablets IP</del>	<del>Each film coated tablet Contains:</del>				<del>SBC</del>	
		<del>Letrozole</del>	<del>IP</del>	<del>2.5</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in tablet</del>					

<del>193</del>	<del>Letrozole Tablets IP</del>	<del>Each film coated tablet Contains:</del>				<del>SBC</del>	
		<del>Letrozole</del>	<del>IP</del>	<del>5</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in tablet</del>					

194	Donepezil & Memantine Tablets	Each film coated tablet contains:				SBC	PAGE NO 27
		Donepezil Hcl	IP	5	mg		
		Memantine Hcl	USP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

195	Donepezil & Memantine Tablets	Each film coated tablet contains:				SBC	PAGE NO 27
		Donepezil Hcl	IP	5	mg		
		Memantine Hcl	USP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

196	Montelukast Sodium & Fexofenadine Hydrochloride Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 27
		Montelukast Sodium	IP				
		Eq. to Montelukast		10	mg		
		Fexofenadine Hydrochloride	IP	120	mg		
		Excipients		q.s.			
Approved colour used							

197	Olmesartan Medoxomil Tablets IP	Each film coated tablet Contains:				SBC	PAGE NO 27
		Olmesartan Medoxomil	IP	40	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

198	Olmesartan Medoxomil Tablets IP	Each film coated tablet Contains:				SBC	PAGE NO 27
		Olmesartan Medoxomil	IP	20	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

199	Olmesartan Medoxomil Tablets	Each film coated tablet Contains:				SBC	PAGE NO 27
		Olmesartan Medoxomil	IP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

200	Azelnidipine Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 27
		Azelnidipine	IP	8	mg		
		Excipients		q.s.			

201	Azelnidipine Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 27
		Azelnidipine	IP	16	mg		
		Excipients		q.s.			

202	Acotiamide Tablets	Each Film coated Extended-Release tablet Contains:				SBC	PAGE NO 28
		Acotiamide Hydrochloride Hydrate	IHS	100	mg		
		Excipients		q.s.			
		Approved colour used					

203	Primidone Tablets	Each uncoated tablet Contains:				SBC	
		Primidone	USP	50	mg		
		Excipients		q.s.			

204	Primidone Tablets	Each uncoated tablet Contains:				SBC	
		Primidone	USP	250	mg		
		Excipients		q.s.			

		Each uncoated bilayered tablet contains:					
--	--	--	--	--	--	--	--

205	Metformin HCl SR & Vildagliptin Tablets	Metformin Hydrochloride (As Sustained Release)			SBC	PAGE NO 28
		IP	500	mg		
		Vildagliptin				
		Excipients				
Approved colour used in tablet						

206	Metformin HCl SR & Vildagliptin Tablets	Each uncoated bilayered tablet contains:			SBC	PAGE NO 28
		Metformin Hydrochloride (As Sustained Release)				
		IP	850	mg		
		Vildagliptin				
Excipients						
Approved colour used in tablet						

207	Metformin HCl SR & Vildagliptin Tablets	Each uncoated bilayered tablet contains:			SBC	PAGE NO 28
		Metformin Hydrochloride (As Sustained Release)				
		IP	1000	mg		
		Vildagliptin				
Excipients						
Approved colour used in tablet						

208	Rosuvastatin calcium & Fenofibrate Tablets	Each Film coated tablet contains:			SBC	PAGE NO 28
		Rosuvastatin calcium Eq. to Rosuvastatin				
		IP	20	mg		
		Fenofibrate				
Excipients						
Approved colour used in tablet						

209	Rosuvastatin calcium & Fenofibrate Tablets IP	Each Film coated tablet contains:			SBC	PAGE NO 29
		Rosuvastatin calcium Eq. to Rosuvastatin				
		IP	10	mg		
		Fenofibrate				
Excipients						
Approved colour used in tablet						

210	Rosuvastatin calcium & Fenofibrate Tablets	Each Film coated tablet contains:			SBC	PAGE NO 29
		Rosuvastatin calcium Eq. to Rosuvastatin				
		IP	5	mg		
		Fenofibrate				
Excipients						
Approved colour used in tablet						

211	Rosuvastatin calcium & Fenofibrate Tablets	Each Film coated tablet contains:			SBC	PAGE NO 29
		Rosuvastatin calcium Eq. to Rosuvastatin				
		IP	20	mg		
		Fenofibrate				
Excipients						
Approved colour used in tablet						

212	Rosuvastatin calcium & Fenofibrate Tablets	Each Film coated tablet contains:			SBC	PAGE NO 29
		Rosuvastatin calcium Eq. to Rosuvastatin				
		IP	10	mg		
		Fenofibrate				
Excipients						
Approved colour used in tablet						

Each Film coated tablet contains:						
-----------------------------------	--	--	--	--	--	--

213	Rosuvastatin calcium & Fenofibrate Tablets	Rosuvastatin calcium			SBC	PAGE NO 29	
		Eq. to Rosuvastatin	IP	20			mg
		Fenofibrate	IP	67.5			mg
		Excipients		q.s.			
Approved colour used in tablet							

214	Rosuvastatin calcium & Ezetimibe Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 29
		Rosuvastatin calcium	IP	5	mg		
		Eq. to Rosuvastatin					
		Ezetimibe	IP	10	mg		
		Excipients		q.s.			
Approved colour used in tablet							

215	Tapentadol Hydrochloride Tablets	Each Film coated tablet contains:				SBC	Withdrawn
		Tapentadol Hydrochloride	IP	50	mg		
		Eq. to Tapentadol					
		Excipients		q.s.			
Approved colour used in tablet							

216	Tapentadol Hydrochloride Tablets	Each Film coated tablet contains:				SBC	Withdrawn
		Tapentadol Hydrochloride	IP	75	mg		
		Eq. to Tapentadol					
		Excipients		q.s.			
Approved colour used in tablet							

217	Tapentadol Hydrochloride Tablets	Each Film coated tablet contains:				SBC	Withdrawn
		Tapentadol Hydrochloride	IP	100	mg		
		Eq. to Tapentadol					
		Excipients		q.s.			
Approved colour used in tablet							

218	Telmisartan & Hydrochlorothiazide Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 30
		Telmisartan	IP	80	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used					

219	Rifaximin Tablets	Each Film coated tablet contains:				SBC	PAGE NO 30
		Rifaximin	Ph.Eur	200	mg		
		Excipients					
		Approved colour used in tablet					

220	Rifaximin Tablets	Each Film coated tablet contains:				SBC	PAGE NO 30
		Rifaximin	Ph.Eur	400	mg		
		Excipients					
		Approved colour used in tablet					

221	Rifaximin Tablets	Each Film coated tablet contains:				SBC	PAGE NO 30
		Rifaximin	Ph.Eur	550	mg		
		Excipients					
		Approved colour used in tablet					

222	Ursodeoxycholic Acid Sustained Release Tablets	Each Film coated sustained release tablet contains:				SBC	PAGE NO 31
		Ursodeoxycholic Acid	IP	450	mg		
		Excipients		q.s			
		Approved colour used					
223	Metformin Hydrochloride (SR) & Voglibose Tablets	Each uncoated tablet contains:				SBC	PAGE NO 31
		Metformin Hydrochloride (As Sustained Release form)	IP	500	mg		
		Voglibose	IP	0.3	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
224	Metformin Hydrochloride & Voglibose Tablets	Each uncoated tablet contains:				SBC	PAGE NO 31
		Metformin Hydrochloride	IP	500	mg		
		Voglibose	IP	0.2	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
225	Voglibose Mouth Dissolving Tablets	Each uncoated mouth dissolving Tablet contains:				SBC	PAGE NO 31
		Voglibose	IP	0.2	mg		
		Excipients		q.s			
		Approved colour used in tablet					
226	Voglibose Mouth Dissolving Tablets	Each uncoated mouth dissolving Tablet contains:				SBC	PAGE NO 31
		Voglibose	IP	0.3	mg		
		Excipients		q.s			
		Approved colour used in tablet					
227	Chlordiazepoxide & Clidinium Bromide Tablets	Each film coated tablet contains:				SBC	Withdrawn
		Chlordiazepoxide	IP	5	mg		
		Clidinium Bromide	USP	2.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					
228	Escitalopram & Clonazepam Tablets IP	Each Film coated tablet contains				SBC	Withdrawn
		Escitalopram Oxalate Eq. to Escitalopram	IP	10	mg		
		Clonazepam	IP	0.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
229	Nimesulide (E.R.) & Levocetirizine Hcl Tablets (Not to be given children below 12 years of age)	Each uncoated tablet contains:				SBC	PAGE NO 32
		Nimesulide (As Extended-Release granules)	BP	100	mg		
		Levocetirizine Hydrochloride	IP	5	mg		
		Excipients		q.s			
		Approved colour used in tablet					

230	Gliclazide & Metformin (E.R.) Tablets	Each film coated tablet contains				SBC	PAGE NO 32
		Gliclazide	IP	60	mg		
		Metformin Hydrochloride (As extended-Release Granules)	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

231	Glimepiride, Pioglitazone & Metformin (S.R.) Tablets	Each film coated tablet contains				SBC	PAGE NO 32
		Metformin Hydrochloride (In sustained release form)	IP	500	mg		
		Pioglitazone Hydrochloride Eq. to Pioglitazone	IP	15	mg		
		Glimepiride	IP	2	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

232	Cinnarizine & Domperidone Tablets	Each film coated tablet contains				SBC	PAGE NO 32
		Cinnarizine	IP	20	mg		
		Domperidone	IP	15	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

233	Ursodeoxycholic Acid Sustained Release Tablets	Each Film coated tablet sustained release tablet contains:				SBC	PAGE NO 32
		Ursodeoxycholic Acid	IP	300	mg		
		Excipients		q.s.			
		Approved colour used					

234	Ursodeoxycholic Acid Sustained Release Tablets	Each Film coated tablet sustained release tablet contains:				SBC	PAGE NO 32
		Ursodeoxycholic Acid	IP	600	mg		
		Excipients		q.s.			
		Approved colour used					

235	Divalproex Sodium Tablets IP	Each enteric coated tablet contains				SBC	PAGE NO 32
		Divalproex Sodium Eq. to Valproic Acid	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

236	Divalproex Sodium Tablets IP	Each enteric coated tablet contains				SBC	PAGE NO 33
		Divalproex Sodium Eq. to Valproic Acid	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

237	Buprenorphine & Naloxone Tablets	<del>Each uncoated sublingual tablet contains:</del>				SBC	
		<del>Buprenorphine HCl Eq. to Buprenorphine</del>	<del>IP</del>	<del>2</del>	<del>mg</del>		
		<del>Naloxone Hydrochloride</del>	<del>IP</del>	<del>0.5</del>	<del>mg</del>		

		Excipients		q.s			
		Approved colour used in tablet					

238	Lithium Carbonate Tablets IP 300	Each film coated tablet contains:				SBC	PAGE NO 33
		Lithium Carbonate	IP	300	mg		
		Excipients		q.s			
		Approved colour used in tablet					

239	Cyanocobalamin, Chromium Picolinate, Folic Acid, Nicotinamide, Pyridoxine, Selenium & Zinc Tablets	Each film coated tablet contains:				SBC	PAGE NO 33
		Cyanocobalamin	BP	15	mcg		
		Chromium Picolinate	USP	250	mcg		
		Folic Acid	BP	1500	mcg		
		Nicotinamide	BP	100	mg		
		Pyridoxine Hydrochloride	BP	3	mg		
		Selenious Acid Eq. to elemental Selenium	BP	100	mcg		
		Zinc Sulphate Monohydrate Eq. to 22.5 mg of elemental Zinc	BP	61.8	mg		
		Excipients		q.s			
		Approved colour used in tablets					

240	Nicorandil Tablets 10 mg	Each uncoated tablet contains:				SBC	PAGE NO 33
		Nicorandil	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablet					

241	LEVOSULPIRIDE TABLETS	Each film coated tablet contains:				SBC	PAGE NO 33
		Levosulpiride		50	mg		
		Excipients		q.s			
		Approved colour used in tablets					

242	Divalproex Sodium ER Tablets IP 750 mg	Each film coated extended release tablet contains:				SBC	PAGE NO 34
		Divalproex Sodium Eq. to Valproic Acid	IP	750	mg		
		Excipients		q.s			
		Approved colour used in tablets					

243	Divalproex Sodium ER Tablets IP 1000 mg	Each film coated extended release tablet contains:				SBC	PAGE NO 34
		Divalproex Sodium Eq. to Valproic Acid	IP	1000	mg		
		Excipients		q.s			
		Approved colour used in tablets					

244	Divalproex Sodium ER Tablets IP 500 mg	Each film coated extended release tablet contains:				SBC	PAGE NO 34
		Divalproex Sodium	IP				
		Eq. to Valproic Acid		500	mg		
		Excipients		q.s			
		Approved colour used in tablets					

245	Divalproex Sodium ER Tablets IP 250 mg	Each film coated extended release tablet contains:				SBC	PAGE NO 34
		Divalproex Sodium	IP				
		Eq. to Valproic Acid		250	mg		
		Excipients		q.s			
		Approved colour used in tablets					

246	Pregabalin Sustained Release & Mecobalamin Tablets	Each uncoated contains				SBC	PAGE NO 34
		Pregabalin (As Sustained Release)	IP	75	mg		
		Methylcobalamin	JP	1500	mcg		
		Excipients		q.s.			

247	Trifluoperazine HCl, Trihexiphenidyl HCl & Chlorpromazine Hcl Tablets	Each film coated tablet contains				SBC	PAGE NO 34
		Trifluoperazine Hydrochloride	IP	5	mg		
		Trihexiphenidyl Hydrochloride	IP	2	mg		
		Chlorpromazine Hydrochloride	IP	50	mg		
		Excipients		q.s			
		Approved colour used in tablets					

248	Paroxetine (CR) & Clonazepam (IR) Tablets	Each uncoated tablet contains				SBC	PAGE NO 35
		Paroxetine Hydrochloride Eq. to Paroxetine (As Controlled Release)	IP	12.5	mg		
		Clonazepam (As Immediate Release)	IP	0.5	mg		
		Excipients		q.s			
				Approved colour used in tablets			

249	Ibuprofen & Chlorzoxazone Tablets	Each uncoated tablet contains:				SBC	PAGE NO 35
		Ibuprofen	IP	400	mg		
		Chlorzoxazone	USP	500	mg		
		Excipients		q.s			

250	Paroxetine (CR) & Clonazepam (IR) Tablets	Each uncoated tablet contains				SBC	PAGE NO 35
		Paroxetine Hydrochloride Eq. to Paroxetine (As Controlled Release)	IP	25	mg		

		Clonazepam (As Immediate Release)	IP	0.5	mg		
		Excipients		q.s			

251	Olmesartan & Hydrochlorothiazide Tablets	Each filmcoated tablet contain				SBC	PAGE NO 35
		Olmesartan	IP	20	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					

252	Losartan & Chlorthalidone Tablets	Each film coated tablet contains:				SBC	PAGE NO 35
		Losartan Potassium	IP	50	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					

253	Losartan & Chlorthalidone Tablets	Each film coated tablet contains:				SBC	PAGE NO 35
		Losartan Potassium	IP	50	mg		
		Chlorthalidone	IP	6.25	mg		
		Excipients		q.s			
		Approved colour used in tablets					

254	Losartan & Chlorthalidone Tablets	Each film coated tablet contains:				SBC	PAGE NO 35
		Losartan Potassium	IP	25	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					

255	Metoprolol & Chlorthalidone Tablets	Each film coated bilayered tablet:				SBC	PAGE NO 36
		Metoprolol Tartrate	IP	25	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					

256	Metoprolol & Chlorthalidone Tablets	Each film coated bilayered tablet:				SBC	PAGE NO 36
		Metoprolol Tartrate	IP	50	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s			
		Approved colour used in tablets					

	Venlafaxine Extended- Release Tablets 37.5 mg	Each uncoated extended-release tablet contains: -					
--	--	---	--	--	--	--	--

257		Venlafaxine Hydrochloride			SBC	PAGE NO 36	
		Eq. to Venlafaxine	BP	37.5			mg
		Excipients		q.s			
		Approved colour used in tablets					

258	Glimepiride, Pioglitazone & Metformin (S.R.) Tablets	Each film coated tablet contains			SBC	PAGE NO 36	
		Metformin Hydrochloride	IP	500			mg
		(In sustained release form)					
		Pioglitazone Hydrochloride	IP	15			mg
		Eq. to Pioglitazone					
		Glimepiride	IP	1			mg
Excipients		q.s.					
Approved colour used in tablet							

259	Mebeverine HCl with Chlordiazepoxide Tablets	Each film coated tablet contains:			SBC	Withdrawn	
		Mebeverine HCl	IP	135			mg
		Chlordiazepoxide	IP	5			mg
		Excipients		q.s			
		Approved colour used in tablets					

260	Aceclofenac & Tizanidine Tablets	Each film coated tablet contains:			SBC	PAGE NO 36	
		Aceclofenac	IP	100			mg
		Tizanidine		2			mg
		Excipients		q.s			
		Approved colour used in tablets					

261	Flutra Flupentixol & Melitracen Tablets	Each film coated tablet contains:			SBC	PAGE NO 37	
		Flupentixol Hydrochloride	BP	0.5			mg
		eq. to Flupentixol					
		Melitracen Hcl		10			mg
		eq. to Melitracen					
Excipients		q.s					
Approved colours used in tablets							

262	Escitalopram & Clonazepam Tablets IP	Each Film coated tablet contains			SBC	Withdrawn	
		Escitalopram Oxalate	IP	10			mg
		Eq. to Escitalopram					
		Clonazepam	IP	0.25			mg
		Excipients		q.s.			
Approved colour used in tablet							

263	Escitalopram & Clonazepam Tablets IP	Each Film coated tablet contains			SBC	Withdrawn	
		Escitalopram Oxalate	IP	10			mg
		Eq. to Escitalopram					
		Clonazepam	IP	0.25			mg
		Excipients		q.s.			
Approved colour used in tablet							

264	Racecadotril Dispersible Tablets	Each uncoated dispersible tablet contains:			SBC		
		Racecadotril	IP	10			mg
		Excipients		q.s.			

265	Racecadotril Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 37
		Racecadotril	IP	30	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

266	Olmesartan Medoxomil and Amlodipine Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 37
		Olmesartan Medoxomil	IP	20	mg		
		Amlodipine besylate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s.			
		Approved colour used					

267	Ivermectin Tablets	Each uncoated tablet contains:				SBC	PAGE NO 37
		Ivermectin	IP	6	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

268	Sumatriptan with Naproxen Tablets	Each film coated tablet contains				SBC	PAGE NO 38
		Sumatriptan	IP	85	mg		
		Naproxen	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

269	Tolperisone Hcl & Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 38
		Tolperisone Hcl	JP	150	mg		
		Paracetamol	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

270	Sildenafil Tablets IP	Each Film Coated tablet Contains:				SBC	PAGE NO 38
		Sildenafil Citrate Eq. to Sildenafil	IP	100	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

271	Olmesartan Medoxomil, Amlodipine besylate & hydrochlorothiazide Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 38
		Olmesartan Medoxomil	IP	40	mg		
		Amlodipine besylate Eq. to Amlodipine	IP	10	mg		
		Hydrochlorothiazide	IP	25	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

	Each film coated tablet contains:	
--	-----------------------------------	--

272	Thiocolchicoside & Ketoprofen Tablets	Thiocolchicoside	IP	4	mg	SBC	PAGE NO 38
		Ketoprofen	IP	50	mg		
		Excipients		q.s			
		Approved colour used in tablets					

273	Tamsulosin HCl and Dutasteride Tablets	Each film coated tablet contains:				SBC	PAGE NO 38
		Tamsulosin HCl	IP	0.4	mg		
		Dutasteride	IP	0.5	mg		
		Excipients		q.s			
Approved colour used in tablets							

274	Tolperisone Hydrochloride & Diclofenac Sodium Tablets	Each film coated tablet contains:				SBC	PAGE NO 39
		Tolperisone Hydrochloride	IP	150	mg		
		Diclofenac Sodium	IP	50	mg		
		Excipients		q.s			
Approved colour used in tablets							

275	Telmisartan, Amlodipine Besilate & Hydrochlorothiazide Tablets	Each film coated tablet Contains:				SBC	PAGE NO 39
		Telmisartan	IP	20	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	2.5	mg		
		Hydrochlorothiazide	IP	6.5	mg		
		Excipients		q.s			
Approved colour used							

276	Rosuvastatin Calcium Tablets IP	Each film coated tablet Contains:				SBC	PAGE NO 39
		Rosuvastatin Calcium Eq. to Rosuvastatin	IP	20	mg		
		Excipients		q.s			
		Approved colour used					

277	Clomiphene Citrate Tablet	Each Uncoated Tablet contains				SBC	PAGE NO 39
		Clomiphene Citrate IP	IP	50	mg		
		Excipients		q.s			

278	Amlodipine Besilate & Lisinopril Tablets	Each Un-coated tablet Contains:				SBC	PAGE NO 39
		Amlodipine Besilate Eq. to Amlodipine	IP	2.5	mg		
		Lisinopril Eq. to Lisinopril Anhydrous	IP	2.5	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

279	Amlodipine Besilate & Lisinopril Tablets	Each Un-coated tablet Contains:					
		Amlodipine Besilate Eq. to Amlodipine	IP	5	mg		

		Lisinopril	IP	5	mg	SBC	PAGE NO 39
		Eq. to Lisinopril Anhydrous					
		Excipients		q.s			
		Approved colour used in tablets.					

280	Paroxetine HCl (Prolonged release) Tablets	Each Film Coated Contains:				SBC	PAGE NO 40
		Paroxetine Hydrochloride	IP	10	mg		
		Eq. to Paroxetine (As prolonged release)					
		Excipients		q.s			
		Approved colour used in tablets.					

281	Paroxetine HCl (Prolonged release) Tablets	Each Film Coated Contains:				SBC	PAGE NO 40
		Paroxetine Hydrochloride	IP	12.5	mg		
		Eq. to Paroxetine (As prolonged release)					
		Excipients		q.s			
		Approved colour used in tablets.					

282	Paroxetine HCl (Prolonged release) Tablets	Each Film Coated Contains:				SBC	PAGE NO 40
		Paroxetine Hydrochloride	IP	25	mg		
		Eq. to Paroxetine (As prolonged release)					
		Excipients		q.s			
		Approved colour used in tablets.					

283	Paroxetine HCl (Prolonged release) Tablets	Each Film Coated Contains:				SBC	PAGE NO 40
		Paroxetine Hydrochloride	IP	37.5	mg		
		Eq. to Paroxetine (As prolonged release)					
		Excipients		q.s			
		Approved colour used in tablets.					

284	Flavoxate Tablets IP	Each Film Coated Contains:				SBC	PAGE NO 40
		Flavoxate Hydrochloride	IP	200	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

285	Mefenamic Acid and Dicyclomine Hydrochloride Tablets IP	Each uncoated tablet contains				SBC	PAGE NO 40
		Mefenamic Acid	IP	250	mg		
		Dicyclomine Hydrochloride	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

286	Cabergoline Tablets IP	Each Un Coated Tablet Contains:				SBC	
-----	------------------------	---------------------------------	--	--	--	-----	--

		Cabergoline	IP	0.5	mg		PAGE NO 40	
		Excipients		q.s				
		Approved colour used in tablets.						

287	Ginkgo biloba Tablets	Each Film coated tablet contains:				SBC	PAGE NO 41
		Ginkgo biloba	USP	120	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

288	Cinnarizine & Dimenhydrinate Tablets	Each uncoated tablet Contains				SBC	PAGE NO 41
		Cinnarizine	IP	20	mg		
		Dimenhydrinate	BP	40	mg		
		Excipients		q.s			
Approved colour used in tablets.							

289	Paracetamol, Phenylephrine Hydrochloride, Caffeine (Anhydrous) Diphenhydramine Hydrochloride Tablet	Each film coated tablet Contains				SBC	PAGE NO 41
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Caffeine (Anhydrous)	IP	30	mg		
		Diphenhydramine Hydrochloride	IP	25	mg		
Excipients		q.s					

290	Sodium Picosulphate Tablet	Each uncoated tablet contains:				SBC	PAGE NO 41
		Sodium Picosulphate	BP	10	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

291	Pregabalin SR Tablet	Each Film Coated Tablet Contain:				SBC	PAGE NO 41
		Pregabalin (As sustained Release)	IP	75	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

292	Tadalafil Tablet	Each Film Coated Tablet Contain:				SBC	PAGE NO 41
		Tadalafil	IP	5	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

293	Isosorbide Mononitrate Sustained Release Tablets	Each Film coated Sustain release tablet Contains:				SBC	PAGE NO 41
		Diluted Isosorbide Mononitrate Eq to Isosorbide Mononitrate	IP	30	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

294	Tadalafil Tablet	Each Film Coated Tablet Contain:				SBC	PAGE NO 41
		Tadalafil	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

295	Vildagliptin Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 42
		Vildagliptin	IP	50	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

296	Clopidogrel Bisulphate & Aspirin Tablets	Each film coated tablet Contains:				SBC	PAGE NO 42
		Clopidogrel Bisulphat	IP				
		Eq to Clopidogrel		75	mg		
		Aspirin	IP	100	mg		
		Excipients		q.s			
Approved colour used in tablets.							

297	Saxagliptin & Metformin Hydrochloride (Rxtended Release) Tablet	Each film coated tablet Contains:				SBC	PAGE NO 42
		Saxagliptin Hydrochloride					
		Eq to Saxagliptin		5	mg		
		Metformin Hydrochloride (In Extended-release form)	IP	1000	mg		
		Excipients		q.s			
Approved colour used in tablets.							

298	Olmesartan Medoxomil and Amlodipine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 42
		Olmesartan Medoxomil	IP	20	mg		
		Amlodipine besylate	IP				
		Eq. to Amlodipine		5	mg		
		Excipients		q.s			
Approved colour used in tablets.							

299	Olmesartan Medoxomil and Amlodipine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 42
		Olmesartan Medoxomil	IP	40	mg		
		Amlodipine besylate	IP				
		Eq. to Amlodipine		5	mg		
		Excipients		q.s			
Approved colour used in tablets.							

300	Metformin & Vildagliptin Tablets	Each film coated tablet contains:				SBC	PAGE NO 42
		Vildagliptin		50	mg		
		Metformin Hcl	IP	1000	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

301	Quetiapine Fumarate Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 43
		Quetiapine Fumarate	IP	50	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					

302	Quetiapine Fumarate Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 43
		Quetiapine Fumarate	IP	100	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
303	Olanzapine Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 43
		Olanzapine	IP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
304	Olanzapine Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 43
		Olanzapine	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
305	Nitazoxanide + Ofloxacin Tablets	Each Film coated tablet contains:				SBC	
		Nitazoxanide		500	mg		
		Ofloxacin	IP	200	mg		
		Excipients		q.s.			
Approved Colour used in Tablets							
306	Duloxetine Gastro Resistant Tablets IP	Each Gastro Resistant Tablets contains:				SBC	PAGE NO 43
		Duloxetine HCL	IP	20	mg		
		Eq. to Duloxetine					
		Excipients		q.s.			
Approved Colour used in Tablets							
307	Duloxetine Gastro Resistant Tablets IP	Each Gastro Resistant Tablets contains:				SBC	PAGE NO 43
		Duloxetine HCL	IP	30	mg		
		Eq. to Duloxetine					
		Excipients		q.s.			
Approved Colour used in Tablets							
308	Duloxetine Gastro Resistant Tablets IP	Each Gastro Resistant Tablets contains:				SBC	PAGE NO 43
		Duloxetine HCL	IP	40	mg		
		Eq. to Duloxetine					
		Excipients		q.s.			
Approved Colour used in Tablets							
309	Dexchlorpheniramine Maleate Tablets IP	Each Uncoated Tablets contains:				SBC	PAGE NO 44
		Dexchlorpheniramine Maleate	IP	2	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
310	Clomifene Tablets IP	Each Film Coated Tablets contains:				SBC	PAGE NO 44
		Clomifene Citrate	IP	25	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
311	Carbamazepine Prolonged Release Tablets IP	Each Prolonged Release tablet contains:				SBC	PAGE NO 44
		Carbamazepine	IP	100	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
312	Carbamazepine Prolonged	Each Prolonged Release tablet contains:				SBC	PAGE NO 44
		Carbamazepine	IP	200	mg		

312	Release Tablets IP	Excipients		q.s.		SBC	
		Approved Colour used in Tablets					
313	Carbamazepine Prolonged Release Tablets IP	Each Prolonged Release tablet contains:				SBC	PAGE NO 44
		Carbamazepine	IP	400	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
314	Trioxsalen Tablets USP	Each Film Coated tablet contains:				SBC	PAGE NO 44
		Trioxsalen	USP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
315	Diclofenac Potassium & Metaxalone Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 44
		Diclofenac Potassium	BP	50	mg		
		Metaxalone	USP	400	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
316	Trioxsalen Tablets USP	Each Film Coated tablet contains:				SBC	PAGE NO 44
		Trioxsalen	USP	40	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
317	Sumatriptan Tablets BP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Sumatriptan Succinate Eq. to Sumatriptan	BP	25	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
318	Sumatriptan Tablets BP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Sumatriptan Succinate Eq. to Sumatriptan	BP	50	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
319	Sumatriptan Tablets BP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Sumatriptan Succinate Eq. to Sumatriptan	BP	100	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
320	Sumatriptan & Naproxen Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Sumatriptan Succinate Eq. to Sumatriptan	IP	50	mg		
		Naproxen		275	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
321	Carvedilol Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Carvedilol	IP	3.125	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
322	Carvedilol Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Carvedilol	IP	6.25	mg		

322	Carvedilol Tablets IP	Excipients		q.s.		SBC	PAGE NO 45
		Approved Colour used in Tablets					
323	Tolvaptan Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Tolvaptan	IP	15	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
324	Tolvaptan Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 45
		Tolvaptan	IP	30	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
325	Amiodarone Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 46
		Amiodarone HCl	IP	100	mg		
		Eq to Amiodarone					
		Excipients		q.s.			
		Approved Colour used in Tablets					
326	Amiodarone Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 46
		Amiodarone HCl	IP	200	mg		
		Eq to Amiodarone					
		Excipients		q.s.			
		Approved Colour used in Tablets					
327	Ursodeoxycholic Acid Tablets IP	Each Film Coated tablet contains:				SBC	(Wrong)
		Amiodarone HCl	IP	200	mg		
		Eq to Amiodarone					
		Excipients		q.s.			
		Approved Colour used in Tablets					
328	Carvedilol Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 46
		Carvedilol	IP	3.125	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
329	Carvedilol Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 46
		Carvedilol	IP	6.25	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
330	Carvedilol Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 46
		Carvedilol	IP	12.5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
<del>331</del>	<del>Acenocoumarol Tablets BP</del>	<del>Each Film Coated tablet contains:</del>				<del>SBC</del>	
		<del>Acenocoumarol</del>	<del>BP</del>	<del>2</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved Colour used in Tablets</del>					
<del>332</del>	<del>Acenocoumarol Tablets BP</del>	<del>Each Film Coated tablet contains:</del>				<del>SBC</del>	
		<del>Acenocoumarol</del>	<del>BP</del>	<del>4</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved Colour used in Tablets</del>					

333	Acetylcysteine Tablets USP	Each Uncoated Tablet Contains:				SBC	PAGE NO 47
		Acetylcysteine	USP	600	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
334	Olmesartan, Hydrochlorothiazide & Amlodipine Besilate Tablets	Each Film Coated Tablet Contains:				SBC	PAGE NO 47
		Olmesartan Medoxomil		40	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Amlodipine Besilate Eq to Amlodipine Besilate	IP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
335	Mesalamine Tablets USP	Each Film Coated Delayed release tablet contains:				SBC	PAGE NO 47
		Mesalamine	USP	400	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
336	Mesalamine Tablets USP	Each Film Coated Delayed release tablet contains:				SBC	PAGE NO 47
		Mesalamine	USP	800	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
337	Mesalamine Tablets USP	Each Film Coated Delayed release tablet contains:				SBC	PAGE NO 47
		Mesalamine	USP	1200	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
338	Mycophenolate Mofetil Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 47
		Mycophenolate Mofetil	IP	500	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
339	Valganciclovir Hydrochloride Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 47
		Valganciclovir Hydrochloride	USP	450	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
340	Pyridostigmine Bormide Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 47
		Pyridostigmine Bormide	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
341	Sodium Bicarbonate Tablets USP	Each Film Coated tablet contains:				SBC	PAGE NO 48
		Sodium Bicarbonate	USP	500	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
342	Mirtazapine Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 48
		Mirtazapine	IP	15	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
		Each Film Coated tablet contains:					

343	Mirtazapine Tablets IP	Mirtazapine	IP	30	mg	SBC	PAGE NO 48
		Excipients		q.s.			
		Approved Colour used in Tablets					
344	Mirtazapine Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 48
		Mirtazapine	IP	45	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
345	Aripiprazole Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 48
		Aripiprazole	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
346	Aripiprazole Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 48
		Aripiprazole	IP	15	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
347	Aripiprazole Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 48
		Aripiprazole	IP	20	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
348	Haloperidol Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 48
		Haloperidol	IP	1.5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
349	Haloperidol Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 48
		Haloperidol	IP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
350	Haloperidol Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 49
		Haloperidol	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
351	Chlordiazepoxide and Amitriptyline Tablets USP	Each Film Coated tablet contains:				SBC	Withdrawn
		Chlordiazepoxide	IP	10	mg		
		Amitriptyline HCL Eq.to Amitriptyline	IP	25	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
352	Bupropion HCL (ER) Tablets USP	Each Modified release film coated Bilayer tablet contains:				SBC	PAGE NO 49
		Bupropion HCL	USP	150	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
353	Donepezil HCL Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 49
		Donepezil HCL	IP	5	mg		
		Excipients		q.s.			

		Approved Colour used in Tablets					
354	Donepezil HCL Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 49
		Donepezil HCL	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
355	Tamoxifen Tablets IP	Each Uncoated Tablet contains				SBC	
		Tamoxifen Citrate Eq. to Tamoxifen	IP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
356	Tamoxifen Tablets IP	Each Uncoated Tablet contains				SBC	
		Tamoxifen Citrate Eq. to Tamoxifen	IP	20	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
357	Drotaverine Tablets IP	Each Film Coated Tablet contains				SBC	PAGE NO 49
		Drotaverine HCL	IP	40	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
358	Spironolactone Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 50
		Spironolactone	IP	25	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
359	Spironolactone Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 50
		Spironolactone	IP	50	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
360	Atorvastatin + Fenofibrate Tablets IP	Each Film Coated tablet contains:				SBC	PAGE NO 50
		Atorvastatin Calcium Eq. to Atorvastatin	IP	10	mg		
		Fenofibrate	IP	145	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					
361	Metoprolol Succinate (ER) Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 50
		Metoprolol Succinate Eq. to Metoprolol Tartrate	IP	100	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					
362	Ibuprofen Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 50
		Ibuprofen	IP	200	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					
363	Terbinafine HCL Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 50
		Terbinafine HCL	IP	250	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

364	Citicoline Sodium Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 50
		Citicoline Sodium Eq. to Citicoline	IP	250	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

365	Cilnidipine Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 50
		Cilnidipine	IP	5	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

366	Cilnidipine Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 51
		Cilnidipine	IP	10	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

367	Cilnidipine Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 51
		Cilnidipine	IP	20	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

368	Gabapentin Tablets IP	Each Uncoated tablet contains:				SBC	PAGE NO 51
		Gabapentin	IP	300	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

369	Levetiracetam Tablets IP	Each Film coated tablet contains:				SBC	PAGE NO 51
		Levetiracetam	IP	750	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

370	Sildenafil Tablets IP	Each Film Coated tablet Contains:				SBC	PAGE NO 51
		Sildenafil Citrate Eq. to Sildenafil	IP	50	mg		
		Excipients		q.s			
		Approved colour used					

371	Telmisartan & Amlodipine Tablets IP	Each Uncoated Tablet contains				SBC	PAGE NO 51
		Telmisartan	IP	80	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	10	mg		
		Excipients		q.s			

372	Aceclofenac Paracetamol & Serratiopeptidase Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 52
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Serratiopeptidase (eq to 20000 Enzymatic units)	IP	10	mg		
		Excipients		q.s.			
Approved colour used							

	Aceclofenac Paracetamol	Each Film Coated Tablet Contains:				SBC	
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		

373	& Serratiopeptidase Tablets IHS	Serratiopeptidase (eq to 30000 Enzymatic units)	IP	15	mg	PAGE NO 52
		Excipients		q.s.		
		Approved colour used				

374	Aceclofenac Paracetamol & Chlorzoxazone Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 52
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Chlorzoxazone	IP	250	mg		
		Excipients		q.s.			
Colour: Approved colour used							

375	Aceclofenac Paracetamol & Chlorzoxazone Tablets IHS	Each Film Coated Tablet Contains				SBC	PAGE NO 52
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Chlorzoxazone	IP	500	mg		
		Excipients		q.s.			
Colour: Approved colour used							

376	Aceclofenac, Paracetamol & Thiocolchicoside Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 52
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Thiocolchicoside	IP	4	mg		
		Excipients		q.s.			
Colour: Approved colour used							

377	Aceclofenac, Paracetamol & Thiocolchicoside Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 53
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Thiocolchicoside	IP	8	mg		
		Excipients		q.s.			
Colour: Approved colour used							

378	Cilnidipine & Telmisartan Tablets IHS	Each film coated tablet contains:				SBC	PAGE NO 53
		Cilnidipine	IP	10	mg		
		Telmisartan	IP	40	mg		
		Excipients		q.s.			
Colour- Approved colour used							

379	Calcium Citrate, Vitamin D3, zinc and Magnesium Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 53
		Calcium Citrate	USP	1000	mg		
		Vitamin D3	IP	200	I.U.		
		Zinc sulphate monohydrate eq. to elemental Zinc	IP	4	mg		
		Magnesium Hydroxide eq to elemental Magnesium	IP	100	mg		
		Excipients		q.s.			
Colour- Approved colour used							

380	Levocetirizine Hcl, Montelukast Sodium & Ambroxol Hcl Tablets IHS	Each film coated tablet contains:				SBC	PAGE NO 53
		Levocetirizine Hcl	IP	5	mg		
		Montelukast Sodium Eq. to Montelukast	IP	10	mg		
		Ambroxol HCL	IP	75	mg		
		Excipients		q.s.			
Colour- Approved colour used							

381	Diclofenac Potassium, Paracetamol & Chlorzoxazone Tablets HIS	Each Film Coated Tablet Contains:				SBC	PAGE NO 53
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
		Chlorzoxazone	USP	250	mg		
		Excipients		q.s.			
Approved colour used							

382	Diclofenac Potassium, Paracetamol & Chlorzoxazone Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 54
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
		Chlorzoxazone	USP	500	mg		
		Excipients		q.s.			
Approved colour used							

383	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-Layered Tablet Contains:				SBC	PAGE NO 54
		Glimepiride	IP	3	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	500	mg		
		Excipients		q.s.			

384	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-Layered Tablet Contains:				SBC	PAGE NO 54
		Glimepiride	IP	4	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	500	mg		
		Excipients		q.s.			

385	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-Layered Tablet Contains:				SBC	PAGE NO 54
		Glimepiride	IP	3	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	1000	mg		
		Excipients		q.s.			

386	Glimepiride & Metformin (Prolonged Release) Tablet	Each Uncoated Bi-Layered Tablet Contains:				SBC	PAGE NO 54
		Glimepiride	IP	4	mg		
		Metformin Hydrochloride (As Prolonged Release)	IP	1000	mg		
		Excipients		q.s.			

	Nimesulide &	Each Uncoated Tablet Contains:				SBC	
		Nimesulide	BP	100	mg		
		Paracetamol	IP	325	mg		

387	Paracetamol Tablet IHS	Excipients		q.s.		SBC	PAGE NO 54
		Approved colour used in tablet					
		<b>(NOT TO BE USED IN CHILDREN BELOW 12 YEARS OF AGE)</b>					

388	Pregabalin & Nortriptyline HCL Tablets IHS	Each Film coated tablet Contains:				SBC	PAGE NO 55
		Pregabalin	IP	75	mg		
		Nortriptyline HCL Eq. to Nortriptyline	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

389	Pregabalin & Methylcobalamin Sustained Release Tablets IHS	Each Film Coated Tablet Contains:				SBC	PAGE NO 55
		Pregabalin (As Sustained Release)	IP	75	mg		
		Methylcobalamin	IP	1500	mcg		
		Excipients		q.s.			
		Approved colour used in tablet					

390	Paracetamol, Phenylephrine HCL & Cetirizine Tablets IHS	Each Uncoated Tablet Contains:				SBC	PAGE NO 55
		Paracetamol	IP	325	mg		
		Phenylephrine HCL	IP	10	mg		
		Cetirizine HCL	IP	5	mg		
		Excipients		q.s.			
Colour: Approved colour used							

391	Telmisartan, Amlodipine & Chlorthalidone Tablets IHS	Each film coated tablet contains:				SBC	PAGE NO 55
		Telmisartan	IP	40	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

392	Telmisartan, Amlodipine & Chlorthalidone Tablets IHS	Each film coated tablet contains:				SBC	PAGE NO 55
		Telmisartan	IP	40	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Chlorthalidone	IP	6.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

393	Teneligliptin Hydrobromide Hydrate & Metformin HCL SR Tablets	Each film coated tablet contains:				SBC	PAGE NO 56
		Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin	IHS	20	mg		
		Metformin Hydrochloride	IP	500	mg		

		(As sustain release form)				
		Excipients		q.s.		
		Approved colour used in tablet				

394	Trypsin, Bromelain & Rutoside Trihydrate Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 56
		Trypsin	BP	96	mg		
		Bromelain		180	mg		
		Rutoside Trihydrate	BP	200	mg		
		Excipients		q.s.			
Approved colour used in tablet							

395	Trypsin, Bromelain, Rutoside Trihydrate & Diclofenac Sodium Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 56
		Trypsin	BP	48	mg		
		Bromelain		90	mg		
		Rutoside Trihydrate	BP	100	mg		
		Diclofenac Sodium	IP	50	mg		
Excipients		q.s.					
Approved colour used in tablet							

396	Trypsin, Bromelain, Rutoside Trihydrate & Aceclofenac Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 56
		Trypsin	BP	48	mg		
		Bromelain		90	mg		
		Rutoside Trihydrate	BP	100	mg		
		Aceclofenac	IP	100	mg		
Excipients		q.s.					
Approved colour used in tablet							

397	Trypsin, Bromelain & Rutoside Trihydrate Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 56
		Trypsin	BP	48	mg		
		Bromelain		90	mg		
		Rutoside Trihydrate	BP	100	mg		
		Excipients		q.s.			
Approved colour used in tablet							

398	Doxylamine Succinate, Pyridoxine and Folic Acid Tablets	Each Enteric coated tablet contains:				SBC	PAGE NO 56
		Doxylamine Succinate	BP	10	mg		
		Pyridoxine Hydrochloride	IP	10	mg		
		Folic Acid	IP	2.5	mg		
Approved colour used in tablet							

399	Nimesulide, Paracetamol and Serratiopeptidase Tablets <b>(Not to be given children below 12 years of age)</b>	Each film coated tablet contains				SBC	PAGE NO 57
		Nimesulide	BP	100	mg		
		Paracetamol	IP	325	mg		
		Serratiopeptidase (As enteric coated granules) (Eq. to enzymatic activity 30000 units)	IP	15	mg		
		Excipients		q.s.			

		Approved colour used in tablet					
400	Doxylamine, Pyridoxine & Folic Acid Tablets	Each film coated tablet contains:				SBC	PAGE NO 57
		Doxylamine Succinate	BP	10	mg		
		Pyridoxine Hydrochloride	IP	10	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
Approved colour used in tablet							
401	Glimepride, Metformin Hydrochloride (SR) & Voglibose Tablets	Each Uncoated Bilayered tablet contains:				SBC	PAGE NO 57
		Metformin Hydrochloride	IP	500	mg		
		(As Sustained Release form)					
		Glimepride	IP	1	mg		
		Voglibose	IP	0.2	mg		
		Excipients		q.s.			
Approved colour used in tablet							
402	Glimepride, Metformin Hydrochloride (SR) & Voglibose Tablets	Each Uncoated Bilayered tablet contains:				SBC	PAGE NO 57
		Metformin Hydrochloride	IP	500	mg		
		(As Sustained Release form)					
		Glimepride	IP	2	mg		
		Voglibose	IP	0.3	mg		
		Excipients		q.s.			
Approved colour used in tablet							
403	Rabeprazole and Domperidone tablets	Each enteric coated tablet contains:				SBC	PAGE NO 57
		Rabeprazole Sodium	IP	20	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s.			
Approved colour used in tablet							
404	Diclofenac Potassium, Paracetamol and Serratiopeptidase Tablets	Each film coated tablet contains				SBC	PAGE NO 58
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
		Serratiopeptidase (As enteric coated granules) (Eq. to enzymatic activity 20000 units)	IP	10	mg		
		Excipients		q.s.			
Approved colour used in tablet							
	Diclofenac Potassium,	Each film coated tablet contains				SBC	
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
		Serratiopeptidase					

405	Paracetamol and Serratiopeptidase Tablets	(As enteric coated granules)				IP	15	mg	PAGE NO 58
		(Eq. to enzymatic activity 30000 units)							
		Excipients							
Approved colour used in tablet									

406	Levofloxacin and Ornidazole Tablets	Each film coated tablet contains						SBC	PAGE NO 58	
		Levofloxacin Hemihydrate				IP	250			mg
		Eq. to Levofloxacin								
		Ornidazole				IP	500			mg
		Excipients					q.s.			
Approved colour used in tablet										

407	Paracetamol and Nimesulide Tablets (Not to be given children below 12 years of age)	Each uncoated bilayered tablet contains:						SBC	PAGE NO 58	
		Paracetamol				IP	325			mg
		Nimesulide								
		Excipients					q.s.			
		Approved colour used in tablet								

408	Nimesulide, Paracetamol and Serratiopeptidase Tablets (Not to be given children below 12 years of age)	Each film coated tablet contains						SBC	PAGE NO 58	
		Nimesulide				BP	100			mg
		Paracetamol								
		Serratiopeptidase (As enteric coated granules) (Eq. to enzymatic activity 20000 units)				IP	10			mg
		Excipients					q.s.			
		Approved colour used in tablet								

409	Sodium Valproate and Valproic Acid controlled release Tablets	Each film coated controlled release tablet contains						SBC	PAGE NO 59	
		Sodium Valproate				IP	200			mg
		Valproic Acid								
		(Both together correspond to Sodium Valproate)					300			mg
		Excipients					q.s.			
Approved colour used in tablet										

410	Aceclofenac Sustained Release Tablets	Each film coated Sustained release tablet contains:						SBC	PAGE NO 59	
		Aceclofenac				IP	200			mg
		Excipients								
		Approved colour used in tablet								

411	Desloratadine and Montelukast Tablets	Each film coated tablet contains:						SBC	PAGE NO 59	
		Desloratadine					5			mg
		Montelukast Sodium Eq. to Montelukast								
		Excipients					q.s.			

		Approved colour used in tablet					
412	Levocetirizine and Ambroxol Tablets	Each film coated tablet contains:				SBC	PAGE NO 59
		Levocetirizine Hydrochloride	IP	5	mg		
		Ambroxol Hydrochloride	IP	60	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
413	Methylcobalamin, Vitamin B1, Vitamin B6, Calcium Pantothenate and L-Glutamic Acid Tablets	Each film coated tablet contains				SBC	PAGE NO 59
		Methylcobalamin	IP	1500	mcg		
		Vitamin B1	IP	10	mg		
		Vitamin B6	IP	3	mg		
		Calcium Pantothenate	IP	50	mg		
		L-Glutamic Acid		100	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
414	Ciprofloxacin and Tinidazole Tablets	Each film coated tablet contains:				SBC	PAGE NO 59
		Ciprofloxacin Hydrochloride	IP				
		Eq. to Ciprofloxacin		500	mg		
		Tinidazole	IP	600	mg		
		Excipients		q.s.			
Approved colour used in tablet							
415	Trypsin-Chymotrypsin Tablets	Each enteric coated tablet contains				SBC	PAGE NO 60
		Trypsin- Chymotrypsin					
		1,00,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1	1,00,000	AU			
		Excipients		q.s.			
Approved colour used in tablet							
416	Calcium, Vitamin K <sub>2</sub> , Vitamin D <sub>3</sub> , Methylcobalamin, Zinc Sulphate, & Magnesium Hydroxide Tablets	Each film coated tablet contains:				SBC	PAGE NO 60
		Calcium Citrate Malate		1250	mg		
		Eq. to Elemental Calcium		250	mg		
		Vitamin K <sub>2</sub>		90	mg		
		Vitamin D <sub>3</sub>	IP	1000	IU		
		Methylcobalamin	IP	1500	mcg		
		Zinc Sulphate Monohydrate	IP				
		Eq. to Elemental Zinc		15	mg		
		Magnesium Hydroxide	IP	10	mg		
		Excipients		q.s.			
Approved colour used in tablet							
		Each Film coated tablet Contains:					
		Calcium Carbonate (Oyster Shell)	IP	1250	mg		
		Eq. to elemental Calcium		500	mg		PAGE NO 60

417	Calcium Carbonate, Calcitriol and Zinc Tablets	Calcitriol	IP	0.25	mcg	SBC	
		Zinc Sulphate Monohydrate Eq. to elemental Zinc	IP	7.5	mg		
		Excipients		q.s			
		Approved colour used in tablet					

418	Aceclofenac and Serratiopeptidase Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 60
		Aceclofenac	IP	100	mg		
		Serratiopeptidase (Enzyme Activity 20,000 units As enteric coated granules)	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablet					

419	Lansoprazole Orally Disintegrating Tablets IP	Each Orally Disintegrating tablet Contains:				SBC	PAGE NO 61
		Lansoprazole	IP	15	mg		
		Excipients		q.s			

420	Mefenamic and Paracetamol Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 61
		Mefenamic Acid	IP	250	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s			
		Approved colour used in tablet					

421	Esomeprazole and Domperidone Tablets	Each Enteric coated tablet Contains:				SBC	PAGE NO 61
		Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole	IP	20	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablet					

422	Diacerein, Glucosamine Sulphate Potassium Chloride and Methyl Sulfonyl Methane Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 61
		Diacerein	IP	50	mg		
		Glucosamine Sulphate Potassium Chloride Eq. to Glucosamine	USP	750	mg		
		Methyl Sulfonyl Methane	USP	446	mg		
		Excipients		q.s			
		Approved colour used in tablet					

423	Pantoprazole and Domperidone Tablets	Each Enteric coated tablet Contains:				SBC	PAGE NO 61
		Pantoprazole Sodium Eq. to Pantoprazole	IP	40	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablet					

424	Rabeprazole Gastro-resistant Tablets	Each Enteric coated tablet Contains:				SBC	PAGE NO 61
		Rabeprazole Sodium	IP	20	mg		
		Excipients		q.s			
		Approved colour used in tablet					

425	Mirtazapine Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 62
		Mirtazapine	IP	7.5	mg		
		Excipients		q.s			
		Approved colour used in tablet					

426	Pregabalin, Nortriptyline HCL & Methylcobalamin Tablets	Each Film Coated Tablet Contains:				SBC	PAGE NO 62
		Pregabalin	IP	75	mg		
		Nortriptyline Hydrochloride Eq. to Nortriptyline	IP	10	mg		
		Methylcobalamin	IP	1500	mcg		
		Excipients		q.s.			
		Approved colour used in tablet					

427	Doxylamine, Pyridoxine and Folic Acid Tablets	Each Enteric coated tablet Contains:				SBC	PAGE NO 62
		Doxylamine Succinate	USP	20	mg		
		Pyridoxine Hydrochloride	IP	20	mg		
		Folic Acid	IP	5	mg		
		Excipients		q.s			
		Approved colour used in tablet					

428	Paracetamol and Domperidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 62
		Paracetamol	IP	325	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s			
		Approved colour used in tablet					

429	Paracetamol and Domperidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 62
		Paracetamol	IP	325	mg		
		Domperidone	IP	20	mg		
		Excipients		q.s			
		Approved colour used in tablet					

430	Cholecalciferol Chewable Tablets	Each Uncoated Chewable tablet Contains:				SBC	PAGE NO 62
		Cholecalciferol	IP	60000	IU		
		Excipients		q.s			

431	Mefenamic, Dicyclomine and Acetoaminophen Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 62
		Mefenamic Acid	IP	250	mg		
		Dicyclomine Hydrochloride	IP	10	mg		
		Acetaminophen	USP	325	mg		
		Excipients		q.s			
		Approved colour used in tablet					

432	Drotaverine & Mefenamic Acid Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 63
		Drotaverine Hydrochloride	IP	80	mg		
		Mefenamic Acid	IP	250	mg		
		Excipients		q.s			

		Approved colour used in tablet	q.s				
433	Calcium citrate malate, Zinc, Magnesium, Vitamin K <sub>2</sub> -7 & Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 63
		Calcium citrate malate		1000	mg		
		Zinc Oxide	IP	15	mg		
		Magnesium Oxide	IP	50	mg		
		Vitamin D3	IP	1000	IU		
		Vitamin K <sub>2</sub> -7		50	mcg		
		Excipients		q.s			
		Approved colour used in tablet					
434	Fluconazole, Azithromycin & Secnidazole Tablets	Each Combikit contains:				SBC	
		A. One Fluconazole Tablets IP 150 mg					
		Each Uncoated tablet Contains:					
		Fluconazole	IP	150	mg		
		Permitted Colour : Ponceau 4R		q.s			
		B. One Azithromycin Tablets IP 1 gm					
		Each Film coated tablet Contains:					
		Azithromycin Dihydrate Eq. to Azithromycin	IP	1	gm		
		Excipients		q.s			
		Permitted Colour : Ponceau 4R & Titanium Dioxide IP					
		C. Two Secnidazole Tablets IP 1 gm					
Each Film coated tablet Contains:							
Secnidazole	IP	1	gm				
Permitted Colour : Titanium Dioxide IP							
Excipients				q.s			
435	Montelukast and Levocetirizine Dispersible Tablets	Each Uncoated Dispersible tablet Contains:				SBC	PAGE NO 63
		Montelukast Sodium	IP				
		Eq. to Montelukast		4	mg		
		Levocetirizine Hydrochloride	IP	2.5	mg		
		Excipients		q.s			
		Approved colour added in tablet					
436	Thiocolchicoside Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 64
		Thiocolchicoside	IP	8	mg		
		Excipients		q.s			
		Approved colour used in tablet.					
437	Etoricoxib and Paracetamol Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 64
		Etoricoxib	IP	60	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s			
438	Sodium Picosulfate Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 64
		Sodium Picosulfate	BP	5	mg		

	Sodium Ficosumate Tablets	Excipients		q.s			PAGE NO 67
		Approved colour used in tablet.					
439	Trypsin-Chymotrypsin, Aceclofenac & Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 64
		Trypsin- Chymotrypsin		50,000	AU		
		50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1					
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used in tablet.					
440	Trypsin-Chymotrypsin, Aceclofenac & Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 64
		Trypsin- Chymotrypsin		1,50,000	AU		
		1,50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1					
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used in tablet.					
441	Clopidogrel & Aspirin Tablets	Each film coated tablet contains:				SBC	PAGE NO 65
		Clopidogrel Bisulphate	IP	75	mg		
		Eq. to Clopidogrel					
		Aspirin	IP	75	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
442	Aceclofenac & Diacerein Tablets	Each film coated tablet contains:				SBC	PAGE NO 65
		Aceclofenac	IP	100	mg		
		Diacerein	IP	50	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
443	Trypsin-Chymotrypsin, Diclofenac & Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 65
		Trypsin- Chymotrypsin		1,50,000	IU		
		1,50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1					
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

444	Trypsin-Chymotrypsin, Diclofenac & Paracetamol Tablets	Each film coated tablet contains			SBC	PAGE NO 65	
		Trypsin- Chymotrypsin		50,000 IU			
		50,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1					
		Diclofenac Potassium	BP	50 mg			
		Paracetamol	IP	325 mg			
Excipients			q.s.				
Approved colour used in tablets.							

445	Gabapentin & Nortriptyline HCL Tablets	Each Film Coated Tablet Contains:			SBC	PAGE NO 66	
		Gabapentin	IP	400 mg			
		Nortriptyline Hydrochloride Eq. to Nortriptyline	IP	10 mg			
		Excipients					q.s.
Approved colour used in tablets.							

446	Methylcobalamin, L- Methyl Folate, Pyridoxal- 5-Phosphate Tablets	Each uncoated dispersible tablet contains:			SBC	PAGE NO 66	
		Methylcobalamin	IP	1500 mcg			
		Pyridoxal-5-Phosphate	IHS	0.5 mg			
		L-Methyl Folate Calcium	IHS	1 mg			
		Excipients					q.s.
Approved colour used in tablet							

<del>447</del>	<del>Methylcobalamin, L- Methyl Folate, Pyridoxal- 5-Phosphate Tablets</del>	<del>Each film tablet contains:</del>			<del>SBC</del>		
		<del>Methylcobalamin</del>	<del>IP</del>	<del>1500 mcg</del>			
		<del>Pyridoxal-5-Phosphate</del>	<del>IHS</del>	<del>0.5 mg</del>			
		<del>L-Methyl Folate Calcium</del>	<del>IHS</del>	<del>1 mg</del>			
		<del>Excipients</del>					<del>q.s.</del>
<del>Approved colour used in tablet</del>							

448	Cilnidipine & Telmisartan Tablets	Each film coated Tablet contains:			SBC	PAGE NO 66	
		Cilnidipine	IP	10 mg			
		Telmisartan	IP	80 mg			
		Excipients					q.s.
Colour- Approved colour used in tablets.							

449	Cilnidipine Telmisartan, & Chlorthalidone Tablets	Each film coated Tablet contains:			SBC	PAGE NO 66	
		Cilnidipine	IP	10 mg			
		Telmisartan	IP	40 mg			
		Chlorthalidone	IP	6.25 mg			
		Excipients					q.s.
Colour- Approved colour used in tablets.							

450	Cilnidipine Telmisartan, & Chlorthalidone Tablets	Each film coated Tablet contains:			SBC	PAGE NO 66	
		Cilnidipine	IP	10 mg			
		Telmisartan	IP	40 mg			
		Chlorthalidone	IP	12.5 mg			
		Excipients					q.s.
Colour- Approved colour used in tablets.							

		Each enteric coated tablet contains				
--	--	-------------------------------------	--	--	--	--

451	Trypsin-Chymotrypsin Tablets	Trypsin- Chymotrypsin	2,00,000	IU	SBC	PAGE NO 67
		2,00,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1				
		Excipients				
Approved colour used in tablet						

452	L-Arginine & proanthocyanidin Granule Sachet	Each Sachet of 5 gm Contains:				SBC	PAGE NO 67
		L-Arginine	IP	3	gm		
		Proanthocyanidin		75	mg		
		Approved Colour used.					

453	L-Arginine & proanthocyanidin Granule Sachet	Each Sachet of 7 gm Contains:				SBC	PAGE NO 67
		L-Arginine	IP	3	gm		
		Proanthocyanidin		75	mg		
		Approved Colour used.					

454	Terbinafine & Itraconazole Tablet	Each Film coated tablet Contains:				SBC	PAGE NO 67
		Terbinafine	BP	250	mg		
		Itraconazole	USP	200	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

455	Deflazacort Tablets	Each uncoated tablet contains				SBC	PAGE NO 67
		Deflazacort	IHS	6	mg		
		Excipients		q.s.			
		Approved colour added in tablets.					

456	Deflazacort Tablets	Each uncoated tablet contains				SBC	PAGE NO 67
		Deflazacort	IHS	12	mg		
		Excipients		q.s.			
		Approved colour added in tablets.					

457	Ferrous Bis-Glycinate, Folic Acid, Zinc Bis-Glycinate, & Methylcobalamin Tablets	Each film coated tablet contains:				SBC	PAGE NO 68
		Ferrous Bis-glycinate Eq. to Elemental iron		60	mg		
		Folic Acid	IP	1500	mcg		
		Zinc Bis-glycinate Eq. to Elemental Zinc		15	mg		
		Methylcobalamin	IP	500	mcg		
		Excipients		q.s.			
		Approved colour used in tablets.					

458	Letrozole Tablets	Each film coated tablet Contains:				SBC	
		Letrozole	IP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

459	Metoprolol Succinate Extended-Release & Ramipril Tablets	Each uncoated tablet contains:				SBC	PAGE NO 68
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As Extended-release)	IP	25	mg		
		Ramipril	IP	2.5	mg		
		Excipients		q.s.			
		Colour- Approved colour used in tablets.					

460	Metoprolol Succinate Extended-Release & Ramipril Tablets	Each bilayered tablet contains:				SBC	PAGE NO 68
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As Extended-release)	IP	50	mg		
		Ramipril	IP	5	mg		
		Excipients		q.s.			
		Colour- Approved colour used in tablets.					

461	Olmesartan Medoxomil & Chlorthalidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 68
		Olmesartan Medoxomil	IP	40	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

462	Olmesartan Medoxomil & Chlorthalidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 68
		Olmesartan Medoxomil	IP	20	mg		
		Chlorthalidone	IP	6.25	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

463	Olmesartan Medoxomil, Amlodipine besylate & Chlorthalidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 69
		Olmesartan Medoxomil	IP	20	mg		
		Amlodipine besylate Eq. to Amlodipine	IP	5	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

464	Olmesartan Medoxomil & Chlorthalidone Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 69
		Olmesartan Medoxomil	IP	40	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

465	Pregabalin & Nortriptyline HCL SR Tablets	Each Film Coated bilayered Tablet Contains:				SBC	PAGE NO 69
		Pregabalin (As Sustained Release)	IP	75	mg		
		Nortriptyline Hydrochloride Eq. to Nortriptyline	IP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

466	Rosuvastatin calcium & Ezetimibe Tablets	Each Film coated tablet contains:				SBC	PAGE NO 69
		Rosuvastatin calcium	IP	10	mg		
		Eq. to Rosuvastatin					
		Ezetimibe	IP	10	mg		
		Excipients		q.s.			
Approved colour used in tablets.							

467	Telmisartan & Chlorthalidone Tablets	Each uncoated tablet contains:				SBC	PAGE NO 69
		Telmisartan	IP	40	mg		
		Chlorthalidone	IP	6.25	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

468	Telmisartan & Chlorthalidone Tablets	Each uncoated tablet contains:				SBC	PAGE NO 69
		Telmisartan	IP	80	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

469	Bilastine Tablets	<del>Each uncoated tablet contains:</del>				SBC	
		<del>Bilastine</del>		<del>20</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in tablets.</del>					

470	Ivermectin and Albendazole Tablets	Each uncoated chewable tablet contains:				SBC	PAGE NO 70
		Ivermectin	IP	12	mg		
		Albendazole	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

471	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Each film coated tablet Contains:				SBC	PAGE NO 70
		Telmisartan	IP	20	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Amlodipine Besylate	IP	2.5	mg		
		Eq. to Amlodipine					
		Excipients		q.s.			
Approved colour used in tablets.							

472	Activated Dimethicone, Pancreatin & Bile Constituents Tablets	Each Entric coated tablet Contains:				SBC	PAGE NO 70
		Activated Dimerthicone	IP	40	mg		
		Pancreatin	IP	192	mg		
		Bile Constituents		25	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

	Calcium citrate malate, Vitamin D3, Magnesium Oxide, Zinc Sulphate Monohydrate Tablets	<del>Each Film coated tablet Contains:</del>					
		<del>Calcium citrate malate</del>		<del>1000</del>	<del>mg</del>		
		Vitamin D3	IP	200	IU		
		Magnesium Oxide	IP				

473		Eq. to Elemental calcium	''	100	mg	SBC
		Zinc Sulphate Monohydrate	IP	7.5	mg	
		Excipients		qs		
		Approved colour used in tablets.				

474	Coral Calcium & Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC
		Coral Calcium				
		Eq. to Elemental Calcium		500	mg	
		Vitamin D3	IP	500	IU	
		Excipients		qs		
Approved colour used in tablets.						

475	Coral Calcium, Vitamin D3, Magnesium Oxide, Zinc Sulphate Monohydrate Tablets	Each Film coated tablet Contains:				SBC
		Coral Calcium				
		Eq. to Elemental Calcium		500	mg	
		Vitamin D3	IP	500	IU	
		Magnesium Oxide	IP	40	mg	
		Zinc Sulphate Monohydrate	IP	7.5	mg	
		Excipients		qs		
		Approved colour used in tablets.				

476	Coral Calcium, Calcitrol, Zinc Sulphate Monohydrate Tablets	Each Film coated tablet Contains:				SBC
		Coral Calcium				
		Eq. to Elemental Calcium		225	mg	
		Calcitrol	IP	0.25	mcg	
		Zinc Sulphate Monohydrate	IP	22.5	mg	
		Excipients		qs		
Approved colour used in tablets.						

477	Coral Calcium & Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC
		Coral Calcium				
		Eq. to Elemental Calcium		500	mg	
		Vitamin D3	IP	500	IU	
		Excipients		qs		
Approved colour used in tablets.						

478	Trypsin, Diclofenac Potassium & Paracetamol Tablets	Each enteric coated tablet contains				SBC	PAGE NO 71
		Trypsin- Chymotrypsin	1,00,000	AU			
		1,00,000 Armour Unit of enzymatic activity (Supplied by a purified concentrate which has specific trypsin and chymotrypsin activity in a ratio of approximately 6:1)					
		Diclofenac Potassium	BP	50	mg		
		Paracetamol	IP	325	mg		
Excipients		q.s.					

		Approved colour used in tablets.		
--	--	----------------------------------	--	--

479	L-Carnitine, L-Tartrate, Folic Acid & Methylcobalamine Tablets.	Each Film coated tablet Contains:			SBC	PAGE NO 72	
		L-Carnitine L-Tartrate					
		Eq. to L-Carnitine		500			mg
		Folic Acid	IP	1.5			mg
		Methylcobalamin	USP	1500			mcg
		Excipients		qs			
		Approved colour used in tablets.					

480	Doxylamine Succinate, & Pyridoxine Tablets	Each Entric coated tablet contains:			SBC	PAGE NO 72	
		Doxylamine Succinate	USP	10			mg
		Pyridoxine Hydrochloride	IP	10			mg
		Approved colour used in tablets.					

481	L-Arginine Tablet	Each Film coated tablet contains:			SBC	
		L-Arginine (micronized)	IP	1000		
		Approved colour used in tablets.				

482	Methylcobalamin, Pyridoxine Hydrochloride & Folic Acid Tablets.	Each Film coated tablet Contains:			SBC	PAGE NO 72	
		Methylcobalamin	USP	1500			mcg
		Pyridoxine Hydrochloride	IP	10			mg
		Folic Acid	IP	5			mg
				Excipients			
		Approved colour used in tablets.					

483	Clomiphene Citrate & Co-Enzyme Q-10 Tablets	Each uncoated tablet Contains:			SBC	PAGE NO 72	
		Clomiphene Citrate	IP	50			mg
		Co-Enzyme Q-10	BP	50			mg
		Excipients					qs
		Approved colour added in tablets.					

484	Tranexamic Acid & Pine Bark extract Tablets	Each Film coated tablet Contains:			SBC	PAGE NO 72	
		Tranexamic Acid	IP	250			mg
		Pine Bark Extract		50			mg
		Excipients					qs
		Approved colour Used in tablets					

	Calcium Asparto glycinate, Vitamin D3, Zinc & Magnesium Oxide tablets	Each film coated tablet contains:				
		Calcium Asparto glycinate		500		

485		Vitamin D3	IP	2000	IU	SBC	PAGE NO 72
		Zinc sulphate Monohydrate	IP				
		Eq. to Elemental Zinc		4	mg		
		Magnesium Oxide (Light)	IP	100	mg		
		Excipients		qs			
		Approved colour Used in tablets					

486	Calcium Carbonate, Vitamin D3, Methylcobalamin, L-Methyl Folate Calcium & Pyridoxal 5 Phosphate tablets	Each film coated tablet contains:				SBC	PAGE NO 73
		Calcium Carbonate	IP	1250	mg		
		Eq. to Elemental calcium		500	mg		
		Vitamin D3	IP	2000	IU		
		Methylcobalamine	IP	1500	mcg		
		L-Methyl Folate Calcium		1	mg		
		Pyridoxal 5 Phosphate	Ip	0.6	mg		
		Excipients		qs			
		Approved colour used in tablets					

487	<del>Teneligliptin Hydrobromide Hydrate &amp; Metformin HCL SR Tablets</del>	<del>Each film coated tablet contains:</del>				<del>SBC</del>	
		<del>Teneligliptin Hydrobromide Hydrate</del>	<del>IP</del>				
		<del>Eq. to Teneligliptin</del>		<del>20</del>	<del>mg</del>		
		<del>Metformin Hydrochloride (As sustain release form)</del>	<del>IP</del>	<del>1000</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in tablets.</del>					

488	Terbinafine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 73
		Terbinafine Hydrochloride	IP				
		Eq. to Terbinafine		500	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

489	Metformin Hydrochloride (SR) & Voglibose Tablets	Each uncoated tablet contains:				SBC	PAGE NO 73
		Metformin Hydrochloride (As Sustained Release form)	IP	500	mg		
		Voglibose	IP	0.2	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

490	Metformin Hydrochloride & Voglibose Tablets	Each uncoated tablet contains:				SBC	PAGE NO 73
		Metformin Hydrochloride	IP	500	mg		
		Voglibose	IP	0.3	mg		
		Excipients		q.s.			
		Approved colour added in tablets.					

491	<del>Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate</del>	<del>Each uncoated tablet Contains:</del>				<del>SBC</del>	
		<del>Paracetamol</del>	<del>IP</del>	<del>325</del>	<del>mg</del>		
		<del>Phenylephrine Hydrochloride</del>	<del>IP</del>	<del>10</del>	<del>mg</del>		
		<del>Chlorpheniramine Maleate</del>	<del>IP</del>	<del>2</del>	<del>mg</del>		

	Chlorpheniramine Maleate & Caffeine Tablets	Caffeine (Anhydrous)	IP	30	mg			
		Excipients		q.s				
		Approved colour added in tablets.						

492	Aceclofenac and Serratiopeptidase Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 74
		Aceclofenac	IP	100	mg		
		Serratiopeptidase (Enzyme Activity 30,000 units As enteric coated granules)	IP	15	mg		
		Excipients		q.s			
Approved colour used in tablets							

493	L-ornithine L-Aspartate Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 74
		L-Ornithine L-Aspartate		500	mg		
		Excipients		q.s			
Approved colour used in tablets							

494	Rabeprazole & Domperidone Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 74
		Rabeprazole Sodium	IP	20	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s			
Approved colour used in tablets							

495	Doxylamine & Pyridoxine Hydrochloride Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 74
		Doxylamine Succinate	BP	10	mg		
		Pyridoxine Hydrochloride	IP	10	mg		
		Excipients		q.s			
Approved colour used in tablet							

496	Dimethicone & Pancreatin Tablets	Each film coated tablet contains:				SBC	PAGE NO 74
		Dimethicone	BP	80	mg		
		Pancreatin	BP	170	mg		
		Excipients		q.s			
Approved colour used in tablet							

497	Doxylamine & Pyridoxine Hydrochloride Tablets	Each enteric coated tablet contains:				SBC	PAGE NO 74
		Doxylamine Succinate	BP	20	mg		
		Pyridoxine Hydrochloride	BP	20	mg		
		Excipients		q.s			
Approved colour used in tablet							

498	Paracetamol, Phenylephrine HCL & Cetirizine Tablets	Each Uncoated Tablet Contains:				SBC	PAGE NO 74
		Paracetamol	IP	500	mg		
		Phenylephrine Hydrochloride	IP	10	mg		
		Cetirizine Hydrochloride	IP	5	mg		
		Excipients		q.s.			
Approved colour used in tablets.							

499	Nitroglycerin Controlled	Each film coated controlled released tablet contains				SBC	PAGE NO 75
		Dilute Nitroglycerin	USP				

499	Release Tablets 6.4 mg	Eq. to Nitroglycerin	USP	6.4	mg	SBC	PAGE NO 75
		Excipients		q.s.			
		Approved colour added in tablets.					

500	Azithromycin Dispersible Tablets	Each uncoated dispersible tablet contains: -				SBC	PAGE NO 75
		Azithromycin Dihydrate	IP	100	mg		
		Eq. to Azithromycin					
		Excipients		q.s.			
Approved colour added in tablets.							

501	Nitroglycerin Controlled Release Tablets 2.6 mg	Each film coated controlled released tablet contains				SBC	PAGE NO 75
		Dilute Nitroglycerin	USP	2.6	mg		
		Eq. to Nitroglycerin					
		Excipients		q.s.			
Approved colour added in tablets.							

502	Calcium L-5-Methyltetrahydrofolate Tablets	Each film coated tablet contains:				SBC	PAGE NO 75
		Calcium L-5-Methyltetrahydrofolate	USP	1	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

503	Montelukast and Olopatadine Hcl Tablets	Each film coated tablet contains:				SBC	PAGE NO 75
		Montelukast Sodium	IP	10	mg		
		Eq. to Montelukast					
		Olopatadine Hcl	USP	5	mg		
		Excipients		q.s.			
Approved colours used in tablets							

504	Ascorbic Acid Chewable Tablets	Each chewable tablet contains :				SBC	PAGE NO 75
		Ascorbic Acid	USP	100	mg		
		Sodium Ascorbate	USP	450	mg		
		Eq. to Ascorbic Acid		400	mg		
		Zinc Oxide	BP	18.67	mg		
		Eq. to elemental Zinc		15	mg		
		Excipients		q.s.			
Approved colour used in tablets.							

	Multivitamins & Multimineral tablets	Each film coated tablet contains:				SBC	PAGE NO 76
		Vitamin A (as Acetate)	BP	2500	IU		
		Vitamin B1	BP	3	mg		
		Vitamin B2	BP	3	mg		
		Vitamin B6	BP	4	mg		
		Vitamin B12	BP	6	mcg		
		Vitamin C	BP	100	mg		
		Vitamin D3	BP	200	IU		
		Vitamin E 50 %	USP	15	IU		
		Nicotinamide	BP	20	mg		
		Folic Acid	BP	0.4	mg		
		Dibasic calcium Phosphate					

505		Eq. to Calcium	BP	150	mcg	SBC	
		Magnesium oxide	BP	6.13	mg		
		Zinc (As Zinc Sulfate monohydrate BP)		2.5	mg		
		Copper (As Copper Sulfate pentahydrate BP)		0.7	mg		
		Iron ( As Ferrous Fumarate BP)		10	mg		
		Manganese (As Manganese Sulfate BP)		0.56	mg		
		Potassium (As Potassium Chloride BP)		4.98	mg		
		Iodine (As Potassium Iodide BP)		0.749	mcg		
		Excipients		q.s			
		Approved colour used in tablets.					

506	Calcium Citrate, Zinc, Vitamin D3 & Magnesium Tablets	Each film coated tablet contains: -				SBC	PAGE NO 76
		Calcium Citrate	USP	1000	mg		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	4	mg		
		Vitamin D3	IP	200	IU		
		Magnesium Hydroxide	IP	100	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

507	Multivitamin with antioxidant Tablets	Each chewable tablet contains:				SBC	PAGE NO 77
		L-Lysine Hcl	BP	50	mg		
		Vitamin A (as Acetate)	BP	1500	IU		
		Vitamin B1	BP	0.25	mg		
		Vitamin B2	BP	0.25	mg		
		Vitamin B6	BP	0.25	mg		
		Vitamin B12	BP	2	mcg		
		Vitamin C	BP	50	mg		
		Vitamin D3	BP	100	IU		
		Vitamin E 50 %	USP	10	IU		
		Nicotinamide	BP	2.5	mg		
		Folic Acid	BP	0.25	mg		
		L-Taurine	USP	50	mg		
		Excipients		q.s			
Approved colour used in tablets.							

508	Diclofenac, Paracetamol, Cetirizine Hcl & Magnesium Trisilicate Tablets	Each uncoated tablet contains:				SBC	PAGE NO 77
		Diclofenac Potassium	IP	50	mg		
		Paracetamol	IP	325	mg		
		Cetirizine Hydrochloride	IP	5	mg		
		Magnesium Trisilicate	IP	100	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

509	Nimesulide & Serratiopeptidase tablets <b>Note: Not for use in children below 12 years of age.</b>	Each enteric coated tablet contains				SBC
		Nimesulide	BP	100	mg	
		Serratiopeptidase (Enzyme Activity 20,000 units As enteric coated granules)	IP	10	mg	
		Excipients		q.s		
		Approved colour used in tablets				

510	Dicyclomine HCl Mefenamic Acid, Paracetamol & Simethicone Tablets	Each uncoated tablet contains				SBC	PAGE NO 77
		Paracetamol	IP	325	mg		
		Dicyclomine HCl	IP	10	mg		
		Mefenamic Acid	IP	250	mg		
		Simethicone	IP	50	mg		
		Excipients		q.s			
		Approved colour used in tablets					

511	Multivitamins & Multiminerals tablets	Each film coated tablet contains				SBC	PAGE NO 78
		L-Carnitine (As a Levocarnitine BP)	BP	50	mg		
		Vitamin A Acetate	BP	700	mcg		
		Cholecalciferol	USP	15	mcg		
		Tocopheryl Acetate 50%	BP	20	mg		
		Ascorbic Acid	BP	40	mg		
		Thiamine Mononitrate	BP	30	mg		
		Riboflavin	BP	5	mg		
		Pyridoxine Hcl	BP	10	mg		
		Folic Acid	BP	400	mcg		
		Cyanocobalamin	BP	9	mcg		
		Nicotinamide	BP	45	mg		
		Calcium Pantothenate	BP	10	mg		
		Biotin	BP	200	mcg		
		Magnesium (As Magnesium Oxide BP)		100	mg		
		Iron (As Ferrous Fumarate BP)		8	mg		
		Zinc (As Zinc Oxide BP)		15	mg		
		Copper (As Copper Sulfate Pentahydrate BP)		1000	mcg		
		Manganese (As Manganese Sulfate BP)		2	mg		
		Selenium (As Sodium Selenite Pentahydrate BP)		100	mcg		
		Chromium (As Chromium Picolinate USP)		160	mcg		
		Iodine (As Potassium Iodide BP)					
		Excipients		q.s			
		Approved colour used in tablets.					

		Each film coated tablet contains:				SBC
		Lecithin	IP	525	mg	

512	Silymarin & Lecithin Tablets	Silymarin		140	mg	PAGE NO 78
		In Cream base		q.s		
		Approved colours used in tablets.				

513	Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Guaifenesin, Bromhexine Hydrochloride Tablets	Each uncoated tablet contains:				SBC
		Dextromethorphan Hydrobromide	IP	10	mg	
		Chlorpheniramine Maleate	IP	2	mg	
		Guaifenesin	IP	100	mg	
		Bromhexine Hydrochloride	IP	8	mg	
		Excipients		q.s		
Approved colour used in tablets						

514	Ginkgo Biloba, Co-Enzyme Q10, Antioxidants, Multivitamins, Multiminerals & Trace Elements Tablets	Each film coated tablet contains				SBC	PAGE NO 79
		Ginkgo Biloba Extract		120	mg		
		5-HTP (As Oxitriptan)		20	mg		
		L-Arginine	BP	40	mg		
		Glutamine	USP	10	mg		
		L-Gluathione	BP	5	mg		
		Co-Enzyme Q10		10	mg		
		Phosphatidylserine		10	mg		
		Phosphatidylcholine		10	mg		
		Carotenoids		2	mg		
		Cholecalciferol	BP	25	mcg		
		Alpha Tocopheryl Acetate 50%	USP	20	mg		
		Ascorbic Acid	BP	40	mg		
		Thiamin Mononitrate	BP	25	mg		
		Riboflavin	BP	3	mg		
		Nicotinamide	BP	32	mg		
		Pyridoxine Hydrochloride	BP	10	mg		
		Folic Acid	BP	400	mcg		
		Cyanocobalamin	BP	100	mcg		
		Calcium Pantothenate	BP	36	mg		
		Magnesium (Magnesium Oxide BP)		75	mg		
		Iron (As Ferrous Fumarate BP)		8	mg		
		Zinc (As Zinc Oxide BP)		15	mg		
		Manganese (As Manganese Sulfate BP)		2	mg		
		Copper (As Copper Sulfate Pentahydrate BP)		250	mcg		
		Selenium (As Sodium Selenite BP)		40	mcg		
		Chromium (As Chromium Picolinate BP)		40	mcg		
Iodine (As Potassium Iodide BP)		150	mcg				
Excipients		q.s					
Approved colour used in tablets.							

515	Clotrimazole, Tinidazole, Povidone-Iodine & Lactic Acid Vaginal Tablets	Each uncoated vaginal tablet contains:				SBC	PAGE NO 80
		Tinidazole	IP	500	mg		
		Clotrimazole	IP	200	mg		
		Povidone Iodine	IP	200	mg		
		Lactic Acid Bacillus		1.5	million spores		
		Excipients		q.s			
Approved colour used in tablets							

516	Omega-3 FattyAcid, Co-enzyme Q10, Lycopene 10 %, Mecobalamin, Mixed Carotene, Calcium Citrat, Selenium Dioxide, Zinc Sulphate, Magnesium Hydroxide, Vitamin D3, Benfotiamine, Alpha Lipoic Acid, Pyridoxine Hydrochloride, Folic Acid tablets	Each film coated tablet contains:				SBC	PAGE NO 80
		Omega-3 FattyAcid		250	mg		
		Eq. to Eicosapentaenoic Acid	BP	60	mg		
		Eq. to Docosahexaenoic Acid		90	mg		
		Co-enzyme Q10		50	mg		
		Lycopene 10 %	USP	2	mg		
		Mecobalamin	IP	1500	mcg		
		Mixed Carotene		10.3	mg		
		Calcium Citrate	USP	500	mg		
		Selenium Dioxide Monohydrate Eq. to elemental Selenium	USP	75	mcg		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	10.96	mg		
		Magnesium Hydroxide eq to elemental Magnesium	IP	5	mg		
		Vitamin D3	IP	400	I.U.		
		Benfotiamine		150	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Pyridoxine Hydrochloride	IP	15	mg		
		Folic Acid	IP	3	mg		
Excipients		qs					
Approved colour Used tablets							

517	Ranolazine (ER) Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 80
		Ranolazine (As Extended Release)		500	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					

518	Methoxsalen Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 80
		Methoxsalen	USP	10	mg		
		Excipients		q.s.			

		Approved Colour used in Tablets					
519	Methoxsalen Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 81
		Methoxsalen	USP	20	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
520	Solifenacin Succinate Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 81
		Solifenacin Succinate	BP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
521	Solifenacin Succinate Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 81
		Solifenacin Succinate	BP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
522	Torsemide & Spironolactone Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 81
		Torsemide	IP	20	mg		
		Spironolactone	IP	25	mg		
		Excipients		q.s.			
Approved Colour used in Tablets							
523	Entecavir Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 81
		Entecavir	IP	0.5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
524	Nimesulide, Paracetamol Phenylephrine HCL, Caffeine Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 81
		Nimesulide	BP	100	mg		
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	10	mg		
		Caffeine (Anhydrous)	IP	25	mg		
		Cetirizine Hydrochloride	IP	5	mg		
		Excipients	q.s.				
Approved Colour added in Tablets							
525	Telmisartan and Chlorthalidone Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 81
		Telmisartan	IP	40	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
Approved Colour added in Tablets							
526	Paracetamol, Phenylephrine Hydrochloride, Guaiphenesin, Cetirizine Dihydrochloride, Ambroxol Hydrochloride Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 82
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Guaiphenesin	IP	50	mg		
		Cetirizine Dihydrochloride	IP	5	mg		
		Ambroxol Hydrochloride	IP	15	mg		
		Excipients		q.s.			
Approved Colour added in Tablets							
	Diclofenac Potassium +	Each Uncoated tablet contains:					
		Diclofenac Potassium	BP	100	mg		

527	Paracetamol + Cetirizine Dihydrochloride + Magnesium Trisilicate Tablets	Paracetamol	IP	325	mg	SBC	PAGE NO 82
		Cetirizine Dihydrochloride	IP	5	mg		
		Magnesium Trisilicate	IP	100	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

528	Acebrophylline (SR), Fexofenadine & Montelukast Sodium Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 82
		Acebrophylline (In Sustained Release Form)		200	mg		
		Fexofenadine Hydrochloride Eq. to Fexofenadine	IP	120	mg		
		Montelukast Sodium Eq. to Montelukast	IP	10	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

529	Aceclofenac, Paracetamol, Cetirizine Dihydrochloride, Phenylephrine HCL & Caffeine Anhydrous Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 82
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Cetirizine Dihydrochloride	IP	10	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Caffeine Anhydrous	IP	25	mg		
		Excipients		q.s.			
Approved Colour added in Tablets							

530	Saxagliptin Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 83
		Saxagliptin hydrochloride Eq. to Saxagliptin		2.5	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

531	Saxagliptin Tablets	Each Film Coated tablet contains:				SBC	PAGE NO 83
		Saxagliptin hydrochloride Eq. to Saxagliptin		5	mg		
		Excipients		q.s.			
		Approved Colour added in Tablets					

532	Saxagliptin & Metformin Hydrochloride (Extended Release) Tablet	Each uncoated bilayered tablet Contains:				SBC	PAGE NO 83
		Saxagliptin Hydrochloride Eq to Saxagliptin		5	mg		
		Metformin Hydrochloride (In Extended-release form)	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

533	Saxagliptin & Metformin Hydrochloride (Extended Release) Tablet	Each uncoated bilayered tablet Contains:				SBC	PAGE NO 83
		Saxagliptin Hydrochloride Eq to Saxagliptin		5	mg		
		Metformin Hydrochloride (In Extended-release form)	IP	1000	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

		Each Film Coated tablet contains:					
--	--	-----------------------------------	--	--	--	--	--

534	Entecavir Tablets	Entecavir	IP	1	mg	SBC	PAGE NO 83
		Excipients		q.s.			
		Approved Colour used in Tablets					

535	Trypsin, Bromelain, Rutoside Trihydrate & Diclofenac Sodium Tablets	Each enteric coated tablet contains:				SBC	
		Trypsin	BP	96	mg		
		Bromelain		180	mg		
		Rutoside Trihydrate	BP	200	mg		
		Diclofenac Sodium	IP	50	mg		
		Excipients		q.s.			
Approved colour used in tablet							

536	Folic Acid Tablet IP	Each Uncoated Tablet contains				SBC	PAGE NO 84
		Folic Acid	IP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

537	Metoprolol Succinate Extended-Release Tablet IP	Each film Coated Tablet Contains:				SBC	PAGE NO 84
		Metoprolol Succinate Eq. to Metoprolol Tartrate (As Extended-release)	IP	47.5	mg		
				50	mg		
		Excipients		q.s.			
		Colour- Approved colour used					

538	Pantoprazole Sodium Sesquihydrate & Ondansetron Tablet	Each Film coated tablet contains:				SBC	
		Pantoprazole Sodium Sesquihydrate eq to Pantoprazole	IP	40	mg		
		Ondansetron Hydrochloride eq to Ondansetron	IP	4	mg		
		Excipients		q.s.			
		Colour- Approved colour used in tablets.					

539	Calcium Orotate With Vitamin D3 Tablet	Each Film coated tablet contains:				SBC	PAGE NO 84
		Calcium Orotate		740	mg		
		Vitamin D3	USP	1000	IU		
		Excipients		q.s.			
Colour- Approved colour used in tablets.							

540	Calcium Citrate, Magnesium Hydroxide, Zinc with Calcitriol Tablets	Each Film Coated Tablet Contains:				SBC	PAGE NO 84
		Calcium Citrate		1000	mg		
		eq. to elemental calcium	USP	210	mg		
		Magnesium Hydroxide	IP	100	mg		
		Zinc Sulphate Eq. to Zinc	IP	7.5	mg		
		Calcitriol	IP	0.25	mcg		
		Excipients		qs			
		Approved colour Used in tablets					

		Each film coated tablet contains:					
		Vitamin C	IP	100	mg		
		Niacinamide	IP	50	mg		
		Zinc Oxide	IP	15	mg		

541	Antioxidants, Multivitamin, Multimineral & Methylcobalamin Tablet	Vitamin B5	IP	12.5	mg	SBC	PAGE NO 85
		Vitamin B1	IP	12.5	mg		
		Vitamin B2	IP	10	mg		
		Vitamin B6	IP	3	mg		
		Manganese Chloride	IP	1.4	mg		
		Folic Acid	IP	1	mg		
		Lycopene 10%	USP	5000	mcg		
		Methylcobalamin	IP	500	mcg		
		Chromium Chloride	USP	65	mcg		
		Sodium Selenate	BP	60	mcg		
		Vitamin A Acetate	IP	5000	IU		
		Excipients		qs			
		Approved colour Used in tablets					

542	Cholecalciferol Tablets	Each film coated tablet contains:				SBC	
		Cholecalciferol	IP	4000	IU		
		Excipients		q.s.			
Colour- Approved colour used in tablets.							

543	Methylcobalamin, Alpha Lipoic Acid, Folic acid, Pyridoxine Hydrochloride, Biotin & Vitamin D3 Tablets	Each film coated tablet contains:				SBC	PAGE NO 85
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Folic acid	IP	1.5	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Biotin	USP	500	mcg		
		Vitamin D3	IP	1000	IU		
		Excipients		qs			
Approved colour Used in tablets							

544	Multivitamin & Multimineral Tablets	Each film coated tablet contains:				SBC	PAGE NO 86
		Vitamin A (Acetate)	IP	5000	IU		
		Vitamin B1	IP	10	mg		
		Vitamin B2	IP	10	mg		
		Vitamin B5	IP	12.5	mg		
		Vitamin B6	IP	3	mg		
		Vitamin B12	IP	15	mcg		
		Vitamin C	IP	50	mg		
		Niacinamide	IP	50	mg		
		Zinc Oxide	IP	15	mg		
		Manganese Chloride	IP	1.4	mg		
		Folic Acid	IP	1	mg		
		Chromium Chloride	USP	65	mg		
		Sodium Selenate	BP	60	mg		
		Excipients		qs			
Approved colour Used in tablets							

Each Film Coated Tablet Contains:			
-----------------------------------	--	--	--

545	Vitamin D3, Methylcobalamin, Folic Acid, Calcium Orotat, Magnesium Stearate, Magnesium, Vitamin k2-7, Zinc with Tablets	Methylcobalamin	IP	750	mcg	SBC	PAGE NO 86
		Folic Acid	IP	1.5	mg		
		Calcium Orotate		740	mg		
		Vitamin D3	IP	1000	IU		
		Magnesium Stearate	IP	150	mg		
		Vitamin K2-7		50	mcg		
		Zinc Sulphate Monohydrate Eq. to elemental Zinc	IP	10	mg		
		Excipients		qs			
		Approved colour Used in tablets					

546	Dextromethorphan Hydrobromide, Chlorpheniramine Maleate & Phenylephrine Hydrochloride Tablets	Each Film Coated Tablet Contains:				SBC	PAGE NO 87
		Dextromethorphan Hydrobromide	IP	10	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Excipients		qs			
		Approved colour Used in tablets					

547	Calcium Aspartate Anhydrous Tablet	Each Film Coated Tablet Contains:				SBC	
		Calcium Aspartate Anhydrous eq. to elemental Calcium		560	mg		
				73	mg		
		Excipients		qs			
Approved colour Used in tablets							

548	Calcium Aspartate Anhydrous Tablet	Each Film Coated Tablet Contains:				SBC	
		Calcium Aspartate Anhydrous eq. to elemental Calcium		1120	mg		
				146	mg		
		Excipients		qs			
Approved colour Used in tablets							

549	Calcium Citrate, Vitamin D3, Zinc Sulphate & Magnesium Sulphate Tablet	Each Film coated tablet contains:				SBC	PAGE NO 87
		Calcium Citrate	USP	1000	mg		
		Vitamin D3	IP	1000	IU		
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	IP	7.5	mg		
		Magnesium Sulphate	IP	20	mg		
		Excipients		qs			
		Approved colour Used in tablets					

	Calcium Orotate, Calcium Aspartate, omega-3 fatty Acid, Calcitriol, Boron & Magnesium Tablet	Each Film Coated Tablet Contains:				SBC	
		Calcium Orotate		500	mg		

550		Calcium Asparatate		500	mg	SBC	PAGE NO 87
		Omega 3 Fatty Acid	BP	300	mg		
		Calcitriol	IP	0.25	mcg		
		Boron (as Sodium Borate BP)		250	mcg		
		Magnesium (As Magnesium Oxide IP)		30	mg		
		Excipients		qs			
		Approved colour Used in tablets					

551	Ferrous Gluconate, Astaxanthin 10%, Zinc Oxide, L-Arginine, Pyridoxine Hydrochloride, Lycopene, Folic Acid, L-Selenomethionine,, Vitamin B12 & Inositol Tablets	Each Film Coated Tablet Contains :				SBC	
		Ferrous Gluconate					
		Eq. to Elemental Iron	IP	25	mg		
		Astaxanthin 10%		8	mg		
		Zinc Oxide	USP	7.5	mg		
		Eq to Elemental Zinc					
		L -Arginine	IP	5	mg		
		Pyridoxine Hydrochloride	IP	1.5	mg		
		Lycopene ( 6% Powder)	USP	1	mg		
		Folic Acid	IP	0.5	mg		
		L-Selenomethionine					
		eq. to selenium		100	mcg		
		Vitamin B12	IP	7.5	mcg		
Inositol	USP	100	mg				
		Excipients		qs			
		Approved colour Used in tablets.					

552	Calcium Citrate Malate, Calcitriol, Zinc, Vitamin K2-7 with Tablets	Each Film Coated Tablet Contains				SBC	PAGE NO 88
		Calcium Citrate Malate		1000	mg		
		Calcitriol	IP	0.25	mcg		
		Zinc Sulphate Monohydrate	IP	7.5	mg		
		eq to elemental Zinc					
		Vitamin K2-7		50	mcg		
		Excipients		qs			
		Approved colour Used in tablets					

553	Ferrous Asparto Glycinate, L-Methyl Folate Methylcobalamin & Vitamin D3 Tablets	Each Film coated tablet contains:				SBC	PAGE NO 88
		Ferrous Asparto Glycinate					
		Eq to Elemental Iron		100	mg		
		L-Methyl Folate		300	mcg		

		Methylcobalamin	IP	300	mcg		
		Vitamin D3	IP	2000	IU		
		Excipients		qs			
		Approved colour Used in tablets					

554	Calcium Citrate, Calcitriol, Folic Acid, Vitamin B6 & Methylcobalamin Tablet	Each Film Coated Tablet Conatins :				SBC	PAGE NO 88
		Calcium Citrate	USP	750	mg		
		Calcitriol	IP	0.25	mcg		
		Folic Acid	IP	1.5	mg		
		Vitamin B6	IP	3	mg		
		Methylcobalamin	IP	1500	mcg		
		Excipients		qs			
		Approved colour Used in tablets					

555	Alpha Lipoic Acid, Folic Acid, Vitamin B6, Biotin, Vitamin D3 & Methylcobalamin Tablet	Each Film Coated Tablet Conatins:				SBC	PAGE NO 89
		Alpha Lipoic Acid	USP	200	mg		
		Folic Acid	IP	1.5	mg		
		Vitamin B6	IP	3	mg		
		Biotin	USP	200	mcg		
		Vitamin D3	IP	1000	IU		
		Methylcobalamin	IP	1500	mcg		
		Excipients		qs			
Approved colour Used in tablets							

556	Tepentadol Extended- Release Tablet	Each Film coated extended-release tablet contains:				SBC	
		Tepentadol Hydrochloride Eq to Tepentadol	IP	50	mg		
		Excipients		qs			
		Approved colour Used in tablets					

557	Methylcobalamin, Alpha Lipoic Avid, vitamin B6, Folic Acid, Benfotiamine, Biotin & Chromium Picolinate Tablets (For Therapeutic Use)	Each Film Coated Tablet Contain:				SBC	PAGE NO 89
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Vitamin B6	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamine		50	mg		
		Biotin	USP	5	mg		
		Chromium Picolinate	USP	200	mcg		
Excipients		qs					

		Approved colour Used in tablets					
558	Calcium Citrate, Vitamin D3, Zinc, Methylcobalamin & Folic Acid Tablets	Each Film Coated Tablet Contain:				SBC	PAGE NO 89
		Calcium Citrate	USP	1250	mg		
		Vitamin D3	IP	500	IU		
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	IP	4	mg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	1.5	mg		
		Excipients		qs			
		Approved colour Used in tablets					

559	Calcium Orotate, Calcium Aspartate, Calcitriol, Zinc, Magnesium & Folic Acid Tablets	Each Film Coated Tablet Contain:				SBC	PAGE NO 90
		Calcium Orotate		500	mg		
		Calcium Aspartate		500	mg		
		Calcitriol	IP	0.25	mcg		
		Zinc Sulphate Monohydrate Eq to Elemental Zinc	IP	7.5	mg		
		Magnesium Oxide (Light) Eq to Elemental Magnesium	IP	50	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		qs			
		Approved colour Used in tablets					

560	Calcium Citrate, Calcium Aspartate, Calcium Orotate, Calcitriol Vitamin K2-7 & Soya Isoflavones Tablet	Each Film Coated Tablet Contain:				SBC	PAGE NO 90
		Calcium Citrate	USP	750	mg		
		Calcium Aspartate		270	mg		
		Calcium Orotate		100	mg		
		Calcitriol	IP	0.25	mcg		
		Vitamin k 2 7		50	mcg		
		Soya Isoflavones 40 %		100	mg		
		Excipients		qs			
Approved colour Used in tablets							

561	Esomeprazole and Domperidone gastro-resistant Tablets	Each gastro-resistant Tablet Contains:				SBC	PAGE NO 90
		Esomeprazole Magnesium Trihydrate	IP				
		Eq. to Esomeprazole		20	mg		
		Domperidone	IP	15	mg		
		Excipients		q.s			
Approved colour used in tablets.							

		Each uncoated bilayered tablet contains:					
--	--	--	--	--	--	--	--

562	Myo-Inositol & Metformin Hydrochloride (SR) tablets	Myo-Inositol	BP	600	mg	SBC	PAGE NO 90
		Metformin Hydrochloride (Sustained Release form)	IP	500	mg		
		Excipients		qs			
		Approved colour Used in tablets.					

563	Calcium citrate malate & Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC	
		Calcium citrate malate		1250	mg		
		Vitamin D3	IP	1000	IU		
		Excipients		qs			
		Approved colour Used					

564	Itraconazole 100 MG Capsule IHS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 91
		Itraconazole Pellets	BP	100	mg		
		Eq. to. Itraconazole					
Approved Colour used in Empty Capsule Shell							

565	Methylcobalamin, Vitamin B1, B6, Alpha Lipoic Acid & Folic acid Capsule IHS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 91
		Methylcobalamin	IP	1500	mcg		
		Thiamine Mononitrate	IP	10	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Alpha Lipoic Acid	USP	100	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
Approved Colour used in Empty Capsule Shell							

566	Rifampicin 150 MG Capsule IP	Each Hard gelatin capsule Contains:				SBC	PAGE NO 91
		Rifampicin	IP	150	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

567	Rifampicin 300 MG Capsule IP	Each Hard gelatin capsule Contains:				SBC	PAGE NO 91
		Rifampicin	IP	300	mg		
		Excipients		q.s.			
Approved colour used in empty capsule shells							

568	Rosuvastatin 10 MG & Aspirin (EC) 75 MG Capsules IHS	Each hard gelatin capsule contains:				SBC	PAGE NO 91
		Rosuvastatin Calcium Eq. to Rosuvastatin (As pellets)	IP	10	mg		
		Aspirin (As gastro-resistant pellets)	IP	75	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

	Rabeprazole Sodium Enteric Coated &	Each hard gelatin capsule contains:				SBC	
		Diclofenac Sodium (As sustaine release pelletes)	IP	100	mg		

569	Diclofenac Sodium Sustained Release Capsules	Rabeprazole Sodium (As enteric coated pellets)				SBC	PAGE NO 92
		IP	20	mg			
		Excipients					
Approved Colour used in Empty Capsule Shell							

570	Rabeprazole (EC) and Itopride (SR) Capsules	Each Hard gelatin capsule contains:				SBC	PAGE NO 92
		Rabeprazole Sodium (As enteric coated pellets)					
		IP	20	mg			
		Itopride Hydrochloride (As sustained release)					
			150	mg			
Excipients				q.s.			
Approved colour used in empty capsule shells							

571	Methylcobalamin, Alpha lipoic acid, Folic acid and Pyridoxin hydrochloride capsules	Each Hard gelatin capsule contains:				SBC	PAGE NO 92
		Methylcobalamin					
		IP	1500	mcg			
		Alpha lipoic acid					
		USP	100	mg			
		Folic acid					
IP	1.5	mg					
Pyridoxine hydrochloride							
IP	3	mg					
Excipients				q.s.			
Approved colour used in empty capsule shells							

572	Omeprazole (EC) and Domperidone Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 92
		Omeprazole (as enteric coated pellets)					
		IP	20	mg			
		Domperidone					
		IP	10	mg			
Excipients				q.s			
Approved colour used in empty capsule shell							

573	Omeprazole (EC) and Domperidone (SR) Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 92
		Omeprazole (as enteric coated pellets)					
		IP	20	mg			
		Domperidone (as Sustained Release pellets)					
		IP	30	mg			
Excipients				q.s			
Approved colour used in empty capsule shell							

574	Omeprazole Gastro resistant Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Omeprazole (as enteric coated pellets)					
		IP	20	mg			
		Excipients					
Approved colour used in empty capsule shells							

575	Pregabalin and Methylcobalamin	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Pregabalin					
		IP	75	mg			
Methylcobalamin							
IP	750	mcg					

575	Methylcobalamin Capsules IP	Excipients		q.s.		SBC	PAGE NO 93
		Approved colour used in empty capsule shell					

576	Pantoprazole Gastro-resistant and Domperidone Sustained release Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Pantoprazole Sodium	IP	40	mg		
		Eq. to Pantoprazole (as enteric coated pellets)					
		Domperidone (as Sustained release pellets)	IP	30	mg		
		Excipients		q.s.			
Approved colour used							

577	Doxycycline and Lactic Acid Bacillus Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Doxycycline Hydrochloride	IP	100	mg		
		Eq. to Doxycycline					
		Lactic Acid Bacillus		60	Million spore		
		Excipients		q.s.			
Approved colour used in empty capsule shell							

578	Rabeprazole (EC) and Domperidone (SR) Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Rabeprazole Sodium	IP	20	mg		
		(as enteric coated pellets)					
		Domperidone (as Sustained release pellets)	IP	30	mg		
		Excipients		q.s.			
Approved colour used in empty capsule shell							

579	Acebrophylline Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 93
		Acebrophylline		100	mg		
		Excipients		q.s.			
Approved colour used in empty capsule shell							

580	Pantoprazole and Cinitapride Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 94
		Pantoprazole Sodium	IP	40	mg		
		Eq. to Pantoprazole (as enteric coated pellets)					
		Cinitapride Hydrogen Tartrate Eq. to Cinitapride (as Extended release pellets)		3	mg		
		Excipients		q.s.			
Approved colour used in empty capsule shell							

		Each Hard Gelatin Capsule Contains:					
--	--	-------------------------------------	--	--	--	--	--

581	Orlistat Capsule USP	Orlistat (As pellets)	USP	60	mg	SBC	PAGE NO 94
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

582	Diacerein Capsules IP	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 94
		Diacerein	IP	50	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

583	Orlistat Capsule USP	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 94
		Orlistat (As pellets)	USP	120	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

584	Pregabalin Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 94
		Pregabalin	IP	75	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

585	Pregabalin Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 94
		Pregabalin	IP	150	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

586	Pregabalin and Methylcobalamin Capsules IP	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 94
		Pregabalin	IP	150	mg		
		Methylcobalamin	IP	750	mcg		
		Excipients		q.s.			
Approved colour used in capsule shells.							

587	Pregabalin, Methylcobalamin, Vitamin B6, Folic acid & Benfotiamine Capsule	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 95
		Pregabalin	IP	75	mg		
		Methylcobalamin	IP	750	mcg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	0.75	mg		
		Benfotiamine		7.5	mg		
		Excipients		q.s.			
Approved Colour used in Empty Capsule Shell							

588	Pregabalin, Mecobalamin, Pyridoxine Hydrochloride, Folic acid & Alpha Lipoic Acid  Capsule	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 95
		Pregabalin	IP	75	mg		
		Mecobalamin	IP	750	mcg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Alpha Lipoic Acid	USP	100	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

589	Pregabalin, Mecobalamin, Pyridoxine Hydrochloride, Folic acid & Alpha Lipoic Acid  Capsule	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 95
		Pregabalin	IP	150	mg		
		Mecobalamin	IP	1500	mcg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Alpha Lipoic Acid	USP	100	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

590	Esomeprazole and Domperidone Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 95
		Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole (As enteric coated pallets)	IP	40	mg		
		Domperidone (As sustained Release Pallets)	IP	30	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells.					

591	Pre & Probiotic Capsules	Each hard gelatin capsule contains:			SBC	PAGE NO 96
		Lactobacillus Acidophilus	700	million spores		
		Lactobacillus Rhamnosus	400	million spores		
		Lactobacillus Casei	300	million spores		
		Lactobacillus Plantarum	300	million spores		
		Lactobacillus Bulgarius	300	million spores		
		Bifidobacterium Longum	300	million spores		
		Bifidobacterium Breve	300	million spores		

		Bifidobacterium Infantis	300	million spores		
		Streptococcus Thermophilus	400	million spores		
		Fructo-Oligosaccharides	100	mg		
		Excipients	q.s.			
		Approved colour used in empty capsule shell.				

592	Propranolol Hydrochloride (SR) & Flunarazine Hcl capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 96
		Flunarazine Hydrochloride	BP				
		Eq.to Flunarazine		5	mg		
		Propranolol Hydrochloride (as sustained release granules)	IP	40	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

593	Propranolol Hydrochloride (SR) & Flunarazine Hcl capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 96
		Flunarazine Hydrochloride	BP				
		Eq.to Flunarazine		10	mg		
		Propranolol Hydrochloride (as sustained release granules)	IP	40	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

594	Methylcobalamin, Pregabalin, Vitamin B6, Folic Acid with Benfotiamine Capsule	Each hard gelatin capsule contains:				SBC	PAGE NO 96
		Methylcobalamin	IP	1500	mcg		
		Pregabalin	IP	75	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamine		7.5	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

595	Methylcobalamin, Alpha Lipoic Acid, Benfotiamine, Pyridoxine, Folic Acid & Biotin Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 97
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	200	mg		
		Vitamin B6	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamine		10	mg		
		Biotin	USP	5	mg		

		Excipients		q.s			
		Approved colour used in empty capsule shells					

596	Dexrabeprazole Sodium Enteric Coated & Domperidone Sustained Release Capsules	Each hard gelatin capsule contains				SBC	PAGE NO 97
		Dexrabeprazole Sodium (As Enteric Coated Pellets)	IP	10	mg		
		Domperidone (As Sustained release Pellets)	IP	30	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

597	Calcium Dobesilate Capsules	Each hard gelatin capsule contains				SBC	PAGE NO 97
		Calcium Dobesilate Monohydrate	BP	500	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

598	Methylcobalamin, Alpha Lipoic Acid, Vitamin B6, Folic Acid, Benfotiamine, Calcium Pantothenate, Zinc Oxide, Calcium Picolinate, Onositol and Lutein Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 97
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Vitamin B6	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamine		15	mg		
		Calcium Pantothenate	IP	25	mg		
		Zinc Oxide Eq. to elemental Zinc	IP	22.5	mg		
		Chromium Picolinate Eq. to Chromium	USP	65	mcg		
		Inositol	USP	110	mcg		
		Lutein 6%	USP	5	mg		
		Excipients		q.s			
		Approved colour used in empty capsule shells					

599	Pantoprazole Gastro- Resistant & Itopride (SR)  Capsules	Each Hard gelatin capsule contains:				SBC	PAGE NO 98
		Pantoprazole Sodium (As Pantoprazole Sodium Sesquihydrate) Eq. to Pantoprazole (As enteric coated pellets)	IP	40	mg		
		Itopride Hydrochloride (As sustained release)		150	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

600	Atorvastatin, Clopidogrel & Aspirin Capsules  IHS	Each Hard gelatin capsule contains:				SBC	PAGE NO 98
		Atorvastatin Calcium					
		Eq. to Atorvastatin (As pellets)	IP	20	mg		
		Clopidogrel Bisulphate					
		Eq. to Clopidogrel (As pellets)	IP	75	mg		
		Aspirin (As gastro-resistant pellets)	IP	75	mg		
Excipients							
Colour-Approved colour used in capsule shells.							

601	Aceclofenac (SR) & Rabeprazole (EC) Capsule HIS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 98
		Aceclofenac (As Sustain Release Pellets)	IP	200	mg		
		Rabeprazole (As Enteric Coated Pellets)	IP	20	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

602	Itraconazole 200 MG Capsule IHS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 98
		Itraconazole Pellets					
		Eq. to Itraconazole	BP	200	mg		
Approved Colour used in Empty Capsule Shell							

603	Rosuvastatin 20 MG, Clopidogrel 75 MG & Aspirin 75 MG(EC) Capsules HIS	Each hard gelatin capsule contains:				SBC	PAGE NO 98
		Rosuvastatin Calcium					
		Eq. to Rosuvastatin (As pellets)	IP	20	mg		
		Clopidogrel Bisulphate					
		Eq. to Clopidogrel (As pellets)	IP	75	mg		
		Aspirin (As gastro-resistant pellets)		75	mg		
Excipients		q.s.					
Approved colour used in empty capsule shells							

604	Rosuvastatin & Clopidogrel Capsules IHS	Each hard gelatin capsule contains:				SBC	PAGE NO 99
		Rosuvastatin Calcium					
		Eq. to Rosuvastatin (As pellets)	IP	10	mg		
		Clopidogrel Bisulphate					
		Eq. to Clopidogrel (As pellets)	IP	75	mg		
Excipients		q.s.					
Approved colour used in empty capsule shells							

605	Pantoprazole Sodium (EC)& Levosulpiride (SR) Capsules IHS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 99
		Pantoprazole Sodium					
		Eq. to Pantoprazole (As Enteric Coated Pellets)	IP	40	mg		
Levosulpiride		75	mg				

		(Sustain Release Pellets)		10	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

606	Lycopene, multiVitamins, Zinc and Selenium Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 99
		Lycopene 10 %	USP	5000	mcg		
		Vitamin C (As Coated)	IP	50	mg		
		Vitamin A Concentrate powder (As Acetate)	IP	2500	IU		
		Vitamin E Acetate	IP	10	IU		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	7.5	mg		
		Sodium Selenite Pentahydrate Eq. to Selenium	BP	75	mcg		
		Excipients		q.s.			
		Approved colour used in empty capsule shell					

607	Itraconazole Capsule	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 99
		Itraconazole Pellets Eq. to. Itraconazole	BP	400	mg		
		Approved Colour used in Empty Capsule Shell					

608	Benfotiamine, Alpha Lipoic Acid, Methylcobalamin, Folic Acid, Pyridoxine, Myo-Inositol and Chromium Polynicotinal Capsule	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 99
		Benfotiamine	IP	200	mg		
		Alpha Lipoic Acid		200	mg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	1.5	mg		
		Pyridoxine Hcl	IP	3	mg		
		Myo-Inositol	IP	100	mg		
		Chromium Picolinate	IP	200	mcg		
Approved Colour used in Empty Capsule Shell							

609	Rosuvastatin, Clopidogrel & Aspirin Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 100
		Rosuvastatin Calcium Eq. to Rosuvastatin (As Pellets)	IP	10	mg		
		Clopidogrel Bisulphate Eq. to Clopidogrel (As pellets)	IP	75	mg		
		Aspirin (As Entric Coated pellets)	IP	75	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

		Each hard gelatin capsule contains:					
		Ginseng Extract	USP	42.5	mg		
		Vitamin A ( As Acetate)	IP	2500	IU		
		Vitamin D3	IP	200	IU		
		Vitamin B1	IP	1	mg		
		Vitamin B2	IP	1.5	mg		
		Vitamin B6	IP	1	mg		PAGE NO 100

610	Multivitamins, Multiminerals & Ginseng with Antioxidant Capsules	Vitamin E Acetate	IP	5	IU	SBC
		Vitamin B12	IP	1	mcg	
		Niacinamide	IP	15	mg	
		Calcium Pantothenate	IP	5	mg	
		Folic Acid	IP	50	mcg	
		Copper Sulphate Pentahydrate	BP	0.5	mg	
		Ferrous Fumarate	IP	30	mg	
		Potassium Sulphate	USP	2	mg	
		Manganese Sulphate	USP	0.5	mg	
		Vitamin C	IP	50	mg	
		Dibasic Calcium Phosphate	IP	75	mg	
		Excipients		q.s		
Approved colour used in capsule shells						

611	Carbonyl Iron, Zinc & Vitamin B12 Capsules	Each hard gelatin capsule contains:			SBC	PAGE NO 100
		Elemental Iron (In the form of Carbonyl Iron)		100 mg		
		Zinc Sulphate Monohydrate Eq. to elemental Zinc	IP	1.8 mg		
		Folic Acid	IP	1.5 mg		
		Vitamin B12	IP	15 mcg		
Approved colour used in empty capsule shells						

612	B-Complex with vitamin- C Capsules	Each hard gelatin capsule contains:			SBC	PAGE NO 101
		Thiamine Mononitrate	IP	10 mg		
		Riboflavin	IP	10 mg		
		Nicotinamide	IP	50 mg		
		Cyanocobalamin	IP	5 mg		
		Calcium Pantothenate	IP	12.5 mg		
		Folic Acid	IP	1 mg		
		Ascorbic Acid	IP	150 mg		
Excipients		q.s				
Approved colour used in empty capsule shells						

613	Dextromethorphan Hydrobromide, Diphenhydramine Hcl, Nimesulide & Caffeine Capsules	<del>Each hard gelatin capsule contains:</del>			SBC
		<del>Dextromethorphan Hydrobromide</del>	<del>BP</del>	<del>15 mg</del>	
		<del>Diphenhydramine Hydrochloride</del>	<del>BP</del>	<del>25 mg</del>	
		<del>Nimesulide</del>	<del>BP</del>	<del>100 mg</del>	
		<del>Caffeine (Anhydrous)</del>	<del>BP</del>	<del>30 mg</del>	
<del>Excipients</del>			<del>q.s</del>		
<del>Approved colour used in empty capsule shell</del>					

		Each hard gelatin capsule contains:			SBC
		Ferrous Fumarate	IP	350 mg	
		Folic Acid	IP	1.5 mg	
		Vitamin B6	IP	1.5 mg	

614	Iron, Vitamins & Zinc Capsules	Vitamin B12	IP	15	mcg	PAGE NO 101
		Niacinamide	IP	50	mg	
		Zinc Sulphate	IP	61.8	mg	
		Excipients		q.s		
		Approved colour used in empty capsule shell				

615	Lycopene, Beta Carotene, Zinc Sulphate, Copper Sulphate, Manganese Sulphate & Sodium Selenite Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 101
		Lycopene 10 %	USP	2000	mcg		
		Beta Carotene 10%		10	mg		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	61.8	mg		
		Copper Sulphate Pentahydrate	BP	1	mg		
		Manganese Sulphate	USP	1.5	mg		
		Sodium Selenite Pentahydrate Eq. to Selenium	BP	150	mcg		
		Excipients		q.s.			
		Approved colour used in empty capsule shell					

616	Natural Betacarotene 20%, Lycopene 6 %, Vitamin E, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Copper Sulphate, Manganese Sulphate, Potassium Sulphate, Zinc Sulphate, Folic Acid, Niacinamide & Selenium Dioxide Capsule	Each hard gelatin capsule contains:				SBC	PAGE NO 102
		Natural Betacarotene 20%		10	mg		
		Lycopene 6 %	USP	2000	mcg		
		Vitamin E (As Acetate)		25	IU		
		Vitamin B1	IP	5	mg		
		Vitamin B2	IP	3	mg		
		Vitamin B6	IP	1.5	mg		
		Vitamin B12	IP	5	mcg		
		Copper Sulphate Pentahydrate	BP	1	mg		
		Manganese Sulphate	USP	1	mg		
		Potassium Sulphate	USP	1	mg		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	5	mg		
		Folic Acid	IP	1.5	mg		
		Niacinamide	IP	10	mg		
		Selenium Dioxide Monohydrate Eq. to elemental Selenium	USP	75	mcg		
		Excipients		qs			
Approved colour used in empty capsule shell							

	Silymarin, Vitamin B1,	Each hard gelatin capsule contains:			
		Silymarin		70	mg
		Vitamin B1	IP	1.5	mg

617	Vitamin B6, Vitamin B12, Niacinamide & Calcium D Pantothenate capsules	Vitamin B6	IP	1.5	mg	SBC	PAGE NO 102
		Vitamin B12	IP	1	mcg		
		Niacinamide	IP	25	mg		
		Calcium D Pantothenate	IP	1.5	mg		
		Excipients		qs			
		Approved colour used in empty capsule shell					

618	Multivitamin & Mineral Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 103
		Vitamin A (as Acetate)	BP	0.75	mg		
		Vitamin B1	BP	1	mg		
		Vitamin B2	BP	1.5	mg		
		Vitamin B6	BP	1	mg		
		Vitamin B12	BP	1	mcg		
		Vitamin C	BP	50	mg		
		Vitamin D3	BP	5	mcg		
		Vitamin E 50 %	USP	10	mg		
		Calcium Pantothenate	BP	5	mg		
		Niacinamide	BP	0.15	mg		
		Folic Acid	BP	0.15	mg		
		Biotin	BP	30	mcg		
		Phosphorus					
		Eq. to Dibasic calcium Phosphate	BP	58	mcg		
		Calcium					
		Eq. to Dibasic calcium Phosphate	BP	75	mcg		
		Magnesium oxide	BP	25	mg		
		Zinc					
		(As Zinc Sulfate monohydrate BP)		15	mg		
		Copper					
		(As Copper Sulfate pentahydrate BP)		2	mg		
		Iron (As Ferrous Fumarate BP)		10	mg		
		Manganese					
		(As Manganese Sulfate BP)		2.5	mg		
		Potassium					
		(As Potassium Chloride BP)		2	mg		
		Silicon (As Sodium Silicate BP)		2	mcg		
		Iodine (As Potassium Iodide BP)		0.15	mg		
		Boron (As Sodium Borate BP)		150	mcg		
		Selenium					
		(As Sodium Selenite pentahydrate BP)		30	mcg		
		Chromium					
(As Chromium Picolinate USP)		25	mcg				
Molybdenum							
(As Sodium Molybdate BP)		25	mcg				
Tin (As stannous Chloride BP)		10	mcg				
Vanadium (As Sodium Vandate)		10	mcg				
Nickel (As nickel Sulfate BP)		5	mcg				
Glutamic Acid	BP	100	mg				
L-Lysine	USP	25	mg				
Excipients		q.s					
Approved colour used in empty capsule shells							

619	Rabeprazol Sodium (EC) & Levosulpiride (SR) Capsules IHS	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 104
		Rabeprazole Sodium (As Entric coated pellets)	IP	20	mg		
		Levosulpiride (Sustain Release Pellets)		75	mg		
		Excipients		q.s.			
		Approved Colour used in Empty Capsule Shell					

620	L-Ornithine L-Aspartate Sachet	Each Sachet (5 gm) contains:				SBC	PAGE NO 104
		L-Ornithin-L-Aspartate		3	gm		
		Excipients		q.s.			
		Approved Colour used sachet					

621	Protein Hydrolysate, Calcium, Phosphorus, Pyridoxime Hydrochloride, Cyanocobalamin, Vitamin D3, Niacinamide, Folic Acid Zinc and Iron Powder	Each 30 gm Powder Contains:				SBC	PAGE NO 104
		Protein Hydrolysate 20%		5	gm		
		Calcium As Dibasic Calcium Phosphate	IP	225	mg		
		Phosphorus As Dibasic Calcium Phosphate	IP	174	mg		
		Vitamin B6 (Pyrodoxine Hydrochloride)	IP	0.5	mg		
		Vitamin B12 (Cyanoconalamin)	IP	1	mcg		
		Vitamin D3	IP	100	IU		
		Niacinamide	IP	15	mg		
		Folic Acid	IP	300	mcg		
		Zinc As Zinc Sulphate Heptahydrate	IP	5	mg		
		Iron As Ferric Ammonium Citrate	IP	7.5	mg		
		Excipients		q.s.			
		Overages of Vitamin added to compensate loss on storage					

622	Atorvastatin, Clopidogrel & Aspirin Capsules	Each Hard Gelatin Capsule contains:				SBC	
		Atorvastatin Calcium Eq. to Atorvastatin	IP	10	mg		
		Clopidogrel Bisulphate Eq. to Clopidogrel	IP	75	mg		
		Aspirin	IP	75	mg		
		Excipients		q.s.			
		Approved Colour used Capsule Shell					

	Protein Hydrolysate,	Each 30 gm Powder Contains:					PAGE NO 105
		Protein Hydrolysate 20%		5	gm		
		Calcium As Dibasic Calcium Phosphate	IP	225	mg		
		Phosphorus As Dibasic Calcium Phosphate	IP	174	mg		
		Lycopene 10%		2000	mcg		
		Vitamin B6 (Pyrodoxine Hydrochloride)	IP	0.5	mg		
		Vitamin B12 (Cyanoconalamin)	IP	1	mcg		
		Vitamin D3	IP	100	IU		

623	Calcium, Phosphorus, Lycopene 10%, Pyridoxime Hydrochloride, Folic Acid, Vitamin D3, Niacinamide, Cyanocobalamin, Zinc, Lycopene & Iron with minerals Powder	Niacinamide	IP	15	mg	SBC	
		Folic Acid	IP	0.3	mg		
		Zinc					
		As Zinc Sulphate Heptahydrate	IP	5	mg		
		Iron					
		As Ferric Ammonium Citrate	IP	7.5	mg		
		Manganese Sulphate	USP	1.5	mcg		
		Magnesium Oxide	IP	4	mg		
		Cupric Sulphate	USP	2.5	mg		
		Chromium					
		As Chromium Chloride	USP	25	mcg		
		Selenium Dioxide Monohydrate	USP	20	mcg		
		Potassium Chloride	IP	5	mg		
		Sodium Chloride	IP	33	mg		
		Iodine					
		As Potassium Iodide	IP	100	mcg		
		Excipients		q.s.			
Overages of Vitamin added to compensate loss on storage							

624	Protein Hydrolysate, Calcium, Phosphorus, Pyridoxime Hydrochloride, Folic Acid, Vitamin D3, Niacinamide, DHA 10%, Cyanocobalamin, Zinc, Lycopene & Iron with minerals Powder	Each 15 gm Powder Contains:				SBC	
		Protein Hydrolysate 20% (nitrogen content not less than 0.25 gm)		3.5	gm		
		Calcium					
		As Dibasic Calcium Phosphate	IP	125	mg		
		Phosphorus					
		As Dibasic Calcium Phosphate	IP	96	mg		
		Docosa Hexaenoic Acid 10%		25	mg		
		Gamma Unolenic Acid 10%		10	mg		
		Vitamin B6 (Pyrodoxine Hydrochloride)	IP	1.5	mg		
		Vitamin B12 (Cyanocobalamin)	IP	1	mcg		
		Vitamin D3	IP	200	IU		
		Niacinamide	IP	26	mg		
		Folic Acid	IP	300	mcg		
		Zinc					
		As Zinc Sulphate Heptahydrate	IP	5	mg		
		Iron					
		As Ferric Ammonium Citrate	IP	15	mg		
		Manganese Sulphate	USP	1	mg		
		Magnesium Oxide	IP	2	mg		
		Cupric Sulphate	USP	1.25	mg		
		Chromium					
		As Chromium Chloride	USP	12.5	mcg		
		Selenium Dioxide Monohydrate	USP	20	mcg		
		Potassium Chloride	IP	2.5	mg		
		Sodium Chloride	IP	16.5	mg		
		Iodine					
		As Potassium Iodide	IP	100	mcg		
Excipients		q.s.					
Overages of Vitamin added to compensate loss on storage							

		Each 30 gm Powder Contains:				
--	--	-----------------------------	--	--	--	--

625	Whey Protein with Vitamins, Minerals & DHA	Whey Protein (30%)		10	gm	SBC	PAGE NO 107
		Docosa Hexaenoic Acid 10%		25	mg		
		Vitamin B6 (Pyrodoxine Hydrochloride)	IP	0.5	mg		
		Vitamin B12 (Cyanocobalamin)	IP	1	mcg		
		Vitamin D3	IP	100	IU		
		Niacinamide	IP	15	mg		
		Folic Acid	IP	300	mcg		
		Calcium (Derived from Dibasic Calcium Phosphate Dihydrate)	IP	200	mg		
		Manganese Sulphate	USP	1.5	mcg		
		Zinc As Zinc Sulphate Heptahydrate	IP	1.5	mg		
		Iron As Ferric Ammonium Citrate	IP	10	mg		
		Magnesium Oxide	IP	4	mg		
		Cupric Sulphate	USP	2.5	mg		
		Chromium As Chromium Chloride	USP	25	mcg		
		Selenium Dioxide Monohydrate	USP	20	mcg		
		Potassium Chloride	IP	5	mg		
		Sodium Chloride	IP	33	mg		
		Iodine As Potassium Iodide	IP	100	mcg		
		Excipients		q.s.			
		Overages of Vitamin added to compensate loss on storage					

626	Esomeprazole Magnesium (EC) & Levosulpride (SR) Capsules	Each Hard gelatin capsule contains:				SBC	PAGE NO 107
		Esomeprazol Magnesium Trihydrate Eq to Esomeprazole (As Entric Coated pallets)	IP	40	mg		
		Levosulpride (As sustained release pallets)		75	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

627	Methylcobalamin, Alpha Lipoic Acid, Vitamin B6, Folic Acid & Benfotiamine Capsules	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 108
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamine		10	mg		
		Excipients		q.s.			
Approved colour used in empty capsule shells							

628	Lycopene, Vitamin A, Vitamin E, Vitamin C, Zinc Sulphate & Selenium Capsule (For Prohvlactic	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 108
		Lycopene 6%	USP	5000	mcg		
		Vitamin A (as Acetate)	IP	2500	IU		
		Vitamin E (as Acetate)	IP	10	mg		
		Vitamin C (Coated)	IHS	50	mg		
		Zinc Sulphate Monohydrate	IP	27.45	mg		

	Capsule (or Equivalent Use)	Selenium Dioxide	USP	75	mcg	
		Excipients		q.s.		
		Approved colour used in empty capsule shells				

629	Levofloxacin 750 mg IP TABLETS	Each Film coated tablet Contains:				SBC
		Levofloxacin Hemihydrate Eq. to Levofloxacin	IP	750	mg	
		Excipients		q.s.		
		Approved colour used				

630	Levofloxacin 250 mg IP TABLETS	Each Film coated tablet Contains:				SBC
		Levofloxacin Hemihydrate Eq. to Levofloxacin	IP	250	mg	
		Excipients		q.s.		
		Approved colour used				

631	Levofloxacin 500 mg IP TABLETS	Each Film coated tablet Contains:				SBC	PAGE NO 108
		Levofloxacin Hemihydrate Eq. to Levofloxacin	IP	500	mg		
		Excipients		q.s.			
		Approved colour used					

632	Pantoprazole and Domperidone Tablets	Each Enteric coated tablet Contains:				SBC	PAGE NO 109
		Pantoprazole Sodium Eq. to Pantoprazole	IP	40	mg		
		Domperidone	IP	10	mg		
		Excipients		q.s.			
		Approved colour used					

633	Diclofenac and Serratiopeptidase Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 109
		Diclofenac Potassium	BP	50	mg		
		Serratiopeptidase (Enzyme Activity 20,000 unit As enteric coated granules)	IP	10	mg		
		Excipients		q.s.			
		Approved colour used					

634	Aceclofenac and Thiocolchicoside Tablets	Each film coated tablet contains				SBC	PAGE NO 109
		Aceclofenac	IP	100	mg		
		Thiocolchicoside	IP	4	mg		
		Excipients		q.s.			
Approved colour used in tablet							

635	Aceclofenac and Thiocolchicoside Tablets	Each film coated tablet contains				SBC	PAGE NO 109
		Aceclofenac	IP	100	mg		
		Thiocolchicoside	IP	8	mg		
		Excipients		q.s.			

		Approved colour used in tablet			
--	--	--------------------------------	--	--	--

636	Aceclofenac Sustained Release and Thiocolchicoside Tablets	Each Uncoated bilayered tablet contains				SBC	PAGE NO 109
		Aceclofenac (As Sustained Release)	IP	200	mg		
		Thiocolchicoside (As Sustained Release )	IP	16	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

637	Aceclofenac Sustained Release and Thiocolchicoside Tablets	Each Uncoated bilayered tablet contains				SBC	PAGE NO 109
		Aceclofenac (As Sustained Release )	IP	200	mg		
		Thiocolchicoside (As Sustained Release )	IP	8	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

638	Chlorthalidone 12.5 mg IP Tablets	Each uncoated tablet contains:				SBC	PAGE NO 110
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

639	Lornoxicam Sublingual Tablets	Each Uncoated Sublingual tablet Contains:				SBC	PAGE NO 110
		Lornoxicam	IHS	8	mg		
		Excipients		q.s.			
		Approved colour used					

640	Fexofenadine Hydrochloride Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 110
		Fexofenadine Hydrochloride	IP	180	mg		
		Excipients		q.s.			
		Approved colour used					

641	Ketoconazole Tablets Lp	Each Film coated tablet Contains:				SBC	PAGE NO 110
		Ketoconazole	IP	200	mg		
		Excipients		q.s.			
		Approved colour used					

642	Acyclovir Dispersible Tablets IP 200 mg.	Each Uncoated Dispersible tablet Contains:				SBC	PAGE NO 110
		Acyclovir	IP	200	mg		
		Excipients		q.s.			
		Approved colour used					

643	<del>Acyclovir Dispersible Tablets IP 400 mg.</del>	<del>Each Uncoated Dispersible tablet Contains</del>				<del>SBC</del>	
		<del>Ketoconazole</del>	<del>IP</del>	<del>400</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used</del>					

	<del>Acyclovir Dispersible</del>	<del>Each Uncoated Dispersible tablet Contains</del>				<del>SBC</del>	
		<del>Ketoconazole</del>	<del>IP</del>	<del>800</del>	<del>mg</del>		

644	Tablets IP 800 mg.	Excipients		q.s			
		Approved colour used					

645	Ferrous Ascorbate, Folic acid, Zinc & Vitamin D3 Tablet HIS	Each Film Coated Tablet Contains:				SBC	PAGE NO 110
		Ferrous Ascorbate		100	mg		
		Eq. to. Elemental Iron					
		Folic acid	IP	1.5	mg		
		Zinc Oxide	IP				
		Eq. to. Elemental Zinc		7.5	mg		
		Vitamin D3	IP	200	IU		
Excipients		q.s.					
		Approved colour used					

646	Calcium citrate & Calcitriol Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 111
		Calcium Citrate	USP	1250	mg		
		Calcitriol	IP	0.25	mcg		
		Excipients		qs			
		Approved colour Used					

647	Calcium With Vitamin D3 Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 111
		Calcium Carbonate		1250	mg		
		Derived from an Organic Source (Oyster Shell)	IP				
		eq. to elemental calcium		500	mg		
		Vitamin D3	IP	1000	IU		
		Excipients		qs			
		Approved colour Used					

648	Calcium Carbonate With Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 111
		Calcium Carbonate		1250	mg		
		Derived from an Organic Source (Oyster Shell)	IP				
		eq. to elemental calcium		500	mg		
		Vitamin D3	IP	250	IU		
		Excipients		qs			
		Approved colour Used					

649	Ferrous Ascorbate and L-Methyl Folate Tablets	Each film coated tablet contains:				SBC	PAGE NO 111
		Ferrous Ascorbate		100	mg		
		Eq. to Elemental Iron					
		L-Methyl Folate	USP	1	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

		Each Film coated tablet contains:					
--	--	-----------------------------------	--	--	--	--	--

650	Febuxostat Tablets 40mg	Febuxostat	IHS	40	mg	SBC	PAGE NO 111
		Excipients		q.s			
		Approved colour used					

651	Febuxostat Tablets 80mg	Each Film coated tablet contains:				SBC	PAGE NO 111
		Febuxostat	IHS	80	mg		
		Excipients		q.s			
		Approved colour used					

652	Cetirizine Hydrochloride Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 112
		Cetirizine Hydrochloride	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

653	Levocetirizine Dihydrochloride Dispersible Tablets 5 mg	Each uncoated dispersible tablet contains:				SBC	PAGE NO 112
		Levocetirizine Hydrochloride	IP	5	mg		
		Excipients		q.s			
		Approved colour used					

654	Levocetirizine Dihydrochloride Dispersible Tablets 10 mg	Each uncoated dispersible tablet contains:				SBC	PAGE NO 112
		Levocetirizine Hydrochloride	IP	10	mg		
		Excipients		q.s			
		Approved colour used					

655	Pregabalin, (SR) Nortriptyline HCL & Methylcobalamin Tablets	Each Film Coated Tablet Contains:				SBC	PAGE NO 112
		Pregabalin (in sustained release form)	IP	75	mg		
		Nortriptyline HCL Eq. to Nortriptyline	IP	10	mg		
		Methylcobalamin	IP	1500	mcg		
		Excipients		q.s.			
		Approved colour used in tablet					

656	Cabergoline 0.25 mg Tablets IP	Each Un Coated Tablet Contains:				SBC	PAGE NO 112
		Cabergoline	IP	0.25	mg		
		Excipients		q.s			
		Approved colour used in tablets.					

657	Cabergoline 1 mg Tablets IP	Each Un Coated Tablet Contains:				SBC	PAGE NO 112
		Cabergoline	IP	1	mg		

		Excipients		q.s			
		Approved colour used in tablets.					
658	Betahistadine Tablet IP 16 mg	Each Film Coated Tablet Contains:				SBC	(wrong)
		Betahistadine Dihydrochloride	IP	16 mg			
		Excipients		q.s			
		Approved colour used in tablets.					
659	Serratiopeptidase 20 mg (EC) Tablets	Each enteric coated tablet Contains:				SBC	
		Serratiopeptidase (40,000 serratiopeptidase units )	IP	20 mg			
		Excipients		q.s			
		Approved colour used					
660	ETODOLAC (extended release form) IP TABLETS	Each Film coated tablet Contains:				SBC	PAGE NO 113
		Etodolac (extended release form)	IP	500 mg			
		Excipients		q.s			
		Approved colour used					
661	Calcium Citrate Malate & Vitamin D3	Each Film coated tablet Contains:				SBC	PAGE NO 113
		Calcium Citrate Malate.		500 mg			
		Vitamin D3	IP	1000 IU			
		Excipients		qs			
		Approved colour Used					
662	Montelukast Sodium & Loratadine FC Tablet	Each film coated tablet contains:				SBC	PAGE NO 113
		Montelukast Sodium	IP				
		Eq. to Montelukast		10 mg			
		Loratadine	USP	5 mg			
		Excipients		q.s.			
		Approved colour used in tablet					
663	Calcium carbonate ( from coral grain ) & Vitamin d3 tablets	Each Film coated tablet Contains:				SBC	PAGE NO 113
		Calcium carbonate (from coral grain )		1250 mg			
		Eq. to Elemental Calcium		500 mg			
		Vitamin D3	IP	2000 IU			
		Excipients		qs			
		Approved colour Used					
664	Coral calcium , Vitamin D3 & zinc tablets	Each Film coated tablet Contains:				SBC	PAGE NO 113
		Coral calcium		225 mg			
		Cholecalciferol (Vitamin d3)	IP	500 IU			
		Zinc sulphate monohydrate Eq. To elemental zin	IP	4 mg			
		Excipients		qs			
		Approved colour Used					

665	Pregabalin Sustained Release 150 MG Tablets	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 113
		Pregabalin	IP	150	mg		
		Excipients		q.s			

666	Pregabalin Sustained Release 300 MG Tablets	Each uncoated Sustained release tablet Contains:				SBC	PAGE NO 113
		Pregabalin	IP	300	mg		
		Excipients		q.s			

667	Methylcobalamin Mouth dissolving tablet	Each uncoated Mouth dissolving tablet Contains:				SBC	PAGE NO 113
		Methylcobalamin	IP	1500	mcg		
		Excipients		q.s			

668	Acebrophylline 200 mg Sustained Release Tablets	Each uncoated Sustained release tablet Contains :				SBC	PAGE NO 114
		Acebrophylline		200	mg		
		Excipients		q.s			
		Approved colour used					

669	Paracetamol Tablets IP	Each Uncoated tablet Contains:				SBC	PAGE NO 114
		Paracetamol	IP	500	mg		
		Excipients		q.s			

670	Paracetamol Sustained Release Tablets	Each Uncoated bilayered tablet contains				SBC	PAGE NO 114
		Paracetamol (As Immediate Release)	IP	300	mg		
		Paracetamol (As Sustained Release)	IP	700	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

671	Levocetirizine hydrochloride, Phenylephrine Hydrochloride, Paracetamol & Ambroxol Hydrochloride Tablets	Each Uncoated tablet contains:				SBC	
		Levocetirizine hydrochloride	IP	5	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Paracetamol	IP	325	mg		
		Ambroxol Hydrochloride	IP	30	mg		
		Excipients		q.s.			
Approved Colour added in Tablets							

672	Paracetamol, Phenylephrine HCL & Cetirizine Tablets IHS	Each Uncoated Tablet Contains:				SBC	PAGE NO 114
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Cetirizine Hydrochloride	IP	5	mg		
		Excipients		q.s.			
Colour: Approved colour used							

673	Lornoxicam and Paracetamol Tablets	Each film coated tablet contains				SBC	PAGE NO 114
		Lornoxicam		8	mg		
		Paracetamol	IP	325	mg		

	Paracetamol Tablets	Excipients		q.s.			
		Approved colour used in tablet					
674	Paracetamol, Domperidone & Flunarizine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 114
		Paracetamol	IP	325	mg		
		Domperidone	IP	10	mg		
		Flunarizine Dihydrochloride Eq.to flunarizine	IP	5	mg		
		Excipients		q.s.			
Colour: Approved colour used							
675	Roxithromycin Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 115
		Roxithromycin	IP	150	mg		
		Excipients		q.s			
		Approved colour used					
676	Sparfloxacin 200 mg Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 115
		Sparfloxacin		200	mg		
		Excipients		q.s			
		Approved colour used					
677	Dicyclomine Hydrochloride & Diclofenac potassium Tablets	Each uncoated tablet contains:				SBC	PAGE NO 115
		Dicyclomine Hydrochloride	IP	20	mg		
		Diclofenac potassium	BP	50	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
678	Risperidone Tablet BP 2 MG	Each uncoated tablet contains				SBC	PAGE NO 115
		Risperidone	BP	2	mg		
		Excipients		q.s			
		Approved colour used in tablets					
679	Dextromethorphan, Cetirizine Phenylephrine, Ambroxol & Guaiphenesin, Tablets	Each Uncoated tablet contains:				SBC	PAGE NO 115
		Dextromethorphan Hydrobromide	IP	15	mg		
		Cetirizine Dihydrochloride	IP	5	mg		
		Phenylephrine Hydrochloride	IP	10	mg		
		Ambroxol Hydrochloride	IP	30	mg		
		Guaiphenesin	IP	100	mg		
		Excipients		q.s.			
Approved Colour added in Tablets							
680	Clindamycin Hcl capsule IP 300 MG	Each Hard Gelatin Capsule contains				SBC	PAGE NO 115
		Clindamycin Hydrochloride	IP	300	mg		
		Eq to Clindamycin		q.s.			
		Excipients		q.s.			
Approved color used in empty capsules shell							

681	Clopidogrel & Aspirin capsule	Each Hard Gelatin Capsule contains				SBC	PAGE NO 116
		Clopidogrel Bisulphate	IP	75	mg		
		Eq. to Clopidogrel					
		Aspirin	IP	150	mg		
		Excipients		q.s.			
Approved color used in empty capsules shell							

682	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet Contains:				SBC	
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Caffeine (Anhydrous)	IP	16	mg		
Excipients		q.s.					

683	Methylcobalamin, Pyridoxine Hydrochloride & Folic acid Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 116
		Methylcobalamin	IP	1500	mcg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
Approved colour used in tablet							

684	Aceclofenac and Paracetamol Tablets	Each Uncoated tablet Contains:				SBC	PAGE NO 116
		Aceclofenac	IP	100	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colour used					

685	Pancreatin Gastro- resistant Tablets (with protease activity Lipase activity Amylase activity )	Each gastro resistant tablet contains:				SBC	PAGE NO 116
		Pancreatin	IP	500	mg		
		Eq. to					
		Protease Activity 700 FIP Units					
		Lipase Activity 10,000 FIP Units					
Amylase Activity 12,000 FIP Units							
Excipients		q.s.					
Approved colour used in tablet							

686	Clomiphene Citrate Tablet	Each Uncoated Tablet contains				SBC	PAGE NO 116
		Clomiphene Citrate IP	IP	25	mg		
		Excipients		q.s.			

687	Rabeprazole (EC) and Domperidone (SR) Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 117
		Rabeprazole Sodium	IP	20	mg		
		(as enteric coated pellets)					
		Domperidone	IP	10	mg		
(as Immediate release pellets)							
Domperidone	IP	20	mg				

		(as Sustained release pellets)	11	20	mg		
		Excipients	q.s				
		Approved colour used in empty capsule shell					

688	Pantoprazole (EC) and Domperidone (SR) Capsules	Each Hard gelatin Capsule Contains:				SBC	PAGE NO 117
		Pantoprazole Sodium (as enteric coated pellets)	IP	40	mg		
		Domperidone (as Immediate release pellets)	IP	10	mg		
		Domperidone (as Sustained release pellets)	IP	20	mg		
		Excipients	q.s				
		Approved colour used in empty capsule shell					

689	Doxycycline and Lactic Acid Bacillus Tablets	Each film coated tablet Contains:				SBC	PAGE NO 117
		Doxycycline Hydrochloride Eq. to Doxycycline	IP	100	mg		
		Lactic Acid Bacillus		60	Million spore		
		Excipients		q.s			
		Approved colour used in tablets.					

690	Piracetam Tablets 800 mg	Each film coated tablet contains				SBC	PAGE NO 117
		Piracetam	IP	800	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

691	Isoxsuprine Sustained Release Tablets	Each uncoated Sustained release tablet contains				SBC	PAGE NO 117
		Isoxuprine Hydrochloride	IP	40	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

692	Pantoprazole 20 mg Mouth Dissolving Tablet	Each uncoated mouth dissolving tablet contains :				SBC	PAGE NO 118
		Pantoprazole Sodium	IP	20	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

693	Pantoprazole 40 mg Mouth Dissolving Tablet	Each uncoated mouth dissolving tablet contains :				SBC	PAGE NO 118
		Pantoprazole Sodium	IP	40	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

694	Gemfibrozil 200 mg Tablet	Each film coated tablet contains :				SBC	
		Gemfibrozil	IP	200	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

695	Gemfibrozil 600 mg Tablet	Each film coated tablet contains :				SBC	
		Gemfibrozil	IP	600	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

696	Deflazacort Tablets 18 mg Tablet	Each uncoated tablet contains :				SBC	
		Deflazacort	IP	18	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

697	Faropenem 200 mg Tablet	Each film coated tablet contains:				SBC	
		Faropenem Sodium Eq. to Faropenem		200	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

698	Faropenem 300 mg Tablet	Each film coated tablet contains:				SBC	
		Faropenem Sodium Eq. to Faropenem		300	mg		
		Excipients		q.s.			
		Approved colour added in tablets					

699	Tamsulosin HCL(MR) and Dutasteride Tablets	Each film tablet contains :					
		Tamsulosin HCL (as modified release)	IP	0.4	mg		
		Dutasteride	IP	0.5	mg		
		Excipients	q.s				
Approved colour used in tablets.							

700	Telmisartan, Hydrochlorothiazide and Amlodipine Tablets	Each film coated tablet Contains:				SBC	PAGE NO 119
		Telmisartan	IP	40	mg		
		Hydrochlorothiazide	IP	12.5	mg		
		Amlodipine Besylate Eq. to Amlodipine	IP	5	mg		
		Excipients		q.s			
Approved colour used in tablets.							

701	Flavoxate Hydrochloride Tablets IP	Each Film coated tablet Contains:				SBC	PAGE NO 119
		Flavoxate Hydrochloride	IP	200	mg		
		Excipients	q.s				
Approved colour used in tablet							

702	Hydroquinone, Tretinoin & Mometasone Cream	Composition:-			SBC	PAGE NO 121	
		Tretinoin	BP	0.03%			w/w
		Hydroquinone	USP	2%			w/w
		Mometasone furoate	IP	0.10%			w/w
		In a Cream base		q.s.			
703	Gentamicin Ointment IP 0.1% w/w	Composition:-			SBC	PAGE NO 121	
		Gentamicin Sulphate eq. to Gentamicin	IP	0.10%			w/w
		In an ointment base		q.s.			
704	Diclofenac, Methyl Salicylate, Oleum Linn & Menthol Gel	Composition:-			SBC	PAGE NO 121	
		Diclofenac Diethylamine Eq. To Diclofenac Sodium	IP	1.16%			w/w
		Methyl Salicylate	IP	10%			w/w
		Linseed Oil	BP	3%			w/w
		Menthol	IP	5%			w/w
		Benzyl Alcohol (As Preservative)	IP	1%			w/v
		In a Gel base		q.s.			
705	Clobetasol & Salicylic Acid Ointment	Composition:-			SBC	PAGE NO 121	
		Clobetasol Propionate	IP	0.05%			w/w
		Salicylic Acid	IP	6%			w/w
		In an ointment base		q.s.			
706	Sertaconazole & Zinc Pyrithione Shampoo	Composition:-			SBC	PAGE NO 121	
		Sertaconazole Nitrate	IP	2%			w/v
		Zinc Pyrithione		1%			w/v
		In a Lotion Base		q.s.			
707	Povidone-Iodine, Metronidazole & Sucralfate Ointment	Composition:-			SBC	PAGE NO 121	
		Povidone-Iodine (available Iodine 0.5% w/w)	IP	50			mg
		Metronidazole	IP	10			mg
		Sucralfate	IP	70			mg
		In an ointment base		q.s.			
708	Zinc Oxide Cream IP 10%	Composition:-			SBC	PAGE NO 121	
		Zinc Oxide	IP	10%			w/w
		In a Cream base		q.s.			
709	Halobetasol & Mupirocin Gel	Composition:-			SBC	PAGE NO 122	
		Halobetasol Propionate	USP	0.05%			w/w
		Mupirocin	IP	2%			w/w
		In a Gel base		q.s.			
710	Calamine, Zinc Oxide, Bentonite, Glycerin & Sodium Citrate Lotion	Composition:-			SBC	PAGE NO 122	
		Calamine	IP	15%			w/v
		Zinc Oxide	IP	5%			w/v
		Bentonite	IP	3%			w/v
		Glycerin	IP	5%			w/v
		Sodium Citrate	IP	0.05%			w/v
		In a Lotion Base		q.s.			
	Potassium Nitrate, Sodium	Composition:-					
		Potassium Nitrate	BP	5%	w/w		

711	Monofluorophosphate & Triclosan Oral Gel	Sodium Monofluorophosphate	USP	0.70%	w/w	SBC	PAGE NO 122
		Triclosan	USP	0.30%	w/w		
		In a gel base		q.s.			

712	Diclofenac, Methyl Salicylate, Peppermint Oil, Turpentine Oil, & Eucalyptus Oil	Composition:-				SBC	
		Diclofenac Diethylamine	IP	2%	w/w		
		Methyl Salicylate	IP	10%	w/w		
		Peppermint Oil	IP	10%	w/w		
		Turpentine Oil	BP	10%	w/w		
		Eucalyptus Oil	IP	5%	w/w		
		Benzyl Alcohol (As Preservative)	IP	1%	w/w		
In an Oil base		q.s.					

713	Gamma Benzene Hexachloride & Cetrimide Lotion	Composition:-				SBC	PAGE NO 122
		Gamma Benzene Hexachloride (Lindane)	IP	1%	w/v		
		Cetrimide	IP	0.10%	w/v		
		In an emulsion base		q.s.			

714	Tacrolimus Ointment	Each gm contains :				SBC	PAGE NO 122
		Tacrolimus	IP	1	mg		
		In an Ointment base		q.s.			

715	Clobetasol & Terbinafine Cream	Composition:				SBC	PAGE NO 122
		Clobetasol Propionate	IP	0.05%	w/v		
		Terbinafine Hydrochloride	IP	1%	w/v		
		In a cream base		q.s.			

716	Mupirocin Ointment IP 2%	Composition:				SBC	PAGE NO 123
		Mupirocin	IP	2%	w/w		
		In a Cream base		q.s.			

	Terbinafine Cream IP	Composition:				SBC	PAGE NO 123
		Terbinafine Hydrochloride	IP	1%	w/w		
		Benzyl Alcohol (As Preservative)	IP	1%	w/w		
		In a Cream base		q.s.			

718	Zinc Oxide Cream IP	Composition:				SBC	PAGE NO 123
		Zinc Oxide	IP	40%	w/w		
		In a Cream base		q.s.			

719	Iodine, Potassium Iodide, Thymol, Menthol, Tannic Acid & Camphor Gum Paint	Composition:				SBC	PAGE NO 123
		Iodine	IP	1%	w/v		
		Potassium Iodide	IP	2%	w/v		
		Thymol	IP	0.25%	w/v		
		Menthol	IP	0.25%	w/v		
		Tannic Acid	USP	1.55%	w/v		
		Camphor	BP	0.20%	w/v		
		In Glycerine base	IP	q.s.			

720	Potassium Nitrate & Sodium Monofluorophosphate Gel	Composition:				SBC	PAGE NO 123
		Potassium Nitrate	BP	5%	w/w		
		Sodium Monofluorophosphate	USP	0.70%	w/w		
		In a gel base		q.s.			

721	Minoxidil Lotion 2%	Composition:				SBC	PAGE NO 123
		Minoxidil	IP	2%	w/v		

		In an Lotion base		q.s.			
722	Ketoconazole Cream	Composition:				SBC	PAGE NO 123
		Ketoconazole	IP	2%	w/v		
		In an cream base		q.s.			
723	Minoxidil Lotion 10%	Composition:				SBC	PAGE NO 123
		Minoxidil	IP	10%	w/v		
		In an Lotion base		q.s.			
724	Halobetasol & Salicylic Acid Cream	Composition:				SBC	PAGE NO 123
		Halobetasol Propionate	USP	0.05%	w/w		
		Salicylic Acid	IP	30	mg		
		In a cream base		q.s.			
725	Itraconazole Cream 1%	Composition:				SBC	PAGE NO 124
		Itraconazole	BP	1%	w/w		
		In a cream base		q.s.			
726	Coal Tar & Salicylic Acid Lotion	Composition:				SBC	PAGE NO 124
		Coal Tar	USP	1%	w/v		
		Salicylic Acid	IP	3%	w/v		
		In a cream base		q.s.			
727	Chlorhexidine Gluconate, Sodium Monofluorophosphate & Triclosan Mouthwash	Composition:				SBC	PAGE NO 124
		Chlorhexidine Gluconate Solution Eq to Chlorhexadine Gluconate	IP	0.20%	w/v		
		Sodium Monofluorophosphate	USP	0.07%	w/w		
		Triclosan	USP	0.05%	w/w		
		In an aqueous base		q.s.			
728	Clindamycin Phosphate & Tretinoin Gel	Composition:				SBC	PAGE NO 124
		Clindamycin Phosphate eq. to Clindamycin	IP	1%	w/w		
		Tretinoin	USP	0.03%	w/w		
		In a gel base		q.s.			
729	Tacrolimus Ointment	Composition:				SBC	PAGE NO 124
		Tacrolimus	IP	0.03%	w/w		
		In a cream base		q.s.			
730	Clobetasol, Miconazole Neomycin & Zinc sulphate Cream	Composition:				SBC	PAGE NO 124
		Clobetasol Propionate	IP	0.05%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.10%	w/w		
		Zinc Sulphate	IP	2.50%	w/w		
		In a cream base		q.s.			
731	Ketoconazole & Zinc Pyrithione Shampoo	Composition:				SBC	PAGE NO 124
		Ketoconazole	IP	2%	w/v		
		Zinc Pyrithione		1%	w/v		
		In an emulsion base		q.s.			
		Composition:					

732	Fluconazole & Zinc Pyrithone Lotion	Fluconazole	IP	2%	w/v	SBC	PAGE NO 124
		Zinc Pyrithone		1%	w/v		
		In an emulsion base		q.s.			

733	Lactic Acid, Sorbitol, Cocamidopropyl, Polyquaternium, Tea Tree Oil & Hippophae Vaginal Wash	Composition:				SBC	PAGE NO 125
		Lactic Acid	IP	1.20%	w/v		
		Sorbitol	IP	1%	w/v		
		Cocamidopropyl Betaine		7%	w/v		
		Polyquaternium-7		0.50%	w/v		
		Tea Tree Oil (Melaleuca Alternifolia)		0.05%	w/v		
Hippophae Rhamnoides (Sea Buckthorn)		0.25%	w/v				

734	Choline Salicylate & Lignocaine Gel	Composition:				SBC	PAGE NO 125
		Choline Salicylate Solution eq. to Choline Salicylate	BP	8.70%	w/w		
		Lignocaine Hydrochloride	IP	2%	w/w		
		Benzalkonium Chloride Solution (as preservative)	IP	0.01%	w/w		
		In pleasant flavoured gel base		q.s.			

735	Miconazole , Clotrimazole & Neomycin Cream	Composition:				SBC	PAGE NO 125
		Miconazole Nitrate	IP	2%	w/w		
		Clotrimazole	IP	1%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.50%	w/w		
		In a Cream base		q.s.			

736	Potassium Nitrate & Sodium fluoride mouth wash	Composition:				SBC	PAGE NO 125
		Potassium Nitrate	BP	3%	w/w		
		Sodium fluoride	USP	0.20%	w/w		
		In an aqueous base		q.s.			

737	Clindamycin Phosphate Zinc acetate Gel	Composition:				SBC	PAGE NO 125
		Clindamycin Phosphate eq. to Clindamycin	IP	1%	w/w		
		eq. to Clindamycin	USP	1%	w/w		
		eq. to Clindamycin		q.s.			

738	Triclosan, Sodium Fluoride & Sodium Benzoate Mouth wash	Composition:				SBC	PAGE NO 125
		Triclosan	USP	0.03%	w/v		
		Sodium Fluoride	IP	0.05%	w/v		
		Sodium Benzoate	IP	2%	w/v		
		In an aqueous base		q.s.			

		Composition:					
		Chlorhexidine Gluconate Solution	IP				

739	Chlorhexidine & Cetrимide Solution IP	Eq to Chlorhexadine Gluconate	11	1.50%	v/v	SBC	PAGE NO 126
		Strong Cetrимide Solution	BP	3%	w/v		
		eq. to Cetrимide					
		In an aqueous base		q.s.			

740	Octyl Methoxycinnamate, Vitamin E, Oxybenzone, & Methylene Bis-Benzotriazolyl-Tetramethyl-Butylphenol Cream	Composition:				SBC	PAGE NO 126
		Octyl Methoxycinnamate	USP	3%	w/w		
		Vitamin E Acetate	IP	0.50%	w/w		
		Oxybenzone	USP	2%	w/w		
		Methylene Bis-Benzotriazolyl Tetramethyl-Butylphenol					
				4%	w/w		
In a Cream base with Aloe Vera		q.s.					

741	Octyl Methoxycinnamate, Vitamin E, Oxybenzone, & Methylene Bis-Benzotriazolyl-Tetramethyl-Butylphenol & Aloes Cream	Composition:				SBC	PAGE NO 126
		Octyl Methoxycinnamate	USP	8%	w/w		
		Vitamin E Acetate	IP	0.50%	w/w		
		Oxybenzone	USP	5%	w/w		
		Methylene Bis-Benzotriazolyl Tetramethyl-Butylphenol					
				10%	w/w		
Aloes	IP	0.20%	w/w				
In a Cream base with Aloe Vera		q.s.					

742	Calamine, Aloe Vera & Glycerin lotion	Composition:				SBC	PAGE NO 126
		Calamine	IP	8%	w/w		
		Aloes	IP	2%	w/w		
		Glycerin	IP	1%	w/w		
		In a Lotion Base		q.s.			

743	Chlorhexidine Gluconate & Zinc Solution	Composition:				SBC	PAGE NO 126
		Chlorhexidine Gluconate Solution					
		Eq to Chlorhexadine Gluconate	IP	0.20%	w/v		
		Zinc Sulphate	IP	0.09%	w/v		
In an aqueous base		q.s.					

744	Permethrin Lotion 5% w/v	Composition:				SBC	PAGE NO 126
		Permethrin		5%	w/v		
		In Lotion base		q.s.			

745	Calcium Dobesilate, Lignocaine, Hydrocortisone Acetate & Zinc Ointment	Composition:				SBC	PAGE NO 127
		Calcium dobesilate Monohydrate					
		eq. to Anhydrous Calcium Dobesilate	IP	0.25%	w/w		
		Lignocaine Hydrochloride	IP	3%	w/w		
		eq. to Anhydrous Lignocaine					
Hydrocortisone Acetate	IP	0.25%	w/w				

		Zinc (As Zinc oxide IP)		5%	w/w		
		In an aqueous base		q.s.			
746	Chlorhexidine Gluconate, Sodium Monofluorophosphate & Triclosan Solution	Composition:				SBC	PAGE NO 127
		Chlorhexidine Gluconate Solution Eq to Chlorhexadine Gluconate	IP	0.20%	w/v		
		Sodium Monofluorophosphate	USP	0.70%	w/w		
		Triclosan	USP	0.30%	w/w		
		In an aqueous base		q.s.			
747	Ketoconazole Shampoo	Composition:				SBC	PAGE NO 127
		Ketoconazole	IP	2%	w/v		
		In an emulsion base		q.s.			
748	Povidone-Iodine Gargle 2%	Composition:				SBC	PAGE NO 127
		Povidone-Iodine (available Iodine 0.2% )	IP	2%	w/w		
		In an aqueous base		q.s.			
749	Clindamycin Phosphate & Nicotinamide Gel	Composition:				SBC	PAGE NO 127
		Clindamycin Phosphate eq. to Clindamycin	IP	1%	w/w		
		Nicotinamide	IP	4%	w/w		
		In a gel base		q.s.			
750	Fusidic Acid Cream I.P.	Composition:				SBC	PAGE NO 127
		Fusidic Acid	IP	2%	w/w		
		In Cream base		q.s.			
751	Fusidic Acid & Beclomethasone Dipropionate	Composition:				SBC	PAGE NO 127
		Fusidic Acid	IP	20	mg		
		Beclomethasone Dipropionate	IP	0.25	mg		
		In cream base		q.s.			
752	Beclomethasone & Clotrimazole Cream	Composition:				SBC	PAGE NO 128
		Beclomethasone Dipropionate	IP	0.05%	w/w		
		Clotrimazole	IP	1%	w/w		
		In an cream base		q.s.			
753	Clobetasol & Miconazole Cream	Composition:				SBC	PAGE NO 128
		Clobetasol Propionate	IP	0.05%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		In an cream base		q.s.			
754	Clobetasol Cream IP	Composition:				SBC	PAGE NO 128
		Clobetasol Propionate	IP	0.05%	w/w		
		In an cream base		q.s.			
755	Beclomethasone Dipropionate Lotion	Composition:				SBC	PAGE NO 128
		Beclomethasone Dipropionate	IP	0.05%	w/v		
		Non aqueous base		q.s.			
756	Gamabenzene & Cetrimide Lotion	Composition:				SBC	PAGE NO 128
		Gamabenzene Hexachloride (Lindane)	IP	1%	w/v		
		Cetrimide	IP	0.10%	w/v		

		In an emulsion base		q.s.			
<del>757</del>	<del>Natamycin Ophthalmic suspension IP</del>	<del>Composition:</del>					
		<del>Natamycin</del>	<del>IP</del>	<del>5%</del>	<del>w/v</del>	<del>SBC</del>	
		<del>Benzalkonium Chloride Solution (as preservative)</del>	<del>IP</del>	<del>0.01%</del>	<del>w/v</del>		
		<del>Sterile Aqueous Base</del>		<del>q.s.</del>			
758	Miconazole Nitrate Lotion 2%	Composition:				SBC	PAGE NO 128
		Miconazole Nitrate	IP	2%	w/v		
		In an emulsion base		q.s.			
759	Clotrimazole & Selenium Lotion	Composition:				SBC	PAGE NO 128
		Clotrimazole	IP	1%	w/v		
		Selenium Disulphide		2.50%	w/v		
		In an emulsion base		q.s.			
780	Aceclofenac, Oleum Oil, Methyl Salicylate, Capsaicin & Menthol Gel	Composition:				SBC	PAGE NO 129
		Aceclofenac	IP	1.50%	w/w		
		Oleum Oil	BP	3%	w/w		
		Methyl Salicylate	IP	10%	w/w		
		Capsaicin	USP	0.01%	w/w		
		Menthol	IP	5%	w/w		
		Benzyl Alcohol (As Preservative)	IP	1%	w/w		
		In a Gel base		q.s.			
<del>60</del>	<del>Diclofenac, Linseed Oil, Methyl Salicylate, Menthol &amp; Cyclobenzaprine Gel</del>	<del>Composition:</del>				<del>SBC</del>	
		<del>Diclofenac Diethylamine</del>	<del>IP</del>	<del>1.16%</del>	<del>w/w</del>		
		<del>Eq. To Diclofenac Sodium</del>		<del>1%</del>	<del>w/w</del>		
		<del>Linseed Oil</del>	<del>BP</del>	<del>3%</del>	<del>w/w</del>		
		<del>Methyl Salicylate</del>	<del>IP</del>	<del>10%</del>	<del>w/w</del>		
		<del>Menthol</del>	<del>IP</del>	<del>5%</del>	<del>w/w</del>		
		<del>Cyclobenzaprine</del>		<del>2%</del>	<del>w/w</del>		
		<del>Benzyl Alcohol (As Preservative)</del>	<del>IP</del>	<del>1%</del>	<del>w/v</del>		
		<del>In a Gel base</del>		<del>q.s.</del>			
781	Beclomethasone, Clotrimazole & Neomycin Cream	Composition:				SBC	PAGE NO 129
		Beclomethasone Dipropionate	IP	0.25%	w/w		
		Clotrimazole	IP	1%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.50%	w/w		
		In a Cream base					
782	Povidone-Iodine Ointment USP 5%	Composition:				SBC	PAGE NO 129
		Povidone-Iodine (available Iodine 0.5% w/w)	USP	5%	w/w		
		In an ointment base					
783	Clobetasol, Miconazole & Neomycin Cream	Composition:				SBC	PAGE NO 129
		Clobetasol Propionate	IP	0.05%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.50%	w/w		

		In a cream base					
784	Halobetasol Cream	Composition:				SBC	PAGE NO 129
		Halobetasol Propionate	USP	0.05%	w/w		
		In a cream base					
785	Halobetasol Lotion	Composition:				SBC	PAGE NO 130
		Halobetasol Propionate	USP	0.05%	w/w		
		In an aqueous base		q.s.			
786	Clindamycin Phosphate & Isotretinoin Gel	Composition:				SBC	PAGE NO 130
		Clindamycin Phosphate eq. to Clindamycin	IP	1%	w/w		
		Isotretinoin	IP	0.05%	w/w		
		In a gel base		q.s.			
787	Tretinoin , Hydroquinone & Allantoin Cream	Composition:				SBC	PAGE NO 130
		Tretinoin	BP	0.03%	w/w		
		Hydroquinone	USP	2%	w/w		
		Allantoin	IP	1.00%	w/w		
		In a Cream base		q.s.			
788	Gamabenzene Lotion 1%	Composition:				SBC	PAGE NO 130
		Gamabenzene Hexachloride (Lindane)	IP	1%	w/v		
		In an emulsion base		q.s.			
789	Beclomethasone & Clotrimazole Cream	Composition:				SBC	PAGE NO 130
		Beclomethasone Dipropionate	IP	0.03%	w/w		
		Clotrimazole	IP	1%	w/w		
		In a Cream base		q.s.			
790	Beclomethasone, Gentamicin and Miconazole Cream	Composition:				SBC	PAGE NO 130
		Beclomethasone Dipropionate	IP	0.03%	w/w		
		Gentamicin Sulphate eq. to Gentamicin	IP	0.50%	w/w		
		Miconazole Nitrate	IP	1%	w/w		
		In a Cream base		q.s.			
791	Nadifloxacin, Mometasone Furoate & Miconazole Nitrate cream	Composition:				SBC	PAGE NO 130
		Nadifloxacin		1%	w/w		
		Mometasone Furoate	IP	0.10%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		Methyl Paraben Sodium (As Preservative)	IP	0.18%	w/w		
		Propyl Paraben Sodium (As Preservative)	IP	0.02%	w/w		
		In a Cream base		q.s.			
792	Eberconazole Cream 1%	Composition:				SBC	PAGE NO 131
		Eberconazole Nitrate	IP	1%	w/w		
		In a Cream base		q.s.			
	Ofloxacin, Terbinafine	Composition:					
		Ofloxacin	IP	0.75%	w/w		

793	Hydrochloride, Miconazole Nitrate, Clobetasol Propionate & Dexpanthenol Ointment	Terbinafine Hydrochloride	BP	1%	w/w	SBC	PAGE NO 131
		Miconazole Nitrate	IP	2%	w/w		
		Clobetasol Propionate	IP	0.05%	w/w		
		Dexpanthenol	USP	0.05%	w/w		
		In an ointment base		q.s.			

794	Beclomethasone Dipropionate, Econazole and Neomycin Cream	Composition:				SBC	PAGE NO 131
		Beclomethasone Dipropionate	IP	0.03%	w/w		
		Econazole Nitrate	IP	1%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.50%	w/w		
		In a Cream base		q.s.			

795	Clobetasol Propionate, Neomycin Sulphate, Tolnaftate, Iodochlorhydroxyquinoline & Ketoconazole Cream	Composition:				SBC	PAGE NO 131
		Clobetasol Propionate	IP	0.05%	w/w		
		Neomycin Sulphate Eq. to Neomycin	IP	0.50%	w/w		
		Tolnaftate	IP	1%	w/w		
		Iodochlorhydroxyquinoline	IP	1%	w/w		
		Ketoconazole		2%	w/w		
		In a Cream base		q.s.			

796	Minoxidil Topical Solution USP 2 %	Composition:				SBC	PAGE NO 131
		Minoxidil	IP	2%	w/v		
		Absolute Alcohol		30%	w/v		
		In a Cream base		q.s.			

797	Minoxidil Topical Solution USP 5 %	Composition:				SBC	PAGE NO 131
		Minoxidil	IP	5%	w/v		
		Absolute Alcohol		30%	w/v		
		In a Cream base		q.s.			

798	Neomycin Sulfate & Bacitracin Ointment USP	Composition:				SBC	PAGE NO 132
		Each g contains:					
		Neomycin Sulphate eq to Neomycin	IP	5	mg		
		Bacitracin Zinc eq. to Bacitracin	IP	250	IU		
In a Cream base		q.s.					

799	Benzoic and Salicylic Acid Ointment IP	Composition:				SBC	PAGE NO 132
		Benzoic Acid	IP	6%	w/w		
		Salicylic Acid	IP	3%	w/w		
		Methylparaben (As Preservative)	IP	0.20%	w/w		
		Propylparaben (As Preservative)	IP	0.02%	w/w		
		In an ointment base		q.s.			

800	Calamine Lotion, Zinc Oxide, Bentonite, Sodium Citrate, Liquefied Phenol, Glycerin	Composition:				SBC	PAGE NO 132
		Calamine	IP	15%	w/v		
		Zinc Oxide	IP	5%	w/v		
		Bentonite	IP	3%	w/v		
		Sodium Citrate	IP	0.50%	w/v		
		Liquefied Phenol	IP	0.50%	w/v		
		Glycerin	IP	5%	w/v		
		Purified Water		q.s.			

801	Betamethasone Ointment	Composition:				SBC	PAGE NO 132
		Betamethasone Dipropionate	IP				

801	IP	eq. to Betamethasone	IP	0.05%	w/w	SBC	PAGE NO 132
		In an Ointment base		q.s.			
802	Betamethasone Ointment IP	Composition:				SBC	PAGE NO 132
		Betamethasone Dipropionate	IP	0.10%	w/w		
		eq. to Betamethasone					
		In an Ointment base		q.s.			
803	Piroxicam Gel 0.5%	Composition:				SBC	PAGE NO 132
		Piroxicam	IP	0.50%	w/w		
		In water soluble gel base with Propylene Glycol	IP	q.s.			
804	Liquid paraffin & White Soft Paraffin Cream	Composition:				SBC	PAGE NO 132
		Liquid paraffin	IP	6%	w/w		
		White Soft Paraffin					
		In a cream base		q.s.			
805	Tolnaftate Cream IP 1% w/w	Composition:				SBC	PAGE NO 133
		Tolnaftate	IP	1%	w/w		
		In an ointment base					
				q.s.			
806	Hand Sanitizer	Composition:				SBC	PAGE NO 133
		Isopropyl Alcohol	IP	69%-72%	v/v		
		Glycerine					
		Chlorhexidine Di Gluconate	IH	2%-3%	v/v		
		Perfume					
DM Water		q.s.					
807	Hand Sanitizer	Composition:				SBC	PAGE NO 133
		Isopropyl Alcohol	IP	60%-70%	v/v		
		Perfume					
		DM Water		q.s.			
808	Hand Sanitizer	Composition:				SBC	PAGE NO 133
		Isopropyl Alcohol	IP	up to 75%	v/v		
		Glycerine					
		Perfume	IH	0.04%-0.1%	v/v		
		DM Water					
				q.s.			
809	Hand Sanitizer	Composition:				SBC	PAGE NO 133
		Isopropyl Alcohol	IP	72%	v/v		
		Glycerine					
		Aloevera Gel	IH	q.s.			
		Carbopol					
		Perfume	IH	0.04%-0.1%	v/v		
DM Water							
				q.s.			
810	Hand Sanitizer	Composition:				SBC	PAGE NO 133
		Isopropyl Alcohol	IP	70%	v/v		
		Glycerine					
		Triethenolamine	IP	0.01%-1.0%	v/v		
		Carbopol					
Perfume	IH	0.04%-0.1%	v/v				

		DM Water		q.s.			
811	Cetrimide, Chlorhexidine Gluconate & Isopropyl Alcohol Concentrate Solution	Composition:				SBC	PAGE NO 133
		Cetrimide	IP	15%	w/v		
		Chlorhexidine Gluconate Solution	IP	7.50%	v/v		
		Isopropyl Alcohol	IP	7.50%	v/v		
		In an ointment base		q.s.			
812	1-Propanol & Ethyl Alcohol Hand Sanitizer	Each 100 ml contains:				SBC	PAGE NO 134
		1-Propanol		18	g		
		Ethyl Alcohol 100% (Denatured)		45	g		
		Purified Water		q.s.			
813	2-Propanol,1-Propanol & Ethyl Alcohol Hand Sanitizer	Each 100 g contains:				SBC	PAGE NO 134
		2-Propanol	IP	45	g		
		1-Propanol		30	g		
		Ethyl-hexadecyl-dimethyl, Ammonium Ethylsulphate (Mecetronium Ethyl Sulphate)		0.2	g		
		Purified Water		q.s.			
814	Ethyl Alcohol & Chlorhexidine Gluconate Hand Sanitizer	Composition:				SBC	PAGE NO 134
		Ethyl Alcohol (Denatured)	IP	70%	v/v		
		Chlorhexidine Gluconate Solution (Eq. to 0.5% w/v Chlorhexidine Gluconate)	IP	2.50%	v/v		
		Purified Water		q.s.			
815	Ethyl Alcohol Hand Sanitizer	Composition:				SBC	PAGE NO 134
		Ethyl Alcohol (Denatured)	IP	70%	v/v		
		In a perfumed gel base		q.s.			
816	Ethyl Alcohol Hand Sanitizer	Composition:				SBC	PAGE NO 134
		Ethyl Alcohol (Denatured)	IP	72.34%	v/v		
		In a perfumed gel base		q.s.			
817	Povidone-Iodine Gargle 0.5%	Composition:				SBC	PAGE NO 134
		Povidone-Iodine (available Iodine 0.06% )	IP	0.50%	w/v		
		In a mint flavoured aq. Base		q.s.			
818	Clobetasol & Ammonium Lactate Gel	Composition:				SBC	PAGE NO 134
		Clobetasol Propionate	IP	0.05%	w/w		
		Ammonium Lactate eq. to Lactic Acid IP		12%	w/w		
		In gel base		q.s.			
819	Diclofenac Diethylamine, Methyl Salicylate, Peppermint Oil, Turpentine Oil, & Eucalyptus Oil	Composition:				SBC	PAGE NO 135
		Diclofenac Diethylamine	IP	2%	w/w		
		Methyl Salicylate	IP	10%	w/w		
		Peppermint Oil	IP	10%	w/w		
		Turpentine Oil	BP	10%	w/w		
		Eucalyptus Oil	IP	5%	w/w		
		In an Oil base		q.s.			

820	Beclomethasone Dipropionate, Neomycin & Miconazole Cream.	Composition:				SBC	PAGE NO 135
		Beclomethasone Dipropionate	IP	0.03%	w/w		
		Neomycin Sulphate eq to Neomycin	IP	0.50%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		In a Cream base		q.s.			

821	Aceclofenac, Methyl Salicylate, Linseed Oil Capsaicin & Menthol Gel	Composition:				SBC	PAGE NO 135
		Aceclofenac	IP	1.50%	w/w		
		Methyl Salicylate	IP	10%	w/w		
		Linseed Oil	BP	3%	w/w		
		Capsaicin	USP	0.01%	w/w		
		Menthol	IP	0.50%	w/w		
In a Gel base		q.s.					

822	Mometasone & Nadifloxacin Cream	Each gram contains:				SBC	PAGE NO 135
		Mometasone Furoate	IP	1	mg		
		Nadifloxacin	IP	10	mg		
		Cream base		q.s.			

823	Calamine & Light Liquid Paraffin Lotion	Composition:				SBC	PAGE NO 135
		Calamine	IP	8%	w/v		
		Light Liquid Paraffin	IP	10%	w/v		
		Lotion base		q.s.			

824	Hydroquinone, Tretinoin & Fluocinolone Acetonide Cream	Composition:				SBC	PAGE NO 135
		Hydroquinone	USP	2%	w/w		
		Tretinoin	USP	0.03%	w/w		
		Fluocinolone Acetonide	IP	0.01%	w/w		
		Cream Base		q.s.			

825	Nimesulide Cream	Composition:				SBC	PAGE NO 135
		Nimesulide	BP	1%	w/w		
		In Cream base		q.s.			

826	Nimesulide & Methyl Salicylate Cream	Composition:				SBC	PAGE NO 136
		Nimesulide	BP	1%	w/w		
		Methyl Salicylate	IP	5%	w/w		
		In Cream base		q.s.			

827	Nitrofurazone & Hydrocortisone Cream	Composition:				SBC	PAGE NO 136
		Nitrofurazone	IP	0.20%	w/w		
		Hydrocortisone Acetate	IP	1%	w/w		
		In Cream base		q.s.			

828	Lidocain & Prilocaine Gel	Composition:				SBC	PAGE NO 136
		Lidocaine	IP	2.50%	w/w		
		Prilocaine	BP	2.50%	w/w		
		In a gel base		q.s.			

829	Povidone Iodine with Ornidazole Ointments	Composition:				SBC	PAGE NO 136
		Povidone Iodine (0.5%w/w available Iodine)	IP	5%	w/w		
		Ornidazole	IP	1%	w/w		
		Water soluble ointment base		q.s.			

		Composition:					
--	--	--------------	--	--	--	--	--

830	Luliconazole Cream	Luliconazole		1%	w/w	SBC	PAGE NO 136
		Methylparaben (As preservative)	IP	0.14%	w/w		
		Benzyl Alcohol (As preservative)	IP	1.00%	w/w		
		In a Cream base		q.s.			

831	Minoxidil Topical Solution USP 5%	Composition:			SBC	PAGE NO 136	
		Minoxidil	BP	50			mg
		Alcohol (95%) Eq. to Absolute Alcohol	BP	0.4			v/v
		In a pleasantly flavoured base		q.s.			

832	Minoxidil Topical Solution USP 100 mg	Composition:			SBC	PAGE NO 136	
		Minoxidil	BP	100			mg
		Alcohol (95%) Eq. to Absolute Alcohol	BP	0.4			v/v
		In a pleasantly flavoured base		q.s.			

833	Diclofenac, Thiocolchicoside, Linseed Oil, Methylsalicylate, Menthol & Benzyl Alcohol Gel Base	Composition:			SBC	PAGE NO 137	
		Diclofenac Diethylamine Eq. to Diclofenac Sodium	IP	1.16%			w/w
		Thiocolchicoside	IP	0.13%			w/w
		Linseed Oil	BP	3%			w/w
		Methyl Salicylate	IP	10%			w/w
		Menthol	IP	5%			w/w
		Benzyl Alcohol (As Preservative)	IP	1%			w/w
		In a Gel base		q.s.			

834	Clindamycin & Adapalene Gel	Composition:			SBC	PAGE NO 137	
		Adapalene		0.10%			w/v
		Clindamycin Phosphate eq. to Clindamycin	IP	1%			w/w
		Methyl Parahydroxybenzoate (As Preservative)	IP	0.10%			w/w
		Phenoxyethanol (As Preservative)	IP	0.25%			w/w
		In a gel base		q.s.			

835	Clobetasol Propionate, Neomycin Sulphate & Miconazole Nitrate Cream	Composition:			SBC	PAGE NO 137	
		Clobetasol Propionate	USP	0.05%			w/w
		Neomycin Sulphate Eq. to Neomycin	IP	0.50%			w/w
		Miconazole Nitrate	IP	2%			w/w
		Chlorocresol (as preservative)	IP	0.10%			w/w
		In a cream base		q.s.			

836	Povidone-Iodine & Metronidazole Ointment	Composition:			SBC	PAGE NO 137	
		Povidone Iodine (0.5%w/w available Iodine)	USP	0.05%			w/w
		Metronidazole	IP	1%			w/w
		Water soluble ointment base		q.s.			

837	Silver Sulfadiazine & Chlorhexidine Gluconate Cream	Composition:			SBC	PAGE NO 137	
		Silver Sulfadiazine	USP	1%			w/w
		Chlorhexidine Gluconate Solution eq. to Chlorhexidine Gluconate	IP	0.60%			w/ v

		Cream base		q.s.			
838	Ketoconazole & Beclomethasone Cream	Composition:				SBC	PAGE NO 137
		Ketoconazole	USP	2%	w/v		
		Beclomethasone Dipropionate	IP	0.03%	w/v		
		Cream base		q.s.			
839	Clobetasol & Salicylic Acid Ointment	Composition:				SBC	PAGE NO 138
		Clobetasol Propionate	IP	0.05%	w/w		
		Salicylic Acid	IP	3.50%	w/w		
		Cream base		q.s.			
840	Beclomethasone Dipropionate, Gentamycin & Miconazole Nitrate Cream	Composition:				SBC	PAGE NO 138
		Beclomethasone Dipropionate	IP	0.03%	w/w		
		Gentamicin Sulphate	IP	0.10%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		Chlorocresol (Preservative)	IP	0.10%	w/w		
		In a Cream base		q.s.			
841	Ciprofloxacin HCl, Fluocinolone, Clotrimazole & Neomycin Sulphate Cream.	Composition:				SBC	PAGE NO 138
		Ciprofloxacin HCl Eq. to Ciprofloxacin	IP	0.50%	w/w		
		Fluocinolone Acetonide	IP	0.03%	w/w		
		Clotrimazole	IP	1%	w/w		
		Neomycin Sulphate	IP	0.50%	w/w		
		In a Cream base		q.s.			
842	Lignocaine, Silver Sulphadiazine & Chlorhexidine Gluconate Cream	Composition:				SBC	PAGE NO 138
		Lignocaine Hcl	IP	0.20%	w/w		
		Silver Sulphadiazine	IP	1%	w/w		
		Chlorhexidine Gluconate Solution Eq. to Chlorhexidine Gluconate	IP	2%	w/w		
		In Cream base		q.s.			
843	Clobetasol Propionate, Gentamycin, Tolnaftate & Iodochlorhydroxyquinoline Cream	Composition:				SBC	PAGE NO 138
		Clobetasol Propionate	IP	0.05%	w/w		
		Gentamycin Sulphate Eq. to Gentamycin	IP	0.10%	w/w		
		Tolnaftate	IP	1%	w/w		
		Iodochlorhydroxyquinoline	IP	1%	w/w		
844	Povidone iodine, metronidazole with Aloes Powder ointment	Composition:				SBC	PAGE NO 138
		Povidone Iodine (Available Iodine 0.5% w/w)	IP	5%	w/w		
		Metronidazole	IP	1%	w/w		
		Aloes Powder	IP	1.50%	w/w		
		Excipients		q.s.			
845	Miconazole Nitrate & Fluocinolone Acetonide Ointment	Composition:				SBC	PAGE NO 138
		Miconazole Nitrate	IP	2%	w/w		
		Fluocinolone Acetonide	IP	0.01%	w/w		
		Water miscible base		q.s.			
846	Clobetasone Butyrate &	Composition:				SBC	PAGE NO 139
		Clobetasone Butyrate	IP	0.05%	w/w		
		Miconazole Nitrate	IP	2%	w/w		

870	Miconazole Nitrate Cream	Chlorocresole		0.01%	w/w	SBC	PAGE NO 139
		(As Preservative)					
		Water miscible base		q.s			

847	Beclomethasone & Miconazole Lotion	Composition:				SBC	PAGE NO 139
		Beclomethasone Dipropionate	IP	0.00%	w/v		
		Miconazole Nitrate	IP	2%	w/v		
		In a suitable aqueous Vehicle		q.s			

848	Clobetasole Propionate, Gentamycin & Miconazole Nitrate Cream	Composition:				SBC	PAGE NO 139
		Beclomethasone Dipropionate	IP	0.00%	w/v		
		Miconazole Nitrate	IP	2%	w/v		
		In a suitable aqueous Vehicle		q.s			

849	Clobetasole Propionate, Gentamycin & Miconazole Nitrate Cream	Composition:				SBC	PAGE NO 139
		Clobetasole Propionate	IP	0.05%	w/w		
		Gentamycin Sulphate Eq. to Gentamycin	IP	0.10%	w/w		
		Miconazole Nitrate	IP	2%	w/w		
		Chlorocresol (Preservative)	IP	0.10%	w/w		
		Cream base		q.s			

850	Calamin, Zinc, Phenol with Menthol Lotion	Composition:				SBC	PAGE NO 139
		Calamine	BP	15%	w/v		
		Zinc Sulfate eq. to Zinc	BP	5%	w/v		
		Phenol	BP	0.50%	w/v		
		Menthol	BP	0.40%	w/v		
		In a Lotion base		q.s.			

851	Camphor, Peppermint Oil, Eucalyptus Oil, Clove Oil, Cinnamon Oil & Peppermint Flower Gel	Composition:				SBC	PAGE NO 139
		Camphor	BP	0.07%	w/v		
		Peppermint Oil	BP	0.07%	w/v		
		Eucalyptus Oil	BP	0.07%	w/v		
		Clove Oil	BP	0.01%	w/v		
		Cinnamon Oil	BP	0.01%	w/v		
		Peppermint Flower		0.07%	w/v		
In a Gel base		q.s.					

852	Methyl Salicylate, Eucalyptus Oil, Turpentine Oil with Menthol gel	Composition:				SBC	PAGE NO 140
		Methyl Salicylate	BP	5%	w/w		
		Eucalyptus Oil	BP	0.02%	w/w		
		Turpentine Oil	BP	0.03%	w/w		
		Menthol	BP	0.50%	w/w		
Gel base		q.s.					

853	Benzylamine with Chlorhexidine Oral Rinse	Composition:				SBC	PAGE NO 140
		Benzylamine Hydrochloride	BP	5%	w/v		
		Chlorhexidine Gluconate Solution Eq. to Chlorhexidine Gluconate	BP	0.20%	w/v		
		Flavoured Aqueous base		q.s.			

854	Minoxidil & Finasteride Topical Solution	Composition:				SBC	PAGE NO 140
		Minoxidil	BP	5%	w/v		
		Finasteride	BP	0.10%	w/v		
		Alcohol (95%) Eq. to Absolute Alcohol	BP	0.4	v/v		

		In a pleasantly flavoured base		q.s.			
855	Ofloxacin, Tinidazole, Terbinafine Hcl, Clobetasol Propionate & Dexpanthenol Cream	Composition:				SBC	
		Ofloxacin	IP	0.75%	w/w		
		Tinidazole	IP	2.00%	w/w		
		Terbinafine Hcl	BP	1.00%	w/w		
		Clobetasol Propionate	BP	0.05%	w/w		
		Dexpanthenol	USP	0.05%	w/w		
		Methylpereben (As preservative)	IP	0.20%	w/w		
		Propylpereben (As preservative)	IP	0.02%	w/w		
In a Cream base		q.s					
856	Ofloxacin, Itraconazole, Ornidazole & Clobetasol Propionate Cream	Composition:				SBC	PAGE NO 140
		Ofloxacin	IP	0.75%	w/w		
		Itraconazole	USP	1.00%	w/w		
		Ornidazole	IP	2.00%	w/w		
		Clobetasol Propionate	IP	0.05%	w/w		
		Methylpereben (As preservative)	IP	0.16%	w/w		
		Propylpereben (As preservative)	IP	0.03%	w/w		
		In a Cream base		q.s			
857	Ketoconazole, Neomycin, Clobetasol Propionate, Tolnaftate, Idochlorhydroxyquinoline & Dexpanthenol Cream	Composition:				SBC	
		Ketoconazole	IP	20	mg		
		Neomycin Sulphate Eq. to Neomycin	IP	1	mg		
		Clobetasol Propionate	BP	0.5	mg		
		Tolnaftate	IP	10	mg		
		Idochlorhydroxyquinoline	IP	10	mg		
		Dexpanthenol	USP	0.5	mg		
		Cream base		q.s			
858	Kojic Acid & Vitamin C Cream.	Composition:				SBC	PAGE NO 141
		Kojic Acid		0.75%	w/w		
		Vitamin C	IP	2.50%	w/w		
		Cream base		q.s			
859	Betamethasone, Gentamicin, Clotrimazole & Idochlorhydroxyquinoline Cream.	Composition:				SBC	PAGE NO 141
		Betamethasone Dipropionate	IP	0.03	w/w		
		Gentamicin Sulphate Eq. to Gentamicin	IP	0.20%	w/w		
		Clotrimazole	IP	1%	w/w		
		Idochlorhydroxyquinoline	IP	2%	w/w		
		Cream base		q.s			
860	Sucralfate & Povidone - Iodine Ointment	Composition:				SBC	PAGE NO 141
		Sucralfate	IP	7%	w/w		
		Povidone-Iodine (available Iodine 0.5% w/w)	IP	5%	w/w		
		In an ointment base		q.s			
861	Povidone Iodine Solution	Composition:				SBC	PAGE NO 141
		Povidone Iodine	IP	2%	w/w		

861	Iodine Tincture Solution	(0.2%w/v available Iodine)	IP	2.0	w/v	SBC	PAGE NO 141
		In a Mint Flavoured aqueous base		q.s.			
862	Minoxidil Lotion 5%	Composition:				SBC	PAGE NO 141
		Minoxidil	IP	5%	w/v		
		In an Lotion base		q.s.			
863	Minoxidil Topical Solution USP 10 %	Composition:				SBC	PAGE NO 141
		Minoxidil	IP	10%	w/v		
		Absolute Alcohol		30%	w/v		
		In a Cream base		q.s.			
864	Amoxicillin Trihydrate Dispersible Tablets IP	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	125	mg		
		Excipients		q.s.			
		Approved colour used in coating					
865	Amoxicillin Trihydrate Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	200	mg		
		Excipients		q.s.			
		Approved colour used in coating					
866	Amoxicillin Dispersible Tablets IP	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
867	Amoxicillin Trihydrate Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in coating					
868	Amoxicillin Trihydrate Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in coating					
869	Amoxicillin and Potassium Clavulanate Dispersible Tablets BP	Each uncoated dispersible tablet contains:				SBC	PAGE NO 142
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	200	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	28.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
	Amoxicillin and Potassium Clavulanate Dispersible	Each uncoated dispersible tablet contains:					

870	Tablets BP	Amoxicillin trihydrate	IP	250	mg	SBC	PAGE NO 142	
		Eq. to Amoxicillin						
		Potassium Clavulanate Diluted	IP	125	mg			
		Eq. to Clavulanic Acid						
		Excipients		q.s.				
		Approved colour used in tablet						

871	Amoxicillin and Potassium Clavulanate Dispersible Tablets	Each film coated tablet contains:					SBC	PAGE NO 143
		Amoxicillin Trihydrate	IP	250	mg			
		Eq. to Amoxicillin						
		Potassium Clavulanate Diluted	IP	125	mg			
		Eq. to Clavulanic Acid						
		Excipients		q.s.				
		Approved colour used in tablet						

872	Amoxicillin and Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains					SBC	PAGE NO 143
		Amoxicillin Trihydrate	IP	400	mg			
		Eq. to Amoxicillin						
		Potassium Clavulanate Diluted	IP	57	mg			
		Eq. to Clavulanic acid						
		Excipients		q.s.				
		Approved colour used in tablet						

873	Amoxicillin and Potassium Clavulanate Tablets	Each film coated tablet contains:					SBC	PAGE NO 143
		Amoxicillin Trihydrate	IP	500	mg			
		Eq. to Amoxicillin						
		Potassium Clavulanate Diluted	IP	125	mg			
		Eq. to Clavulanic Acid						
		Excipients		q.s.				
		Approved colour used in coating						

874	Amoxicillin and Potassium Clavulanate with Lactic Acid Bacillus Tablets	Each film coated tablet contains:					SBC	PAGE NO 143
		Amoxicillin Trihydrate	IP	500	mg			
		Eq. to Anhydrous Amoxicillin						
		Potassium Clavulanate Diluted	IP	125	mg			
		Eq. to Clavulanic Acid						
		Lactic Acid Bacillus		60	million spores			
		Excipients		q.s.				
		Approved colour used in coating						

875	Sultamicillin Tablets	Each Film coated tablet Contains:					SBC	PAGE NO 143
		Sultamicillin (as Tosylate)	BP	375	mg			
		Eq to Sulbactam 147 mg and Ampicillin 220 mg)						
		Excipients		q.s.				
		Approved colour used in tablet						

	Amoxicillin & Potassium Clavulanate Tablets	Each film coated tablet contains:						
		Amoxicillin Trihydrate	IP					

876		Eq. to Amoxycillin	IP	875	mg	SBC	PAGE NO 143
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	125	mg		
		Excipients		q.s.			
		Approved colour used in coating					

877	Amoxycillin (ER) and Potassium Clavulanate Tablets	Each film coated extended release tablet contains:				SBC	PAGE NO 144
		Amoxycillin trihydrate Eq. to Amoxycillin (As Extended Release)	IP	1000	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	62.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

878	Amoxycillin and Potassium Clavulanate Tablets IP	Each film coated tablet contains:				SBC	PAGE NO 144
		Amoxycillin trihydrate Eq. to Amoxycillin	IP	1000	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	62.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

879	Amoxycillin Capsules IP	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 144
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

880	Amoxycillin Capsules IP	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 144
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

881	Amoxycillin, Dicloxacillin Sodium and Lactic Acid Bacillus Capsules	<del>Each Hard Gelatin Capsule Contains:</del>				SBC	
		<del>Amoxycillin Trihydrate Eq. to Amoxycillin</del>	<del>IP</del>	<del>250</del>	<del>mg</del>		
		<del>Dicloxacillin Sodium Eq. to Dicloxacillin</del>	<del>IP</del>	<del>250</del>	<del>mg</del>		
		<del>Lactic Acid Bacillus</del>		<del>60</del>	<del>million spores</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in empty capsule shells</del>					

882	Amoxycilline & Cloxacillin with Lactoc Acid Bacillus Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 144
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	250	mg		
		Cloxacillin Sodium Eq. to Cloxacillin	IP	250	mg		
		Lactic Acid Bacillus		60	million spores		
		Excipients		q.s.			

		Approved colour used in empty capsule shells		
--	--	--	--	--

883	Amoxycillin and Potassium Clavulanate Oral Suspension	Each 5 ml of reconstituted suspension Contains:			SBC		
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	50			mg
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	28.5			mg
		In a palatable suspension base		q.s.			
		Approved colour used					

884	Amoxycillin Oral Suspension with Lactic Acid Bacillus	Each 5 ml of reconstituted suspension contains			SBC		
		Amoxycillin Trihydrate Eq to Amoxycillin	IP	125			mg
		Lactic Acid Bacillus		60			million spores
		In a palatable suspensionbase.		q.s.			
		Approved colour used					

885	Amoxycillin Oral Suspension with Lactic Acid Bacillus	Each 5 ml of reconstituted suspension contains			SBC		
		Amoxycillin Trihydrate Eq to Amoxycillin	IP	250			mg
		Lactic Acid Bacillus		60			million spores
		In a palatable suspensionbase.		q.s.			
		Approved colour used					

886	Amoxycillin & Potassium Clavulanate Oral Suspension	Each 5ml reconstituted suspension contains:			SBC	PAGE NO 145	
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	125			mg
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	31.25			mg
		In a palatable suspension base		q.s.			
		Approved colour used					

887	Amoxycillin Oral Suspension	Each 5 ml of reconstituted suspension contains			SBC	PAGE NO 145	
		Amoxycillin Trihydrate Eq.to Amoxycillin	IP	125			mg
		In a palatable suspension base		q.s.			
		Approved colour used					

888	Amoxycillin Oral Suspension	Each 5 ml of reconstituted suspension contains			SBC	PAGE NO 145	
		Amoxycillin Trihydrate Eq.to Amoxycillin	IP	250			mg
		In a palatable suspension base		q.s.			
		Approved colour used					

889	Amoxycillin and Potassium Clavulanate	Each 5 ml of reconstituted suspension Contains:			SBC	PAGE NO 146
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	200		

887	Potassium Clavulanate Oral Suspension IP	Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	28.5	mg	SBC	PAGE NO 140
		In a palatable suspension base		q.s.			
		Approved colour used					

890	Combipack of Amoxicillin and Potassium Clavulanate Oral Suspension IP and Sterile Water for Injection IP	Each Combipack contains:						SBC	PAGE NO 146
		A: One bottle of Amoxicillin and Potassium Clavulanate Oral Suspension IP							
		Each 5 ml of constituted suspension contains:							
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	200	mg				
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	28.5	mg				
		In a palatable suspension base		q.s.					
		Colour: Approved colour used							
		B: One Ampoule of Sterile water for Injection IP							
		Each Ampoule contain							
		Sterile water for Injection	IP	30	ml				
(SWFI is not manufactured by us, packed along to be used as diluents for part A)									

891	Amoxycillin & Potassium Clavulanate Oral Suspension IP	Each 5 ml of reconstituted suspension contains						SBC	PAGE NO 146
		Amoxycillin Trihydrate Eq. to Amoxycillin	IP	400	mg				
		Potassium Clavulanate Diluted Eq. to Clavulanic acid	IP	57	mg				
		In a palatable suspensionbase.		q.s.					
Approved colour used									

892	Combipack of Amoxicillin and Potassium Clavulanate Oral Suspension IP and Sterile Water for Injection IP	Each Combipack contains:						SBC	PAGE NO 146
		A: One bottle of Amoxicillin and Potassium Clavulanate Oral Suspension IP							
		Each 5 ml of constituted suspension contains:							
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	400	mg				
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	57	mg				
		In a palatable suspension base		q.s.					
		Colour: Approved colour used							
		B: One Ampoule of Sterile water for Injection IP							
		Each Ampoule contain							
		Sterile water for Injection	IP	30	ml				
(SWFI is not manufactured by us, packed along to be used as diluents for part A)									

893	Amoxicillin & Cloxacillin Dry Syrup	Each 5ml (After reconstitution) Contains:				SBC	PAGE NO 147
		Amoxicillin Trihydrate Eq. to Amoxicillin	IP	125	mg		
		Cloxacillin Sodium Eq. to Cloxacillin	IP	125	mg		
		Excipients		q.s.			
		Approved colour used					

894	Ampicillin Trihydrate Capsules	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 147
		Ampicillin Trihydrate Eq. to Ampicillin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

895	Ampicillin Trihydrate Capsules	Each Hard Gelatin Capsule Contains:				SBC	PAGE NO 147
		Ampicillin Trihydrate Eq. to Ampicillin	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

896	Ampicillin & Dicloxacillin Capsules	Each hard gelatin capsule contains:				SBC	PAGE NO 147
		Ampicillin Sodium eq. to Ampicillin	IP	250	mg		
		Dicloxacillin Sodium Eq. to Dicloxacillin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

897	Cefixime & Cloxacillin Extended Release Tablets	Each film coated tablet contains				SBC	PAGE NO 148
		Cefixime Trihydrate Eq. to Cefixime Anhydrous	IP	100	mg		
		Cloxacillin Sodium Eq. to Cloxacillin (In Extended-Release Form)	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

898	Cefixime & Cloxacillin Extended Release Tablets	Each film coated tablet contains				SBC	PAGE NO 148
		Cefixime Trihydrate Eq. to Cefixime Anhydrous	IP	200	mg		
		Cloxacillin Sodium Eq. to Cloxacillin (In Extended-Release Form)	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

	Cefixime, Cloxacillin &	Each uncoated tablet contains					
		Cefixime Trihydrate Eq. to Cefixime Anhydrous	IP	200	mg		
		Cloxacillin Sodium	IP				

899	Lactic Acid Bacillus Tablets	Eq. to Cloxacillin	IP	500	mg	SBC	PAGE NO 148
		Lactic Acid Bacillus		90	million spores		
		Excipients		q.s.			
		Approved colour used in tablet					

900	Cefixime & Dicloxacillin Extended-Release Tablets	Each film coated tablet contains				SBC	PAGE NO 148
		Cefixime Trihydrate	IP				
		Eq. to Cefixime Anhydrous		200	mg		
		Dicloxacillin Sodium	IP				
		Eq. to Dicloxacillin (In Extended-Release Form)		500	mg		
Excipients		q.s.					
Approved colour used in tablet							

901	Cefixime, Cloxacillin & Lactic Acid Bacillus Tablets	Each film coated tablet contains				SBC	PAGE NO 148
		Cefixime Trihydrate	IP				
		Eq. to Cefixime Anhydrous		200	mg		
		Cloxacillin Sodium	IP				
		Eq. to Cloxacillin (In Extended-Release Form)		500	mg		
		Lactic Acid Bacillus		90	million spores		
Excipients		q.s.					
Approved colour used in tablet							

902	Cefixime and Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 149
		Cefixime Trihydrate	IP				
		Eq. to cefixime		50	mg		
		Potassium clavulanate diluted	IP				
		Eq. to Clavulanic acid		31.25	mg		
Excipients		q.s.					
Approved colour used in tablet							

903	Cefpodoxime and Ofloxacin Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 149
		Cefpodoxime Proxetil	IP				
		Eq. to Anhydrous Cefpodoxime		100	mg		
		Ofloxacin	IP				
		Eq. to Ofloxacin		100	mg		
Excipients		q.s.					
Approved colour used in tablet							

904	Cefixime and Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 149
		Cefixime Trihydrate	IP				
		Eq. to Cefixime		100	mg		
		Potassium clavulanate diluted	IP				
		Eq. to clavulanic acid		62.5	mg		
Excipients		q.s.					
Approved colour used in tablet							

905	Cefixime and Potassium Clavulanate Tablets	Each film coated tablet contains				SBC	PAGE NO 149
		Cefixime Trihydrate	IP				
		Eq. to Cefixime		200	mg		
		Potassium Clavulanate Diluted	IP				
Eq. to Clavulanic Acid		125	mg				

		Excipients		q.s.			
		Approved colour used in tablet					
906	Cefixime Tablets IP	Each uncoated tablet contains				SBC	PAGE NO 149
		Cefixime Trihydrate	IP	50	mg		
		Eq. to Cefixime					
		Excipients		q.s.			
Approved colour used in tablet							
907	Cefixime Dispersible Tablets IP	Each uncoated dispersible tablet contains:				SBC	PAGE NO 149
		Cefixime Trihydrate	IP	50	mg		
		Eq. to Cefixime					
		Excipients		q.s.			
Approved colour used in tablet							
908	Cefixime Tablets	Each film coated tablet contains				SBC	PAGE NO 149
		Cefixime Trihydrate	IP	400	mg		
		Eq. to Cefixime					
		Excipients		q.s.			
Approved colour used in tablet							
909	Cefixime and Lactic Acid Bacillus Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 150
		Cefixime Trihydrate	IP	100	mg		
		Eq. to Anhydrous Cefixime					
		Lactic Acid Bacillus		60	million spores		
		Excipients		q.s.			
Approved colour used in coating							
910	Cefixime and Lactic Acid Bacillus Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 150
		Cefixime	IP	200	mg		
		Eq. to Anhydrous Cefixime					
		Lactic Acid Bacillus		60	million spores		
		Excipients		q.s.			
Approved colour used in coating							
911	Cefixime and Ofloxacin Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 150
		Cefixime trihydrate	IP	100	mg		
		Eq. to Cefixime					
		Ofloxacin	IP	100	mg		
		Excipients		q.s.			
Approved colour used in tablet							
912	Cefixime and Ofloxacin Tablets	Each film coated tablet contains				SBC	PAGE NO 150
		Cefixime Trihydrate	IP	100	mg		
		Eq. to Cefixime					
		Ofloxacin	IP	100	mg		
		Excipients		q.s.			
Approved colour used							
913	Cefixime and Ofloxacin Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 150
		Cefixime trihydrate	IP	200	mg		
		Eq. to Cefixime					
Ofloxacin	IP	200	mg				

		Excipients		q.s.			
		Approved colour used in tablet					
914	Cefixime and Ofloxacin Sustained Release Tablets	Each film coated tablet contains:				SBC	PAGE NO 150
		Cefixime trihydrate	IP	200	mg		
		Eq. to Cefixime (As Sustained Release)					
		Ofloxacin (As Sustained Release)	IP	200	mg		
		Excipients		q.s.			
Approved colour used in tablet							
915	Cefixime, Ofloxacin & Lactic Acid Bacillus Tablets	<del>Each uncoated dispersible tablet contains:</del>				SBC	
		<del>Cefixime trihydrate</del>	<del>IP</del>	<del>200</del>	<del>mg</del>		
		<del>Eq. to Cefixime</del>	<del></del>	<del>200</del>	<del>mg</del>		
		<del>Ofloxacin</del>	<del>IP</del>	<del>200</del>	<del>mg</del>		
		<del>Lactic Acid Bacillus</del>	<del></del>	<del>60</del>	<del>million spores</del>		
		<del>Excipients</del>	<del></del>	<del>q.s.</del>	<del></del>		
<del>Approved colour used in tablet</del>							
916	Cefixime and Ofloxacin Sustained Release Tablets	Each film coated tablet contains:				SBC	PAGE NO 151
		Cefixime trihydrate	IP	400	mg		
		Eq. to Cefixime (As Sustained Release)					
		Ofloxacin (As Sustained Release)	IP	400	mg		
		Excipients		q.s.			
Approved colour used in tablet							
917	Cefixime, Cloxacillin & Lactic Acid Bacillus Tablets	Each film coated tablet contains				SBC	PAGE NO 151
		Cefixime Trihydrate	IP	100	mg		
		Eq. to Cefixime Anhydrous					
		Cloxacillin Sodium	IP	500	mg		
		Eq. to Cloxacillin (In Extended-Release Form)					
		Lactic Acid Bacillus		60	million spores		
Excipients		q.s.					
Approved colour used in tablet							
918	Cefixime, Azithromycin & Lactic Acid Bacillus Tablets	<del>Each film coated tablet contains:-</del>				SBC	
		<del>Cefixime Trihydrate</del>	<del>IP</del>	<del>200</del>	<del>mg</del>		
		<del>Eq. to Cefixime Anhydrous</del>	<del></del>	<del>200</del>	<del>mg</del>		
		<del>Azithromycin Dihydrate</del>	<del>IP</del>	<del>250</del>	<del>mg</del>		
		<del>Eq. to Azithromycin Anhydrous</del>	<del></del>	<del>250</del>	<del>mg</del>		
		<del>Lactic Acid Bacillus</del>	<del></del>	<del>60</del>	<del>million spores</del>		
<del>Excipients</del>	<del></del>	<del>q.s.</del>	<del></del>				
<del>Approved colour used in tablet.</del>							
	Cefixime, Azithromycin &	Each uncoated tablet contains: -					
		Cefixime Trihydrate	IP	200	mg		
		Eq. to Cefixime Anhydrous					
		Azithromycin Dihydrate	IP				

919	Lactic Acid Bacillus Tablets	Eq. to Azithromycin Anhydrous	11	500	mg	SBC
		Lactic Acid Bacillus		60	million spores	
		Excipients		q.s.		
		Approved colour used in tablet.				

920	Cefixime and Moxifloxacin Sustained Tablets	Each uncoated sustained release tablet contains				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Cefixime (As Sustained Release)	IP	400	mg		
		Moxifloxacin Hydrochloride Eq. to Moxifloxacin (As Sustained Release)	IP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

921	Cefixime for Oral Suspension IP	Each 5ml after reconstitution contains:				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Cefixime	IP	50	mg		
		In a palatable suspension base		q.s.			
		Approved colour used					

922	Cefixime for Oral Suspension IP	Each 5ml after reconstitution contains:				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Cefixime	IP	100	mg		
		In a palatable suspension base		q.s.			
		Approved colour used					

923	Cefixime and Ofloxacin Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Anhydrous Cefixime	IP	50	mg		
		Ofloxacin	IP	50	mg		
		In a palatable suspension base		q.s.			

924	Cefixime and Ofloxacin Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Anhydrous Cefixime	IP	100	mg		
		Ofloxacin	IP	100	mg		
		In a palatable suspension base		q.s.			

925	Cefixime and Ofloxacin Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Anhydrous Cefixime	IP	200	mg		
		Ofloxacin	IP	200	mg		
		In a palatable suspension base		q.s.			

926	Cefixime and Lactic Acid Bacillus Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 152
		Cefixime Trihydrate Eq. to Cefixime	IP	50	mg		
		Lactic Acid Bacillus		60	million spores		
		In a palatable suspension base	q.s.				
		Approved colour used					

927	Cefixime and Lactic Acid Bacillus Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 153
		Cefixime Trihydrate Eq. to Cefixime	IP	100	mg		
		Lactic Acid Bacillus		60	million spores		
		In a palatable suspension base	q.s.				
		Approved colour used					

928	Cefixime and Potassium Clavulanate Oral Suspension	Each 5ml reconstituted suspension contains:				SBC	PAGE NO 153
		Cefixime Trihydrate Eq. to Cefixime	IP	50	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	31.25	mg		
		In a palatable suspension base					
		Approved colour used					

929	Cefixime & Potassium Clavulanate Oral Suspension IP	<del>Each 5 ml of reconstituted suspension Contains.</del>				SBC	
		<del>Cefixime Trihydrate Eq. to Cefixime</del>	<del>IP</del>	<del>100</del>	<del>mg</del>		
		<del>Potassium clavulanate diluted Eq. to clavulanic acid</del>	<del>IP</del>	<del>28.5</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used.</del>					

930	Cefixime and Potassium Clavulanate Oral Suspension	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 153
		Cefixime Trihydrate Eq. to Cefixime	IP	100	mg		
		Potassium clavulanate diluted Eq. to Clavulanic acid	IP	62.5	mg		
		In a palatable suspension base		q.s.			
		Approved colour used					

931	Cefuroxime Axetil Tablets IP	Each Film coated tablet contains				SBC	PAGE NO 153
		Cefuroxime Axetil Eq. to Cefuroxime	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

932	Cefuroxime Axetil Tablets IP	Each Film coated tablet contains				SBC	PAGE NO 153
		Cefuroxime Axetil Eq. to Cefuroxime	IP	500	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

933	Cefuroxime Axetil and Potassium Clavulanate Tablets IP	Each film coated tablet contains				SBC	PAGE NO 154
		Cefuroxime Axetil Eq. to Cefuroxime	IP	250	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	125	mg		
		Excipients		q.s.			

		Approved colour used in tablet				
934	Cefuroxime Axetil and Potassium Clavulanate Tablets IP	Each film coated tablet contains			SBC	PAGE NO 154
		Cefuroxime Axetil Eq. to Cefuroxime	IP	500 mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	125 mg		
		Excipients		q.s.		
		Approved colour used in tablet				
<del>935</del>	<del>Cefuroxime &amp; Potassium Clavulanate Oral Suspension IP</del>	<del>Each 5 ml of reconstituted suspension Contains:</del>			<del>SBC</del>	
		<del>Cefuroxime Axetil Eq. to Cefuroxime</del>	<del>IP</del>	<del>125 mg</del>		
		<del>Potassium Clavulanate Diluted Eq. to Clavulanic Acid</del>	<del>IP</del>	<del>28.5 mg</del>		
		<del>In a palatable suspension base</del>		<del>q.s.</del>		
		<del>Approved colour used.</del>				
<del>936</del>	<del>Cefuroxime &amp; Potassium Clavulanate Oral Suspension IP</del>	<del>Each 5 ml of reconstituted suspension Contains:</del>			<del>SBC</del>	
		<del>Cefuroxime Axetil Eq. to Cefuroxime</del>	<del>IP</del>	<del>250 mg</del>		
		<del>Potassium Clavulanate Diluted Eq. to Clavulanic Acid</del>	<del>IP</del>	<del>57 mg</del>		
		<del>In a palatable suspension base</del>		<del>q.s.</del>		
		<del>Approved colour used.</del>				
937	Cefuroxime Axetil and Potassium Clavulanate Oral Suspension	Each 5 ml of reconstituted suspension Contains:			SBC	PAGE NO 154
		Cefuroxime Axetil Eq. to Cefuroxime	IP	125 mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	31.25 mg		
		In a palatable suspension base		q.s.		
		Approved colour used				
938	Cefuroxime Axetil and Potassium Clavulanate Tablets IP	Each film coated tablet contains			SBC	PAGE NO 154
		Cefuroxime Axetil Eq. to Cefuroxime	IP	125 mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	31.25 mg		
		Excipients		q.s.		
		Approved colour used in tablet				
939	Cefuroxime Axetil and Potassium Clavulanate Tablets IP	Each film coated tablet contains			SBC	PAGE NO 155
		Cefuroxime Axetil Eq. to Cefuroxime	IP	250 mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	62.5 mg		
		Excipients		q.s.		
		Approved colour used in tablet				
940	Cefuroxime Axetil Oral Suspension	Each 5ml reconstituted suspension contains:			SBC	PAGE NO 155
		Cefuroxime Axetil Eq. to Cefuroxime	IP	125 mg		
		In a palatable suspension base		q.s.		
		Approved colour used				

941	Cefpodoxime and Potassium Clavulanate Dispersible Tablets	Each Uncoated Dispersible tablet contains				SBC	PAGE NO 155
		Cefpodoxime Proxetil	IP	50	mg		
		Eq to Anhydrous Cefpodoxime					
		Potassium Clavulanate Diluted	IP	31.25	mg		
		Eq. to Clavulanic Acid					
Excipients		q.s.					
		Approved colour used in tablet					
942	Cefpodoxime and Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 155
		Cefpodoxime proxetil	IP	100	mg		
		Eq. to anhydrous cefpodoxime					
		Potassium clavulanate diluted	IP	62.5	mg		
		Eq. to clavulanic acid					
Excipients		q.s.					
		Approved colour used in tablet					
943	Cefpodoxime and Potassium Clavulanate Tablets	Each film coated tablet contains				SBC	PAGE NO 155
		Cefpodoxime Proxetil	IP	100	mg		
		Eq. to Cefpodoxime					
		Potassium Clavulanate Diluted	IP	62.5	mg		
		Eq. to Clavulanic Acid					
Excipients		q.s.					
		Approved colour used in tablet					
944	Cefpodoxime and Potassium Clavulanate Tablets	Each film coated tablet contains				SBC	PAGE NO 155
		Cefpodoxime Proxetil	IP	200	mg		
		Eq. to Anhydrous Cefpodoxime					
		Potassium Clavulanate Diluted	IP	125	mg		
		Eq. to Clavulanic Acid					
Excipients		q.s.					
		Approved colour used in tablet					
945	Cefpodoxime Proxetil Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 156
		Cefpodoxime Proxetil	IP	50	mg		
		Eq. to Cefpodoxime					
		Excipients		q.s.			
		Approved colour used in tablet					
946	Cefpodoxime Proxetil Dispersible Tablets 100 mg	Each uncoated dispersible tablet contains				SBC	PAGE NO 156
		Cefpodoxime Proxetil	IP	100	mg		
		Eq. to Cefpodoxime					
		Excipients		q.s.			
		Approved colour used in tablet					
947	Cefpodoxime Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 156
		Cefpodoxime Proxetil	IP	100	mg		
		Eq. to Cefpodoxime					
		Excipients		q.s.			
		Approved colour used in tablet					
948	Cefpodoxime Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 156
		Cefpodoxime Proxetil	IP	200	mg		
		Eq. to Cefpodoxime					
		Excipients		q.s.			
		Approved colour used in tablet					
	Cefpodoxime	Each film coated tablet contains					

949	Tablets IP	Cefpodoxime Proxetil			SBC	PAGE NO 156
		Eq. to Cefpodoxime	IP	200 mg		
		Excipients		q.s.		
		Approved colour used in tablet				

950	Cefpodoxime Proxetil Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 156
		Cefpodoxime Proxetil	IP	200 mg			
		Eq. to Cefpodoxime					
		Excipients		q.s.			
Approved colour used in tablet							

951	Cefpodoxime Proxetil SR Tablets	<del>Each Film coated sustained release tablet contains:</del>				SBC	
		<del>Cefpodoxime Proxetil</del>	<del>IP</del>	<del>200 mg</del>			
		<del>Eq. to Cefpodoxime</del>					
		<del>Excipients</del>		<del>q.s.</del>			
<del>Approved colour used in tablet</del>							

952	Cefpodoxime Proxetil SR Tablets	<del>Each Film coated sustained release tablet contains:</del>				SBC	
		<del>Cefpodoxime Proxetil</del>	<del>IP</del>	<del>400 mg</del>			
		<del>Eq. to Cefpodoxime</del>					
		<del>Excipients</del>		<del>q.s.</del>			
<del>Approved colour used in tablet</del>							

953	Cefpodoxime & Potassium Clavulanate Oral Suspension IP	<del>Each 5 ml of reconstituted suspension Contains:</del>					SBC	
		<del>Cefpodoxime Proxetil IP</del>	<del>IP</del>	<del>50</del>	<del>mg</del>			
		<del>Eq to Cefpodoxime</del>						
		<del>Potassium clavulanate diluted</del>	<del>IP</del>	<del>28.5</del>	<del>mg</del>			
		<del>Eq. to clavulanic acid</del>						
<del>Excipients</del>		<del>q.s.</del>						
<del>Approved colour used.</del>								

954	Cefpodoxime and Potassium Clavulanate Oral Suspension	Each 5ml reconstituted suspension contains:					SBC	PAGE NO 157
		Cefpodoxime Proxetil	IP	50	mg			
		Eq. to Anhydrous Cefpodoxime						
		Potassium Clavulanate Diluted	IP	31.25	mg			
		Eq. to Clavulanic Acid						
In a palatable suspension base								
Approved colour used								

955	Cefpodoxime & Potassium Clavulanate Oral Suspension IP	<del>Each 5 ml of reconstituted suspension Contains:</del>					SBC	
		<del>Cefpodoxime Proxetil IP</del>	<del>IP</del>	<del>100</del>	<del>mg</del>			
		<del>Eq to Cefpodoxime</del>						
		<del>Potassium clavulanate diluted</del>	<del>IP</del>	<del>28.5</del>	<del>mg</del>			
		<del>Eq. to clavulanic acid</del>						
<del>Excipients</del>		<del>q.s.</del>						
<del>Approved colour used.</del>								

956	Cefpodoxime & Dicloxacillin (ER) Tablets	Each film coated tablet contains				SBC	PAGE NO 157
		Cefpodoxime Proxetil	IP	100	mg		
		Eq. to Cefpodoxime					
		Dicloxacillin Sodium	IP	500	mg		
Eq. to Dicloxacillin (As ER)							
Excipients		q.s.					

		Approved colour used in tablet					
957	Cefpodoxime & Dicloxacillin (ER) Tablets	Each film coated tablet contains				SBC	PAGE NO 157
		Cefpodoxime Proxetil Eq. to Cefpodoxime	IP	200	mg		
		Dicloxacillin Sodium Eq. to Dicloxacillin (As ER)	IP	500	mg		
		Excipients		q.s.			
Approved colour used in tablet							
958	Cefpodoxime and Ofloxacin Tablets	Each film coated tablet contains				SBC	PAGE NO 157
		Cefpodoxime Proxetil Eq. to Cefpodoxime	IP	100	mg		
		Ofloxacin	IP	100	mg		
		Excipients		q.s.			
Approved colour used in tablet							
959	Cefpodoxime and Ofloxacin Tablets	Each film coated tablet contains				SBC	PAGE NO 158
		Cefpodoxime Proxetil Eq. to Cefpodoxime	IP	200	mg		
		Ofloxacin	IP	200	mg		
		Excipients		q.s.			
Approved colour used in tablet							
960	Cephalexin Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 158
		Cephalexin Eq. to Anhydrous Cephalexin	IP	125	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
961	Cephalexin Tablets IP	Each Uncoated tablet contains				SBC	PAGE NO 158
		Cephalexin Eq. to Anhydrous Cephalexin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
962	Cephalexin Dispersible Tablets	Each uncoated dispersible tablet contains				SBC	PAGE NO 158
		Cephalexin Eq. to Anhydrous Cephalexin	IP	250	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
963	Cephalexin Oral Suspension IP	Each 5 ml of reconstituted suspension Contains:				SBC	PAGE NO 158 (
		Cephalexin Eq. to Anhydrous Cephalexin	IP	125	mg		
		In a palatable suspension base		q.s.			
964	Cephalexin Oral Suspension IP	Each 5 ml of reconstituted suspension Contains:				SBC	PAGE NO 158
		Cephalexin Eq. to Anhydrous Cephalexin	IP	250	mg		
		In a palatable suspension base		q.s.			
		Approved colour used in tablet					
965	Cefadroxil and Potassium Clavulanate Oral	Each 5 ml of reconstituted suspension contains				SBC	PAGE NO 158
		Cefadroxil Monohydrate Eq. to Anhydrous Cefadroxil	IP	250	mg		

	Suspension	Potassium Clavulanate Diluted Eq. to Clavulanic Acid In a palatable suspension base	IP	62.5	mg		
--	------------	---	----	------	----	--	--

966	Cefadroxil and Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains:				SBC	PAGE NO 159
		Cefadroxil Monohydrate Eq. to Anhydrous Cefadroxil	IP	250	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	62.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

967	Cefadroxil and Potassium Clavulanate Tablets	Each film coated tablet contains:				SBC	PAGE NO 159
		Cefadroxil Monohydrate Eq. to Anhydrous Cefadroxil	IP	500	mg		
		Potassium Clavulanate Diluted Eq. to Clavulanic Acid	IP	125	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

968	Cefdinir Tablets	Each Film coated tablet Contains:				SBC	PAGE NO 159
		Cefdinir	USP	300	mg		
		Excipients		q.s.			
		Approved colour used					

969	Isotretinoin Softgel Capsules 30 mg	Each soft gelatin capsule contains:				SBC	PAGE NO 160
		Isotretinoin	IP	30	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

970	Dexibuprofen & Paracetamol Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 160
		Dexibuprofen		300	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

971	Dexibuprofen & Paracetamol Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 160
		Dexibuprofen		200	mg		
		Paracetamol	IP	325	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

972	Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hcl & Folic Acid Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 160
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	IP	100	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

		Each soft gelatin capsule contains:					
--	--	-------------------------------------	--	--	--	--	--

973	L-Arginine, Co-Enzyme, Grape Seed Extract, Acetyl Cysteine, Chasteberry Extract, Folic Acid, Inositol, Zinc Sulphate & Omega 3 Fatty Acid Soft Gelatin Capsules	L-Arginine	IP	100	mg	SBC	PAGE NO 160
		Co-enzyme Q10 (Ubidecarenone)	USP	50	mg		
		Grape Seed Extrac	USP	50	mg		
		Acetylcysteine	USP	100	mg		
		Folic Acid	IP	100	mcg		
		Inositol	BP	100	mg		
		Zinc Sulphate Monohydrate	IP	15	mg		
		Omega 3 Fatty Acid	BP	100	mg		
		Chasteberry Extract		100	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

974	Omega 3 Fatty Acid, Alpha Lipoic Acid, Cyanocobalamin & Chromium Picolinate Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 161
		Omega 3 Fatty Acid	BP	1000	mg		
		Alpha Lipoic Acid	USP	50	mg		
		Cyanocobalamin	IP	15	mcg		
		Chromium Picolinate	USP	200	mcg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

975	Clindamycin and Clotrimazole Soft gelatin Capsules	Each soft gelatin Capsules contains:				SBC	PAGE NO 161
		Clindamycin Phosphate eq. to Clindamycin	BP	100	mg		
		Clotrimazole	IP	100	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

976	Cholecalciferol Softgel Capsules 60000 IU	Each soft gelatin capsule contains:				SBC	PAGE NO 161
		Cholecalciferol (Vitamin D3)	IP	60000	IU		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

977	Methylcobalamin, Pregabalin, Vitamin B6, Folic Acid & Benfotiamine Soft gelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 161
		Methylcobalamin	IP	750	mcg		
		Pregabalin	IP	150	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	0.75	mg		
		Benfotiamine		7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

978	Methylcobalamin, Folic Acid, Zinc Sulphate, Chromium Picolinate Selenium, Inositol, Alpha Lipoic Acid, Streptococcus faecalis, Clostridium butyricum, Bacillus &	Each soft gelatin capsule contains:				SBC	PAGE NO 162
		Methylcobalamin	IP	500	mcg		
		Folic Acid	IP	1.5	mg		
		Zinc Sulphate Monohydrate	IP	25	mg		
		Chromium Picolinate	USP	200	mcg		
		Selenium as Sodium Selenite	USP	65	mcg		
		Inositol	USP	100	mg		
		Alpha Lipoic Acid	USP	50	mg		
		Streptococcus faecalis		3	million		
		Clostridium butyricum		2	million		

	Lactic Acid bacillus Soft gelatin Capsules	Bacillus mesentericus		1	million		
		Lactic acid bacillus		50	million		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

979	Methylcobalamin, Pregabalin, Vitamin B6, Folic Acid & Benfotiamine Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 162
		Methylcobalamin	IP	750	mcg		
		Pregabalin	IP	75	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	0.75	mg		
		Benfotiamine		150	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

980	Folic Acid, DHA 40% & Vit. B12 Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 162
		Folic Acid	IP	5	mg		
		Docosahexaenoic Acid (DHA 40%)		200	mg		
		Vitamin B12	IP	1	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

981	Methylcobalamin, Folic Acid, Pyridoxine, Calcium & Calcitriol Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 162
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	1.5	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Calcitriol	IP	0.25	mcg		
		Calcium Citrate Malate Eq. to elemental Calcium		200	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

982	L-Methyl Folate, Methylcobalamin, Pyridoxal 5 Phosphate, L-Arginine & DHA 40%, Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 163
		Methylcobalamin	IP	1500	mcg		
		L-Arginine	IP	100	mg		
		Docosahexaenoic Acid (DHA 40%)	BP	200	mg		
		L-Methyl Folate		1	mg		
		Pyridoxal 5 Phosphate		0.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

983	L-Methyl Folate, Methylcobalamin, Pyridoxal 5 Phosphate & L-Arginine Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 163
		Methylcobalamin	IP	1500	mcg		
		L-Arginine	IP	100	mg		
		L-Methyl Folate		1	mg		
		Pyridoxal 5 Phosphate		0.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

		Each softgel capsule contains:					
--	--	--------------------------------	--	--	--	--	--

984	Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Softgel Capsules	Dextromethorphan Hydrobromide	IP	10	mg	SBC	PAGE NO 163
		Phenylephrine Hydrochloride	IP	5	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

985	Dextromethorphan, Bromohexine & Guaphenesin Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 163
		Dextromethorphan Hydrobromide	IP	10	mg		
		Bromhexine Hydrochloride	IP	2	mg		
		Guaiphenesin	IP	100	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

986	Calcium Citrate Malate, Calcitriol & Zinc Sulphate Soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 163
		Calcium Citrate Malate		500	mg		
		Calcitriol	IP	0.25	mcg		
		Zinc Sulphate Monohydrate eq. to Elemental Zinc	IP	7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

987	Co-enzyme Q10, Lycopene, Omega 3, Fatty Acid & Selenium Soft Gel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 164
		Co-enzyme Q10		100	mg		
		Lycopene 10%	USP	5000	mcg		
		Omega 3 Fatty Acid eq. To Eicosapentaenoic Acid	BP	90	mg		
		eq. To Docosahexaenoic Acid		60	mg		
		Selenium Dioxide Monohydrate	USP	70	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

988	Calcitriol, Calcium Citrate Malate, & Vitamin K2-7 Soft gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 164
		Calcitriol	IP	0.25	mcg		
		Calcium Citrate Malate eq. to elemental Calcium		500	mg		
		Vitamin K2-7		50	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

990	Methylcobalamin, Pregabalin, Vitamin B6, Folic Acid & Benfotiamine Soft gelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 164
		Methylcobalamin	IP	750	mcg		
		Pregabalin	IP	150	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	0.75	mg		
		Benfotiamine		7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

		Each soft gelatin capsule contains:					
		Ferrous Bis-glycinate		60	mg		
		Zinc Sulphate Monohydrate eq. to elemental Zinc	IP	14	mg		

991	Ferrous Bis-glycinate, Zinc, Copper, Selenium, Vitamin B6, Methylcobalamin, Folic Acid & Fish Oil Soft Gelatin Capsules	Copper as Copper Sulphate	BP	1	mg	SBC	PAGE NO 164
		Selenium as Selenomethionine		70	mcg		
		Vitamin B6	IP	10	mg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	5	mg		
		Fish Oil 10/40 (DHA 200 mg)		500	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

992	Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hcl & Folic Acid Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Methylcobalamin	IP	500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

993	Methylcobalamin, Pregabalin, Vitamin B6, Folic Acid & Benfotiamine Soft gelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Methylcobalamin	IP	750	mcg		
		Pregabalin	IP	75	mg		
		Vitamin B6	IP	1.5	mg		
		Folic Acid	IP	0.75	mg		
		Benfotiamine		7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

994	Vitamin E Soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Vitamin E	IP	400	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

995	Coenzyme Q10, EPA & DHA Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Coenzyme Q10 (ubidecarenone)	USP	100	mg		
		Eicosapentaenoic Acid (EPA)		90	mg		
		Docosahexaenoic Acid (DHA)		60	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

996	Clindamycin, Clotrimazole & Tinidazole Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Clindamycin Phosphate eq. to Clindamycin	IP	100	mg		
		Clotrimazole	IP	100	mg		
		Tinidazole	IP	100	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

997	Fenticonazole Vaginal Softgelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 165
		Fenticonazole Nitrate		600	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

998	Camphor, Chlorothymol, Eucalyptol Oil, Menthol & Terpineol Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 166
		Camphor	IP	25	mg		
		Chlorothymol		5	mg		
		Eucalyptol Oil	USP	125	mg		
		Menthol	IP	55	mg		
		Terpineol	BP	120	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

999	Calcitriol, Calcium Citrate Malate, Zinc & Magnesium Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 166
		Calcitriol	IP	0.25	mcg		
		Calcium Citrate Malate		500	mg		
		Zinc Oxide (eq. to elemental Zinc)	IP	7.5	mg		
		Magnesium Oxide (eq. to elemental Magnesium)	IP	50	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1000	Calcitriol, Calcium Carbonate & Vitamin K2-7 Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 166
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate (eq. to elemental calcium)	IP	625	mg		
		Vitamin K2-7		250	mg		
				45	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1001	Calcitriol, Calcium Carbonate, Vitamin K2-7, Methylcobalamin, & L-Methylfolate, Zinc & Magnesium Oxide Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 166
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate	IP	1250	mg		
		Vitamin K2-7	USP	45	mcg		
		Methylcobalamin	IP	1500	mcg		
		Zinc (as Zinc Sulphate Monohydrate)	IP	7.5	mg		
		Magnesium Oxide (as light Magnesium Oxide IP)		50	mg		
		L-Methylfolate		800	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1002	Calcitriol, calcium Carbonate, Soya Isoflavones, Vitamin K2-7 & Magnesium Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 167
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate	IP	500	mg		
		Soya Isoflavones (40%)		50	mg		
		Vitamin K2-7		45	mcg		
		Magnesium (as Magnesium Oxide light IP)		50	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

	L-Methylfolate, Methylcobalamin & Pyridoxal	Each soft gelatin capsule contains:					
		L-Methylfolate		1	mg		
		Methylcobalamin	IP	1500	mcg		

1003	Nicotinamide & Pyridoxal-5-Phosphate Softgel Capsules	Pyridoxal-5-Phosphate		500	mcg	SBC	PAGE NO 167
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1004	Omega 3 Fatty Acid, Green Tea Extract, Ginseng Extract, Ginkgo Biloba Extract, Grape Seed Extract, Multivitamin, Multimineral & Antioxidants with Trace Elements Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 168
		Omega 3 Fatty Acid Providing	BP				
		Eicosapentaenoic Acid (EPA)		90	mg		
		Docosahexaenoic Acid (DHA)		60	mg		
		Green Tea Extract eq. to Polyphenols		10	mg		
		Ginseng Extract	USP	42.5	mg		
		Powdered Ginkgo Biloba Extract	USP	10	mg		
		Grape Seed Extract		15	mg		
		Lactic Acid bacillus		50	mel.		
		Citrus Bioflavonoids (8 mg Bioflavonoids)		20	mg		
		Natural Mixed Carotenoids (10%)		11.33	mg		
		Vitamin D3	IP	200	IU		
		Wheat Germ Oil	BP	25	mg		
		Vitamin K		10	mcg		
		Benfotiamine		1.5	mg		
		Vitamin B6	IP	1	mg		
		Vitamin B12	IP	1	mcg		
		Niacinamide	IP	20	mg		
		Calcium Ascorbate	USP	45	mg		
		Folic Acid	IP	150	mcg		
		Biotin	USP	100	mcg		
		Choline Bitartrate	USP	25	mg		
		Lutein	USP	250	mcg		
		Piperine		5	mg		
		Dibasic Calcium Phospahte Eq. to Elemental Calcium	IP	20	mg		
		Eq. to Elemental Phosphrous		15.45	mg		
		Ferrous Fumarate	IP	30	mg		
		Zinc Oxide Eq. to Elemental Zinc	IP	15	mg		
Potassium Iodide Eq. to Elemental Iodine	IP	150	mcg				
Magnesium Oxide Eq. to Elemental Magnesium	IP	30	mg				

		Manganese Sulphate eq. to elemental Manganese	USP	1.5	mg	PAGE NO 169
		Copper Sulphate Pentahydrate eq. to Elemental Copper	BP	0.5	mg	
		Chromium Picolinate Eq. to elemental Chromium	USP	65	mcg	
		Sodium Molybdate Dihydrate Eq. to Elemental Molybdenum	BP	25	mcg	
		Sodium Selenite Pentahydrate Eq. to Elemental Selenium	BP	20	mcg	
		Potassium Chloride Eq. to Elemental Potassium	IP	4	mg	
		& Elemental Chloride		3.6	mg	
		Sodium Borate Eq. to Elemental Boron	BP	150	mcg	
		Colloidal Silicon Dioxide Eq. to Elemental Silicone	IP	2	mg	

		Nickel Sulphate Eq. to Elemental Nickel		5	mcg		
		Stannous Chloride Dihydrate Eq. to Elemental Tin	BP	10	mcg		
		Sodium Metavanadate eq. to Elemental Vanadium		10	mcg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1006	Clindamycin & Clotrimazole Vaginal Softgel Capsules	Each soft gelatin vaginal capsule contains:						SBC	PAGE NO 169
		Clindamycin Phosphate eq. to Clindamycin	IP	100	mg				
		Clotrimazole	IP	200	mg				
		Excipients		q.s.					
		Approved colours used in softgel Capsule Shell							

1007	Vitamin C & Vitamin E Softgel Capsules	Each soft gelatin capsule contains:						SBC	PAGE NO 169
		Vitamin C	IP	150	mg				
		Vitamin E Natural	IP	400	IU				
		Excipients		q.s.					
Approved colours used in softgel Capsule Shell									

1008	Calcitriol, EPA, DHA, Methylcobalamin, Folic Acid, Boron & Calcium Carbonate Softgel Capsules	Each soft gelatin capsule contains:						SBC	PAGE NO 170
		Calcitriol	IP	0.25	mcg				
		Fish Oil, Rich in Omega-3-Fatty Acids Containing	BP						
		Eicosapentaenoic Acid		180	mg				
		Docosahexaenoic Acid		120	mg				
		Boron (as Disodium Tetraborate)	BP	1.5	mg				
		Methylcobalamin	IP	1500	mcg				
		Folic Acid	IP	400	mcg				
		Calcium Carbonate	IP	500	mg				
		Excipients		q.s.					
Approved colours used in softgel Capsule Shell									

1009	Calcitriol, Calcium Citrate, Zinc Oxide & Magnesium Oxide Soft Gelatin Capsules	Each soft gelatin capsule contains:						SBC	PAGE NO 170
		Calcitriol	IP	0.25	mcg				
		Calcium Citrate	USP	425	mg				
		Zinc Oxide	IP	20	mg				
		Magnesium Oxide	IP	40	mg				
		Excipients		q.s.					
Approved colours used in softgel Capsule Shell									

1010	Lycopene, Cyanocobalamin, Pyridoxine, Niacinamide, Zinc, Copper Sulphate, Manganese Sulphate, Beta- Carotene & Selenium	Each soft gelatin capsule contains:						SBC	PAGE NO 170
		Lycopene 10%	USP	2000	mcg				
		Cyanocobalamin	IP	2.5	mcg				
		Pyridoxine Hydrochloride	IP	1.5	mg				
		Niacinamide	IP	25	mg				
		Zinc Sulphate Monohydrate	IP	7.5	mg				
		Copper Sulphate Pentahydrate	IP	1	mg				
		Manganese Sulphate	IP	1.5	mg				

	Dioxide Monohydrate Soft Gelatin Capsules	Beta Carotene 30%	BP	10	mg
		Selenium Dioxide Monohydrate	USP	25	mcg
		Excipients		q.s.	
		Approved colours used in softgel Capsule Shell			

1011	Beta Carotene, Vitamin E Acetate, Vitamin C, Pyridoxine HCl, Cyanocobalamin, Folic Acid, Zinc, Selenium & Copper Soft Gelatin Capsules	Each soft gelatin capsule contains:				
		Beta Carotene (30% Dispersion ) (Eq. To Vitamin A 7500 IU)	USP	15	mg	
		Vitamin E Acetate	IP	25	mg	
		Vitamin C	IP	100	mg	
		Pyridoxine Hydrochloride	IP	1.5	mg	
		Cyanocobalamin	IP	5	mcg	
		Folic Acid	IP	400	mcg	
		Zinc (As Zinc Oxide )	IP	15	mg	
		Selenium (As Selenium Dioxide )	USP	100	mcg	
		Copper (As Copper Sulphate Pentahydrate )	BP	1	mg	
		Excipients		q.s.		
		Approved colours used in softgel Capsule Shell				

1012	Lycopene, Lutein, Betacarotene, Grape Seed Extract, Selenium Dioxide & Zinc Softgel Capsules	Each soft gelatin capsule contains:			
		Lycopene 10%	USP	4000	mcg
		Lutein 10%	USP	4000	mcg
		Betacarotene 30%	USP	5.17	mg
		Black Grape Seed Extract		10	mg
		Selenium Dioxide Monohydrate	USP	25	mcg
		Zinc Sulphate Monohydrate	IP	10	mg
		Excipients		q.s.	

1013	Co-Enzyme Q10, Omega 3 Fatty Acid & Lycopene Softgel Capsules	Each soft gelatin capsule contains:			
		Co-Enzyme Q10	BP	100	mg
		EPA		90	mg
		DHA		60	mg
		Lycopene 10%	USP	4000	mcg
		Selenium Dioxide Monohydrate	USP	70	mcg
		Excipients		q.s.	

1014	Calcium Carbonate, Calcitriol, Vitamin K27, Methylcobalamin, Magnesium, Boron & Zinc Softgel Capsules	Each soft gelatin capsule contains:			
		Calcium Carbonate Eq. To Elemental Calcium	IP	250	mg
		Calcitriol	IP	0.25	mcg
		Vitamin K27		45	mcg
		Methylcobalamin	IP	750	mcg
		Magnesium Oxide Eq. To Elemental Magnesium	IP	50	mg
		Sodium Metaborate Eq. to Elemental Boron		1.5	mg
		Zinc Oxide Eq. to Elemental Zinc	IP	7.5	mg
		Excipients		q.s.	

		Approved colours used in softgel Capsule Shell					
1015	Ubidecarenone (Coenzyme Q10), Lycopene, L-Arginine, Zinc Sulphate, Folic Acid & Selenium Soft Getatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 172
		Lycopene 10%		5000	mcg		
		Zinc Sulphate	IP	62.5	mg		
		Folic Acid	IP	1.5	mg		
		Selenium Dioxide Eq. To Elemental Selenium	IP	100	mcg		
		Ubidecarenone (Coenzyme Q10)	BP	100	mg		
		L-Arginine	IP	100	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					
1016	Ferrous Ascorbate , Folic Acid & Zinc Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 172
		Ferrous Ascorbate Eq. to Elemental Iron		100	mg		
		Folic Acid	IP	1.5	mg		
		Zinc Sulphate Monohydrate	IP	22.5	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					
1017	Dutasteride Capsules IP	Each soft gelatin capsule contains:				SBC	PAGE NO 172
		Dutasteride	IP	0.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
1018	Calcitriol, Calcium Citrate Malate, Vitamin K2-7, Methylcobalamin, Zinc, Magnesium & L- Methylfolate, Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 173
		Calcitriol	IP	0.25	mcg		
		Calcium Citrate Malate		500	mg		
		Vitamin K2-7		45	mcg		
		Methylcobalamin	IP	1500	mcg		
		Zinc Oxide	IP	7.5	mg		
		Magnesium Oxide	IP	20	mg		
		L-Methyl Folate Calcium	USP	800	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
1019	Calcitriol Capsules IP 0.25mcg	Each soft gelatin capsule contains:				SBC	PAGE NO 173
		Calcitriol	IP	0.25	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
1020	Calcitriol Capsules IP 0.5mcg	Each soft gelatin capsule contains:				SBC	PAGE NO 173
		Calcitriol	IP	0.5	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
		Each soft gelatin capsule contains:					

1021	Lycopene, selenium, Calcium Ascorbate, Mixed Carotene 10%, Zinc, Wheat Germ Oil & Vitamin B12 Soft Gelatin Capsules	Lycopene 10%	USP	5000	mcg	SBC	PAGE NO 173
		Selenium Dioxide Monohydrate	USP	75	mcg		
		Calcium Ascorbate	USP	75	mcg		
		Mixed Carotene 10%		10.33	mg		
		Zinc Sulphate Monohydrate	IP	27.45	mg		
		Wheat germ oil	SP	25	mg		
		Vitamin B12	IP	5	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1022	Mecobalmin, Alpha Lipoic Acid, Benfotiamine, Pyridoxine, Calcium Pantothenate, Folic Acid, Zinc Oxide, Chromium Picolinate, Inositol & Lutein Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 173
		Mecobalmin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Benfotiamine		15	mg		
		Pyridoxine Hcl	IP	3	mg		
		Calcium Pantothenate	IP	25	mg		
		Folic Acid	IP	1.5	mg		
		Zinc Oxide	IP	22.5	mg		
		Chromium Picolinate	USP	65	mcg		
		Inositol		10	mcg		
		Lutein	USP	5	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1023	Calcitriol, Calcium Carbonate, & Vitamin K27 Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 174
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate	IP	500	mg		
		Eq. to elemental Calcium		200	mg		
		Vitamin K27 1%		50	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1024	Mecobalamin, Alpha Lipoic Acid, Folic Acid, Selenium Dioxide, Calcium Panthenate, Vitamin B1, Vitamin B6, Vitamin E, Vitamin A, Inositol & Chromium Polynicotinate Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 174
		Mecobalmin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	100	mg		
		Folic Acid	IP	1.5	mg		
		Selenium Dioxide	USP	163.6	mg		
		Calcium Panthenate	IP	10	mg		
		Vitamin B1	IP	10	mg		
		Vitamin B6	IP	1.5	mg		
		Vitamin E	IP	25	IU		
		Vitamin A	IP	5000	IU		
		Inositol		100	mg		
		Chromium Polynicotinate	USP	200	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1025	Methylcobalamin, Alpha Lipoic Acid, Folic Acid, Inositol, Chromium Polynicotinate, Selenomethionine & Zinc Monomethionine Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 174
		Methylcobalamin	IP	1500	mcg		
		Alpha Lipoic Acid	USP	200	mg		
		Folic Acid	IP	1.5	mg		
		Inositol		100	mg		
		Chromium Polynicotinate	USP	200	mcg		
		Selenomethionine	USP	55	mcg		
		Zinc Monomethionine		25	mg		
Approved colours used in softgel Capsule Shell							

	Gelatin Capsules	Excipients		q.s.		
		Approved colours used in softgel Capsule Shell				

1026	Methylcobalamin, Calcium Carbonate, Calcitriol, Folic Acid, Pyridoxine Hydrochloride & Zinc Oxide Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 174
		Methylcobalamin	IP	1500	mcg		
		Calcium Carbonate	IP	625	mg		
		Eq. to Elemental Calcium		250	mg		
		Calcitriol	IP	0.25	mcg		
		Folic Acid	IP	1.5	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Zinc Oxide	IP	7.5	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1027	Calcitriol, Calcium Carbonate, Vitamin K2-7, Methylcobalamin, Zinc, Magnesium Oxide & L-Methylfolate, Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 175
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate	IP	500	mg		
		Vitamin K2-7	USP	45	mcg		
		Methylcobalamin	IP	1500	mcg		
		Zinc	IP	7.5	mg		
		Magnesium		50	mg		
		L-Methylfolate		800	mcg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1028	Methylcobalamin, Betacarotene, Alpha Lipoic Acid, Pyridoxine, Thiamine Hydrochloride & Chromium Polynicotinate Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 175
		Methylcobalamin	IP	500	mcg		
		Betacarotene	USP	10.33	mg		
		Alpha Lipoic Acid	USP	100	mg		
		Pyridoxine HCl	IP	1.5	mg		
		Thiamine Hydrochloride	IP	2	mg		
		Chromium Polynicotinate	USP	70	mcg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1029	Ubidecarenone (Co-Enzyme Q 10), Lycopene, Omega3 Fatty Acid (EPA, DHA) Mixed Carotene, Calcium Ascorbate, Piperine, Vitamin B12, Selenium Dioxide Monohydrate & Zinc Sulphate Monohydrate Soft Gel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 175
		Ubidecarenone	USP	100	mg		
		(Co-Enzyme Q 10)					
		Lycopene 10%	USP	5000	mcg		
		Omega3 Fatty Acid Containing					
		Eicosapentaenoic Acid	BP	90	mg		
		Docosahexanoic Acid		60	mg		
		Mixed Carotene 10 %		10.33	mg		
		Calcium Ascorbate	USP	75	mg		
		Piperine		5	mg		
		Vitamin B12	IP	5	mcg		

		Selenium Dioxide Monohydrate	USP	75	mcg		
		Zinc Sulphate Monohydrate	IP	27.45	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1030	Methylcobalamin, Calcium, Calcitriol, Folic Acid & Pyridoxine Hydrochloride Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 176
		Methylcobalamin	IP	1500	mcg		
		Calcium Carbonate	IP	500	mg		
		eq.to elemental Calcium		200	mg		
		Calcitriol.	IP	0.25	mcg		
		Folic Acid	IP	1.5	mg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1031	Alpha Lipoic Acid, Methylcobalamin, Pyridoxine, Folic Acid, Benfotiamin, Biotin & Chromium Picolinate Softgel Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 176
		Alpha Lipoic Acid	USP	100	mg		
		Methylcobalamin	IP	1500	mcg		
		Pyridoxine Hydrochloride	IP	3	mg		
		Folic Acid	IP	1.5	mg		
		Benfotiamin		50	mg		
		Biotin	USP	5	mg		
		Chromium Picolinate Eq. to elemental Chromium	USP	200	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1032	Calcitriol, Calcium Citate Malate, Methylcobalamin, L-methylfolate, Pyridoxal- 5 Phosphate, Lycopene with Omega-3 Fatty Acid Softgelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 176
		Calcitriol	IP	0.25	mcg		
		Calcium Citate Malate	IP	500	mg		
		Magnesium Sulphate	IP	50	mg		
		Methylcobalamin	IP	1500	mcg		
		L-methylfolate	IP	1	mg		
		Pyridoxal-5 Phosphate	IP	0.5	mg		
		Lycopene (6%)	USP	10000	mcg		
		Omega-3 Fatty Acid Containing Eicosapentaenoic Acid	BP	180	mg		
		Docosapentaenoic Acid		120	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1033	Betacarotene, Selenium, Manganese, Zinc & Copper soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 177
		Betacarotene (30% Dispersion)	BP	10	mg		
		Selenium (From Selenium Dioxide)	USP	70	mcg		
		Manganese (From Manganese Sulphate)	BP	2	mg		
		Zinc Sulphate Monohydrate	IP	27.5	mg		
		Copper (From Copper Sulphate Pentahydrate)	BP	2	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

		Each soft gelatin capsule contains:					
--	--	-------------------------------------	--	--	--	--	--

1034	Softgel Capsule of Grape seed Extract, Lycopene, Lutein, Vitamins, Folic Acid, Zinc & Selenium	Grape Seed Extract	USP	25	mg	SBC	PAGE NO 177
		Lycopene 6%	USP	2	mg		
		Lutein 8%	IP	3	mg		
		Vitamin A Concentrate Oil (As Palmitate)	IP	5000	I.U		
		Vitamin B1	IP	5	mg		
		Vitamin B2	IP	5	mg		
		Vitamin B6	IP	1.5	mg		
		Vitamin B12	IP	1.5	mg		
		Folic Acid	IP	1.5	mg		
		Zinc Sulphate Monohydrate	IP	23	mg		
		Selenium Dioxide Monohydrate	USP	75	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1035	Evening Primerose Oil & Cod Liver Oil Softgelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 177
		Evening primerose Oil	BP	500	mg		
		Cod Liver Oil	BP	300	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1036	Ofloxacin, Ornidazole, Lactic Acid Bacillus & Saccharomyces boulardii Tablets	<del>Each film coated tablet contains:</del>				SBC	
		<del>Ofloxacin</del>	<del>IP</del>	<del>200</del>	<del>mg</del>		
		<del>Ornidazole</del>	<del>IP</del>	<del>500</del>	<del>mg</del>		
		<del>Lactic Acid Bacillus</del>		<del>120</del>	<del>million spores</del>		
		<del>Saccharomyces boulardii</del>		<del>2</del>	<del>million spores</del>		
		<del>Excipients</del>		<del>q.s.</del>			

1037	Ubidecarenone , L-Carnitine L-tartrate , L-Arginine , Lycopene6% , Selenium Di Oxide & Omega 3 Fatty Acid soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 178
		Ubidecarenone (CO-Enzyme Q10)	BP	100	mg		
		L-Carnitine L-tartrate		50	mg		
		L-Arginine	IP	100	mg		
		Lycopene 6%	USP	4000	mcg		
		Selenium Di Oxide	USP	100	mcg		
		Omega 3 Fatty Acid	BP	150	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1038	Tocotrienols 50% , Vitamin B6 , Methylcobalamin & L-Methyl folate soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 178
		Tocotrienols 50%		60	mg		
		Vitamin B6	IP	1.5	mg		
		Methylcobalamin	IP	1500	mcg		
		L-Methylfolate		400	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1039	Tocotrienols 50% , Vitamin D3, Vitamin B6, Methylcobalamin & L-Methyl folate soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 178
		Tocotrienols 50%		60	mg		
		Vitamin D3	IP	2000	IU		
		Vitamin B6	IP	1.5	mg		
		Methylcobalamin	IP	1500	mcg		
		L-Methylfolate		400	mcg		
Excipients		q.s.					

		Approved colours used in softgel Capsule Shell					
1040	Tocotrienols 50% , Vitamin D3, Vitamin B6, Methylcobalamin & L- Methyl folate soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 178
		Tocotrienols 50%		60	mg		
		Vitamin D3	IP	5000	IU		
		Vitamin B6	IP	1.5	mg		
		Methylcobalamin	IP	1500	mcg		
		L-Methylfolate		500	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
1041	Ubidecarenone (Co Enzyme Q 10) soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 178
		Ubidecarenone (CO-Enzyme Q10)	BP	300	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					
1042	Omega-3 Marine (EPA:DHA) Soft Gelatin Capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 179
		Omega- 3 marine triglyceride providing:					
		Eicosapentaenoic acid (EPA)					
		Docosaheaxenoic Acid (DHA)	BP	270	mg		
			BP	180	mg		
Excipients		q.s.					
Approved colours used in softgel Capsule Shell							
1043	Omega-3 Fatty Acid Soft gelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 179
		Omega-3 Fatty Acid Providing (18:12)					
		Eicosapentaenoic acid (EPA)					
		Docosaheaxenoic Acid (DHA)	BP	180	mg		
			BP	120	mg		
Excipients		q.s.					
Approved colours used in softgel Capsule Shell							
1044	Ferrous Asparto Glycinate, L-Methyl Folate & Methylcobalamin Soft Gelatin Capsule	Each soft gelatin capsule contains:				SBC	PAGE NO 179
		Ferrous Asparto Glycinate		100	mg		
		L-Methyl Folate		300	mcg		
		Methylcobalamin	IP	500	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
1045	Calcitriol , Calcium Carbonate, Vitamin K 2-7 & Zinc Sulphate Monohydrate soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 179
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate (from Oyester shell)	IP	500	mg		
		Vitamin K 2-7		50	mcg		
		Zinc Sulphate Monohydrate	IP	7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							
		Each soft gelatin capsule contains:					
		Lycopene10%	USP	5000	mcg		

1046	Lycopene 10% , Grape Seed Extract , Lutein 10% , Betacarotene 30% , Chromium Picolinate , Zinc Sulphate, Selenium Di Oxide, Magnesium Oxide & Copper Sulphate soft gelatin capsules	Grape Seed Extract		10	mg	SBC	PAGE NO 179
		Lutein 10%	USP	4000	mcg		
		Betacarotene 30%	USP	5000	mcg		
		Chromium Picolinate		65	mcg		
		Zinc Sulphate Monohydrate	IP	7.5	mg		
		Selenium Di Oxide	USP	75	mcg		
		Magnesium Oxide	IP	0.5	mg		
		Copper Sulphate	BP	50	mcg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1047	Calcium Citrate Malate, Calcitriol, Omega 3 Fatty Acid, Methylcobalamin, Folic Acid & Boron soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 180
		Calcium Citrate Malate		500	mg		
		Calcitriol	IP	0.25	mcg		
		Omega-3-Fatty Acids Containing Eicosapentaenoic Acid	BP	180	mg		
		Docosahexaenoic Acid		120	mg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	400	mcg		
		Sodium Borate Eq to elemental Boron	BP	1.5	mg		
		Excipients		q.s.			
		Approved colours used in softgel Capsule Shell					

1048	Calcitriol , Calcium Carbonate & Zinc Sulphate Monohydrate soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 180
		Calcitriol	IP	0.25	mcg		
		Calcium Carbonate (From Oyster shell)	IP	500	mg		
		Calcitriol	IP	0.25	mcg		
		Zinc Sulphate Monohydrate	IP	7.5	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1049	Calcium Citrate Malate , Calcitriol , Vitamin K2-7 , Methylcobalamin, Vitamin B6 & Folic Acid soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 180
		Calcium Citrate Malate		500	mg		
		Calcitriol	IP	0.25	mcg		
		Methylcobalamin	IP	750	mcg		
		Folic Acid	IP	1.5	mg		
		Vitamin B6	IP	3	mg		
		Vitamin K2-7		45	mcg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1050	L-Methyl Folate , Pyridoxal 5 Phosphate , Methylcobalamin, Vitamin D3 & DHA 40% soft gelatin capsules	Each soft gelatin capsule contains:				SBC	PAGE NO 180
		L-Methyl Folate		1	mg		
		Pyridoxal 5 Phosphate		0.5	mg		
		Methylcobalamin	IP	1500	mcg		
		Vitamin D3	IP	1000	IU		
		DHA 40%		200	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

		Each soft gelatin capsule contains:					
		Calcium Carbonate	IP		mg		

1051	Calcitriol, Calcium Carbonate, Methylcobalamin, Folic Acid & Vitamin B6 Soft gelatin Capsules	(From an organic source Oyster Shell)	µ	500	µg	SBC	PAGE NO 181
		Calcitriol	IP	0.25	mcg		
		Methylcobalamin	IP	1500	mcg		
		Folic Acid	IP	1.5	mg		
		Vitamin B6	IP	3	mg		
		Excipients		q.s.			
Approved colours used in softgel Capsule Shell							

1052	Methylcobalamin, L-Methylfolate, Pyridoxal 5 Phosphate & DHA (40%) Tablets	Each film coated tablet contains:				SBC	
		Methylcobalamin		1500	mcg		
		L-Methylfolate		1000	mcg		
		Pyridoxal 5 Phosphate		0.5	mg		
		DHA (40%)		200	mg		
		Excipients		q.s.			
Approved colours used coating							

1053	Cilnidipine, Metoprolol, & Chlorthalidone Tablets	Each film coated bilayered tablet contains:				SBC	
		Cilnidipine	IP	10	mg		
		Metoprolol	IP	50	mg		
		Chlorthalidone	IP	12.5	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1054	Domperidone & Naproxen Sodium Tablets	Each film coated tablet contains:				SBC	
		Domperidone	IP	10	mg		
		Naproxen Sodium	BP	500	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1055	N-Acetylcysteine Effervescent Tablets 600 mg	Each Uncoated Effervescent tablet contains:				SBC	
		N-Acetylcysteine	BP	600	mg		
		Excipients		q.s.			
		Approved color & flavor used in tablet					

1056	Esomeprazole (GR) & Levosulpiride (PR) capsules	Each hard gelatin capsule contains:				SBC	
		Esomeprazole	IP	10	mg		
		(As gastro resistant tablet)					
		Levosulpiride		75	mg		
		(As uncoated prolonged release tablet)					
Excipients		q.s.					
Approved colour used in tablet							

1057	Silodosin & Dutasteride tablets	Each film coated tablet contains:				SBC	
		Silodosin		8	mg		
		Dutasteride	IP	0.5	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1058	Myo-Inositol, L-Arginine, L-Methyl Folate, Vitamin D3 & N-Acetyloysteine Tablets	Each film coated tablet contains:				SBC	PAGE NO 182
		Myo-Inositol	BP	1	gm		
		L-Arginine	IP	100	mg		
		L-Methyl Folate		100	mcg		
		Vitamin D3	IP	1000	IU		
		N-Acetyloysteine	USP	600	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1059	Methylcobalamin, L-Methyl Folate, Pyridoxal-5-Phosphate Tablets	Each film tablet contains:				SBC	
		Methylcobalamin	IP	1500	mcg		
		Pyridoxal-5-Phosphate	IHS	0.5	mg		
		L-Methyl Folate Calcium	IHS	1	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1060	L-Arginine Tablet	Each Film coated tablet contains:				SBC	
		L-Arginine (micronized)	IP	1000	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

1061	Calcium citrate malate, Vitamin D3, Magnesium Oxide, Zinc Sulphate Monohydrate Tablets	Each Film coated tablet Contains:				SBC	
		Calcium citrate malate		1000	mg		
		Vitamin D3	IP	200	IU		
		Magnesium Oxide Eq. to Elemental calcium	IP	100	mg		
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc	IP	7.5	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

1062	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 182
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	10	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Caffeine (Anhydrous)	IP	30	mg		
		Excipients		q.s.			
Approved colour used in tablet							

1063	Dextromethorphan Hydrobromide, Chlorpheniramine Maleate, Guaifenesin, Bromhexine Hydrochloride Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 183
		Dextromethorphan Hydrobromide	IP	10	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Guaifenesin	IP	100	mg		
		Bromhexine Hydrochloride	IP	8	mg		
		Excipients		q.s.			
		Approved colour used in tablet					

1064	Calcium citrate malate & Vitamin D3 Tablets	Each Film coated tablet Contains:				SBC	
		Calcium citrate malate		1250	mg		
		Vitamin D3	IP	1000	IU		
		Excipients		q.s.			
Approved colour used in tablet							

1065	Atorvastatin, Clopidogrel & Aspirin Capsules	Each Hard Gelatin Capsule contains:				SBC	
		Atorvastatin Calcium Eq. to Atorvastatin	IP	10	mg		
		Clopidogrel Bisulphate Eq. to Clopidogrel	IP	75	mg		
		Approved colour used in tablet					

		Aspirin	IP	75	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
1066	Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet Contains:				SBC	PAGE NO 183
		Paracetamol	IP	325	mg		
		Phenylephrine Hydrochloride	IP	5	mg		
		Chlorpheniramine Maleate	IP	2	mg		
		Caffeine (Anhydrous)	IP	16	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
1067	Faropenem 200 mg Tablet	Each film coated tablet contains:				SBC	PAGE NO 183
		Faropenem Sodium		200	mg		
		Eq. to Faropenem					
		Excipients		q.s.			
		Approved colour used in tablet					
1068	Faropenem 300 mg Tablet	Each film coated tablet contains:				SBC	PAGE NO 183
		Faropenem Sodium		300	mg		
		Eq. to Faropenem					
		Excipients		q.s.			
		Approved colour used in tablet					
<del>1069</del>	<del>Paracetamol, Phenylephrine HCl, levocetirizine Dihydrochloride Tablets</del>	<del>Each uncoated tablet Contains:</del>				<del>SBC</del>	
		<del>Paracetamol</del>	<del>IP</del>	<del>500</del>	<del>mg</del>		
		<del>Phenylephrine Hydrochloride</del>	<del>IP</del>	<del>5</del>	<del>mg</del>		
		<del>Levocetirizine Dihydrochloride</del>	<del>IP</del>	<del>5</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour used in tablet</del>					
<del>1070</del>	<del>N-Acetylcysteine Effervescent Tablets 600 mg</del>	<del>Each Effervescent tablet contains:</del>				<del>SBC</del>	
		<del>N-Acetylcysteine</del>	<del>BP</del>	<del>600</del>	<del>mg</del>		
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved color &amp; flavor used in tablet</del>					
1071	Myo-Inositol & Metformin HCl Tablets	Each Film coated tablet contains:				SBC	
		Myo-Inositol	USP	750	mg		
		Metformin HCl	IP	500	mg		
		Excipients		q.s.			
		Approved color & flavor used in tablet					
2180	Norethisterone Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO .185 (4)
		Norethisterone	IP	5	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2182	Estradiol Valerate Tablets	Each film coated tablet contains:				SBC	PAGE NO .185 (4)
		Estradiol Valerate (Micronised)	USP	2	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2183	Mifepristone Tablets	Each uncoated tablet contains:				SBC	PAGE NO .185 (4)
		Mifepristone	IP	200	mg		
		Excipients		q.s.			
		Approved colour used in tablets.					

2184	Natural Micronised Progesterone Sustained Release Tablets 300 mg	Each film coated sustained release tablet contains:			SBC	PAGE NO .185 (4)	
		Progesterone (Natural Micronised)	IP	300			mg
		Excipients		q.s.			
		Approved colour Used in tablets.					
2185	Estradiol Tablets USP 2 mg	Each film coated tablet contains:			SBC	PAGE NO .185 (4)	
		Estradiol (as Hemihydrate)	USP	2			mg
		Excipients		q.s.			
		Approved colour used in tablets.					
2186	Megestrol Acetate Tablets IP 160 mg	Each uncoated tablet contains:			SBC	PAGE NO .185 (4)	
		Megestrol Acetate	IP	160			mg
		Excipients		q.s.			
		Approved colour Used in tablets.					
2187	Danzol Capsules IP 100 mg	Each hard gelatin capsule contains:			SBC	PAGE NO .185 (4)	
		Danzol	IP	100			mg
		Excipients		q.s.			
		Approved colour Used in empty capsule shells.					
2188	Danzol Capsules IP 200 mg	Each hard gelatin capsule contains:			SBC	PAGE NO .185 (4)	
		Danzol	IP	200			mg
		Excipients		q.s.			
		Approved colour Used in empty capsule shells.					
2189	Mesterolone Tablets	Each uncoated tablet contains:			SBC	PAGE NO .185 (4)	
		Mesterolone	BP	10			mg
		Excipients		q.s.			
		Approved colour Used in tablets.					
2190	Mesterolone Tablets	Each uncoated tablet contains:			SBC	PAGE NO.185 (5)	
		Mesterolone	BP	25			mg
		Excipients		q.s.			
		Approved colour Used in tablets.					
2191	<del>Letrozole Tablets IP-</del>	<del>Each film coated tablet contains:</del>			SBC	PAGE NO.185 (5)	
		<del>Letrozole</del>	<del>IP</del>	<del>2.5</del>			<del>mg</del>
		<del>Excipients</del>		<del>q.s.</del>			
		<del>Approved colour Used in tablets.</del>					
2192	LEVONORGESTREL Tablets IP	Each film coated tablet contains:			SBC	PAGE NO.185 (5)	
		Levonorgestrel	IP	750			mcg
		Excipients		q.s.			
		Approved colour Used in tablets.					
2193	Cyproterone Acetate and Ethinylestradiol Tablets	Each film coated tablet contains:			SBC	PAGE NO.185 (5)	
		Cyproterone Acetate	IP	2			mg
		Ethinylestradiol	IP	0.035			mg
		Excipients		q.s.			
Approved colour Used in tablets.							
		Each film coated sustained release tablet contains:					

2194	Estradiol valerate Sustained Release Tablets 2mg	Estradiol Valerate (Micronised)	USP	2	mg	SBC	PAGE NO.185 (5)
		Excipients		q.s.			
		Approved colour Used in tablets.					
2195	Estradiol Valerate Sustained Release Tablets 4 mg	Each film coated sustained release tablet contains:				SBC	PAGE NO.185 (5)
		Estradiol Valerate	USP	4	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2196	Levonorgestrel Tablets IP	Each film coated tablet contains:				SBC	PAGE NO.185 (5)
		Levonorgestrel	IP	1.5	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2197	Mifepristone Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO.185 (5)
		Mifepristone	IP	10	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2198	Mifepristone Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO.185 (5)
		Mifepristone	IP	25	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2199	Misoprostol Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO.185 (6)
		Misoprostol (As 1% HPMC Dispersion)	IP	200	mcg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2200	Misoprostol Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO.185 (6)
		Misoprostol As 1% HPMC Dispersion	IP	600	mcg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2201	Dydrogesterone Tablets IP	Each film coated tablet contains:				SBC	PAGE NO.185 (6)
		Dydrogesterone	IP	10	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2202	Dienogest Tablets	Each film coated tablet contains:				SBC	PAGE NO.185 (6)
		Dienogest	IP	2	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2203	Combipack of Mifepristone Tablets IP & Misoprostol Tablets IP	Each combipack contains:				SBC	PAGE NO.185 (6)
		A. Mifepristone 1 Tablet					
		Each uncoated tablet contains:					
		Mifepristone	IP	200	mg		
		Excipients		q.s.			
		B. Misoprostol 4 Tablets					
		Each uncoated tablet contains:					
Misoprostol (As Misoprostol 1% Dispersion USP)	IP	200	mcg				

		Excipients		q.s.			
		Approved colour used in tablets.					
2204	Levonorgestrel & Ethinyloestradiol Tablets IP	Each uncoated tablet contains:				SBC	PAGE NO.185 (6)
		Levonorgestrel	IP	0.25	mg		
		Ethinylestradiol	IP	0.05	mg		
		Excipients		q.s.			
Approved colour Used in tablets.							
2205	Oxandrolone Tablets USP	Each uncoated tablet contains:				SBC	PAGE NO.185 (6)
		Oxandrolone	IP	10	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2206	Allyloestrenol Tablets	Each uncoated tablet contains:				SBC	PAGE NO.185 (7)
		Allyloestrenol	IP	5	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2207	Natural Micronised Progesterone Sustained Release Tablets	Each film coated sustained release tablet contains:				SBC	PAGE NO.185 (7)
		Progesterone (Natural Micronised)	IP	400	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2208	Natural Micronised Progesterone Sustained Release Tablets	Each film coated sustained release tablet contains:				SBC	PAGE NO.185 (7)
		Progesterone (Natural Micronised)	IP	200	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
2209	Norethisterone Controlled release Tablets	Each film coated controlled release tablet contains:				SBC	PAGE NO.185 (7)
		Norethisterone Acetate	BP	15	mg		
		Excipients		q.s.			
		Approved colour Used in tablets..					
2210	Norethisterone Controlled release Tablets	Each film coated controlled release tablet contains:				SBC	PAGE NO.185 (7)
		Norethisterone Acetate	BP	10	mg		
		Excipients		q.s.			
		Approved colour Used in tablets..					
2211	Natural Micronised Progesterone Sustained Release Tablets	Each film coated sustained release tablet contains:				SBC	PAGE NO.185 (8)
		Progesterone (Natural Micronised)	IP	100	mg		
		Excipients		q.s.			
		Approved colour Used in tablets.					
		Each film coated tablet contains:					
		Dienogest	IP	2	mg		PAGE NO.185

2212	Dienogest and Ethinylestradiol Tablets	Ethinylestradiol				IP	30	mcg	SBC	PAGE NO.183 (8)
		Excipients					q.s.			
		Approved colour Used in tablets.								
2213	Medroxyprogesterone Tablets I.P.	Each Uncoated tablet contains:							SBC	PAGE NO.185 (8)
		Medroxyprogesterone Acetate				IP	10	mg		
		Excipients					q.s.			
		Approved colour Used in tablets.								
2214	Medroxyprogesterone Tablets I.P.	Each Ucoated tablet contains:							SBC	PAGE NO.185 (8)
		Medroxyprogesterone Acetate				IP	5	mg		
		Excipients					q.s.			
		Approved colour Used in tablets.								
2215	Clotrimazole Vaginal Soft Gelatin Capsules	Each vaginal soft gelatin capsule contains:							SBC	PAGE NO.185(2)
		Clotrimazole				Usp	500	mg		
		Excipients					q.s.			
		Approved colour used in capsule								
2216	Azithromycin For Oral Suspension USP	Each 5 ml of the reconstituted suspension contains:							SBC	PAGE NO.185(2)
		Azithromycin Dihydrate				USP				
		Eqv. To Anhydrous Azithromycin					200	mg		
		Excipients					q.s.			
		In a flavoured palatable base					q.s.			
Approved Colour used.										
2217	Amoxycillin Dispersible Tablets	Each uncoated dispersible tablet contains:							Our Self	PAGE NO.185 (9)
		Amoxycillin Trihydrate Eq. to Amoxycillin				USP	250	mg		
		Excipients					q.s.			
		Approved colour used in tablet								
2218	Cefixime Dispersible Tablets	Each uncoated dispersible tablet contains:							Our Self	PAGE NO.185 (9)
		Cefixime Trihydrate Eq. to Cifixime				USP	100	mg		
		Excipients					q.s.			
		Approved colour used in tablet								
2219	Paracetamol Tablets	Each uncoated tablet contains:							Our Self	PAGE NO.185 (9)
		Paracetamol				BP	650	mg		
		Excipients					q.s.			
2220	Amoxycillin Capsules USP 500mg	Each hard gelatin capsule contains:							Our Self	PAGE NO.185 (9)
		Amoxycillin Trihydrate Eq. to Amoxycillin				USP	500	mg		
		Excipients					q.s.			
		Approved colour used in empty capsule shells								
		Each hard gelatin capsule contains:								

2221	Itraconazole Capsules USP 100mg	Each hard gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Itraconazole (As Pellets)	USP	100	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

2222	Isotretinoin Softgel Capsules USP 20mg	Each Softgel capsule contains:				Our Self	PAGE NO.185 (9)
		Isotretinoin	USP	20	mg		
		Excipients					
		Approved colour used in Softgel capsules shells					

2223	Cephalexin Capsules USP	Each hard gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Cephalexin Eq. to anhydrous Cephalexin	USP	250	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					

2224	Amoxicillin for Oral Suspension USP	Each 5ml of reconstitution suspension contains:				Our Self	PAGE NO.185 (9)
		Amoxicillin Trihydrate Eq. to Amoxicillin	USP	125	mg		
		In a palatable suspension base		q.s.			
		Approved colour used					

2225	Cefixime for Oral Suspension USP	Each 5ml after reconstitution Suspension Contains:				Our Self	PAGE NO.185 (9)
		Cefixime Trihydrate Eq. to Cefixime	USP	50	mg		
		In palatable suspension base		q.s.			
		Approved colour used					

2226	Luliconazole Cream	Composition:				Our Self	PAGE NO.185 (9)
		Luliconazole	ihs	1	%		
		Methylparaben (as preservative)	ihs	0.14	%		
		Benzyl alcohol (as preservative)	ihs	1	%		
		In a cream base		q.s.			

2227	Desloratadine Tablets 5mg USP	Each Film Coated Tablet Contains:				Our Self	PAGE NO.185 (9)
		Desloratadine	USP	5	mg		
		Excipients		q.s.			
		Approved colour used in tablets					

		Each Film Coated Tablet Contains:					
--	--	-----------------------------------	--	--	--	--	--

2228	Desloratadine Tablets 10mg USP	Each Film Coated Tablet Contains:				Our Self	PAGE NO.185 (9)
		Desloratadine	USP	10	mg		
		Excipients		q.s.			
		Approved colour used in tablet					
2229	Lansoprazole Delayed- Release Capsules USP	Each Delayed Release Capsule Contains:				Our Self	PAGE NO.185 (9)
		Lansoprazole (As Enteric Coated Pellets)	USP	30	mg		
		Excipients		q.s.			
		Approved colour used in Empty Capsules Shells					
2229	Fluconazole Capsules BP 100mg	Each Hard gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Fluconazole	BP	100	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					
2230	Fluconazole Capsules BP 150mg	Each Hard gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Fluconazole	BP	150	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					
2231	Fluconazole Capsules BP 200mg	Each Hard gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Fluconazole	BP	200	mg		
		Excipients		q.s.			
		Approved colour used in empty capsule shells					
2232	Mefenamic Acid Capsules BP 250mg	Each Hard Gelatin capsule contains:				Our Self	PAGE NO.185 (9)
		Mefenamic Acid	BP	250	mg		
		Excipients		q.s.			
		Approved Colour Used in empty capsules shells					
2233	Mefenamic Acid Capsules BP 500mg	Each Hard Gelatin capsule contains:				Our Self	PAGE NO.185 (10)
		Mefenamic Acid	BP	500	mg		
		Excipients		q.s.			
		Approved Colour Used in empty capsules shells					
2234	Albendazole Tablets USP 200mg	Each Chewable tablets contains:				Our Self	PAGE NO.185 (10)
		Albendazole	USP	200	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2236	Albendazole Tablets USP 400mg	Each Chewable tablets contains:				Our Self	PAGE NO.185 (10)
		Albendazole	USP	400	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2237	Fexofenadine Tablets BP 120mg	Each film coated tablet contains:				Our Self	PAGE NO.185 (10)
		Fexofenadine Hydrochloride	BP	120	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2238	Fexofenadine Tablets BP 180mg	Each film coated tablet contains:				Our Self	PAGE NO.185 (10)
		Fexofenadine Hydrochloride	BP	180	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2230	Famotidine Tablets USP	Each film coated tablet contains:				Our Self	PAGE NO.185
		Famotidine	USP	10	mg		

2237	10mg	Excipients		q.s.		Our Self	(10)
		Approved colour used in tablets					
2240	Famotidine Tablets USP 20mg	Each film coated tablet contains:				Our Self	PAGE NO.185 (10)
		Famotidine	USP	20	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2241	Famotidine Tablets USP 40mg	Each film coated tablet contains:				Our Self	PAGE NO.185 (10)
		Famotidine	USP	40	mg		
		Excipients		q.s.			
		Approved colour used in tablets					
2242	Orphenadrine Citrate & Paracetamol Tablets	Each Film Coated Tablet Contains:				Our Self	PAGE NO.185 (10)
		Orphenadrine Citrate	BP	35	mg		
		Paracetamol	BP	450	mg		
		Approved colour used in tablets					
2243	Oxybutynin Chloride Tablets USP 2.5mg	Each uncoated tablet contains:				Our Self	PAGE NO.185 (10)
		Oxybutynin Chloride	USP	2.5	mg		
		Excipients		q.s.			
2244	Oxybutynin Chloride Tablets USP 5mg	Each uncoated tablet contains:				Our Self	PAGE NO.185 (13)
		Oxybutynin Chloride	USP	5	mg		
		Excipients		q.s.			
2244	Oxybutynin Chloride Tablets USP 10mg	Each uncoated tablet contains:				Our Self	PAGE NO.185 (13)
		Oxybutynin Chloride	USP	10	mg		
		Excipients		q.s.			
2245	Oxybutynin Chloride Tablets USP 15mg	Each uncoated tablet contains:				Our Self	PAGE NO.185 (13)
		Oxybutynin Chloride	USP	15	mg		
		Excipients		q.s.			
2246	Ibuprofen & Paracetamol Tablets	Each uncoated tablet contains:				Our Self	PAGE NO.185 (13)
		Ibuprofen	USP	400	mg		
		Paracetamol	BP	325	mg		
		Excipients		q.s.			
2247	Bisacodyl Delayed- Release Tablets USP	Each Delayed release tablet contains:				Our Self	PAGE NO.185 (13)
		Bisacodyl	USP	5	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
2248	Bisacodyl Delayed- Release Tablets USP	Each Delayed release tablet contains:				Our Self	PAGE NO.185 (13)
		Bisacodyl	USP	10	mg		
		Excipients		q.s.			
		Approved Colour used in Tablets					
2249	Cholecalciferol Tablets USP	Each uncoated chewable tablet contains:				Our Self	PAGE NO.185 (13)
		Cholecalciferol (Vitamin D3)	USP	4000	IU		
		Excipients		q.s.			
		Approved Colour used					
2250	Cholecalciferol Tablets USP	Each uncoated chewable tablet contains:				Our Self	PAGE NO.185 (13)
		Cholecalciferol (Vitamin D3)	USP	5000	IU		
		Excipients		q.s.			

		Approved Colour used					
2251	Cholecalciferol Tablets USP	Each uncoated chewable tablet contains:				Our Self	PAGE NO.185 (13)
		Cholecalciferol (Vitamin D3)	USP	10,000	IU		
		Excipients		q.s.			
		Approved Colour used					
2252	Cholecalciferol Tablets USP	Each uncoated chewable tablet contains:				Our Self	PAGE NO.185 (13)
		Cholecalciferol (Vitamin D3)	USP	60,000	IU		
		Excipients		q.s.			
		Approved Colour used					
2253	Alfacalcidol Soft Gelatin Capsules	Each soft gelatin capsule contains:				Our Self	PAGE NO.185 (13)
		Alfacalcidol	BP	0.25	mcg		
		Excipients		q.s.			
		Approved Colour used					